

Kapitel C

Appendix: Saltholdighed

Tabel C.1: Kvalitetskontrol af saltholdighedsdata; station Århus Bugt

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 4.0 m | 27140 | 22.1 | 3.0 | 4 | 22.1 | 3.0 | 2 | 22.1 | 3.0 |
| 9.0 m | 27140 | 24.8 | 2.8 | 3 | 24.8 | 2.8 | 5 | 24.8 | 2.8 |
| 14.0 m | 27140 | 28.2 | 2.3 | 2 | 28.2 | 2.3 | 3 | 28.2 | 2.3 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 4.0 m | 0 | 0.0 | 0.0 | 0 | 22.1 | 3.0 | 0 | 22.1 | 3.0 |
| 9.0 m | 0 | 0.0 | 0.0 | 0 | 24.8 | 2.8 | 0 | 24.8 | 2.8 |
| 14.0 m | 0 | 0.0 | 0.0 | 0 | 28.2 | 2.3 | 0 | 28.2 | 2.3 |

| Dybde | Stabilitetskrav | | | | Time obs. | | |
|--------|-----------------|-----|------|------|-----------|------|------|
| | antal | i % | gns. | std. | antal | gns. | std. |
| 4.0 m | 7 | 0.0 | 22.1 | 3.0 | 13588 | 22.1 | 3.0 |
| 9.0 m | 7 | 0.0 | 24.8 | 2.8 | 13588 | 24.8 | 2.8 |
| 14.0 m | 7 | 0.0 | 28.2 | 2.3 | 13588 | 28.2 | 2.3 |

Tabel C.2: Kvalitetskontrol af saltholdighedsdata; station Darss Sill

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 7.0 m | 25158 | 8.6 | 1.7 | 111 | 8.7 | 1.6 | 0 | 8.7 | 1.6 |
| 12.0 m | 25563 | 9.3 | 2.2 | 98 | 9.4 | 2.1 | 2 | 9.4 | 2.1 |
| 17.0 m | 25013 | 11.6 | 3.3 | 100 | 11.7 | 3.2 | 8 | 11.7 | 3.2 |
| 19.0 m | 24571 | 12.8 | 3.6 | 66 | 12.8 | 3.5 | 3 | 12.8 | 3.5 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 7.0 m | 0 | 0.0 | 0.0 | 4 | 8.7 | 1.6 | 1 | 8.7 | 1.6 |
| 12.0 m | 0 | 0.0 | 0.0 | 4 | 9.4 | 2.1 | 3 | 9.4 | 2.1 |
| 17.0 m | 0 | 0.0 | 0.0 | 5 | 11.7 | 3.2 | 8 | 11.7 | 3.2 |
| 19.0 m | 0 | 0.0 | 0.0 | 4 | 12.8 | 3.5 | 3 | 12.8 | 3.5 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 7.0 m | 25024 | 8.7 | 1.6 | 49 | 0.2 | 8.7 | 1.6 |
| 12.0 m | 25436 | 9.4 | 2.1 | 49 | 0.2 | 9.4 | 2.1 |
| 17.0 m | 24877 | 11.7 | 3.2 | 49 | 0.2 | 11.7 | 3.2 |
| 19.0 m | 24472 | 12.8 | 3.5 | 49 | 0.2 | 12.8 | 3.5 |

Tabel C.3: Kvalitetskontrol af saltholdighedsdata; station Deutsche Bucht

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.0 m | 22141 | 28.7 | 14.3 | 3073 | 32.9 | 0.8 | 0 | 32.9 | 0.8 |
| 30.0 m | 21803 | 35.2 | 17.0 | 2781 | 33.1 | 0.8 | 0 | 33.1 | 0.8 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.0 m | 4 | 32.9 | 0.8 | 0 | 32.9 | 0.8 | 0 | 32.9 | 0.8 |
| 30.0 m | 0 | 33.1 | 0.8 | 1 | 33.1 | 0.8 | 0 | 33.1 | 0.8 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 6.0 m | 19064 | 32.9 | 0.8 | 1208 | 6.3 | 32.9 | 0.8 |
| 30.0 m | 19021 | 33.1 | 0.8 | 1208 | 6.4 | 33.2 | 0.6 |

Tabel C.4: Kvalitetskontrol af saltholdighedsdata; station Drogden

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.0 m | 50396 | 10.7 | 3.6 | 23 | 10.7 | 3.6 | 1 | 10.7 | 3.6 |
| 4.0 m | 51657 | 11.2 | 4.1 | 6 | 11.2 | 4.1 | 9 | 11.2 | 4.1 |
| 6.0 m | 52077 | 11.6 | 4.3 | 6 | 11.6 | 4.3 | 5 | 11.6 | 4.3 |
| 8.0 m | 51951 | 12.3 | 4.7 | 6 | 12.3 | 4.7 | 5 | 12.3 | 4.7 |
| 10.0 m | 50909 | 12.9 | 5.6 | 35 | 12.8 | 5.3 | 16 | 12.8 | 5.3 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.0 m | 44 | 10.7 | 3.6 | 0 | 10.7 | 3.6 | 0 | 10.7 | 3.6 |
| 4.0 m | 0 | 11.2 | 4.1 | 0 | 11.2 | 4.1 | 0 | 11.2 | 4.1 |
| 6.0 m | 0 | 11.6 | 4.3 | 0 | 11.6 | 4.3 | 0 | 11.6 | 4.3 |
| 8.0 m | 0 | 12.3 | 4.7 | 0 | 12.3 | 4.7 | 0 | 12.3 | 4.7 |
| 10.0 m | 94 | 12.8 | 5.3 | 0 | 12.8 | 5.3 | 0 | 12.8 | 5.3 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 2.0 m | 25810 | 10.7 | 3.6 | 11236 | 43.5 | 10.5 | 3.2 |
| 4.0 m | 26247 | 11.2 | 4.1 | 11236 | 42.8 | 11.1 | 4.0 |
| 6.0 m | 26470 | 11.7 | 4.3 | 11236 | 42.4 | 11.6 | 4.2 |
| 8.0 m | 26425 | 12.3 | 4.7 | 11236 | 42.5 | 12.7 | 4.8 |
| 10.0 m | 26278 | 12.8 | 5.3 | 11236 | 42.8 | 13.8 | 5.5 |

Tabel C.5: Kvalitetskontrol af saltholdighedsdata; station Elbe

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.0 m | 11102 | 30.4 | 12.2 | 2006 | 31.3 | 1.3 | 0 | 31.3 | 1.3 |
| 20.0 m | 14709 | 52.9 | 31.7 | 4985 | 31.9 | 0.9 | 1 | 31.9 | 0.9 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.0 m | 18 | 31.3 | 1.3 | 0 | 31.3 | 1.3 | 0 | 31.3 | 1.3 |
| 20.0 m | 102 | 31.9 | 0.9 | 0 | 31.9 | 0.9 | 2 | 31.9 | 0.9 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 6.0 m | 9076 | 31.3 | 1.3 | 116 | 1.3 | 31.3 | 1.3 |
| 20.0 m | 9617 | 31.9 | 0.9 | 116 | 1.2 | 32.0 | 0.8 |

Tabel C.6: Kvalitetskontrol af saltholdighedsdata; station Farø

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.8 m | 22499 | 10.2 | 2.5 | 0 | 10.2 | 2.5 | 0 | 10.2 | 2.5 |
| 5.5 m | 22011 | 9.1 | 3.1 | 0 | 9.1 | 3.1 | 0 | 9.1 | 3.1 |
| 8.5 m | 21538 | 10.2 | 2.6 | 0 | 10.2 | 2.6 | 1 | 10.2 | 2.6 |
| 11.5 m | 21073 | 10.7 | 2.7 | 0 | 10.7 | 2.7 | 1 | 10.7 | 2.7 |
| 14.5 m | 20684 | 10.6 | 2.7 | 0 | 10.6 | 2.7 | 1 | 10.6 | 2.7 |
| 21.0 m | 19581 | 10.3 | 2.9 | 0 | 10.3 | 2.9 | 5 | 10.3 | 2.9 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.8 m | 0 | 10.2 | 2.5 | 0 | 10.2 | 2.5 | 0 | 10.2 | 2.5 |
| 5.5 m | 4084 | 10.2 | 2.3 | 0 | 10.2 | 2.3 | 0 | 10.2 | 2.3 |
| 8.5 m | 0 | 10.2 | 2.6 | 0 | 10.2 | 2.6 | 0 | 10.2 | 2.6 |
| 11.5 m | 0 | 10.7 | 2.7 | 0 | 10.7 | 2.7 | 0 | 10.7 | 2.7 |
| 14.5 m | 0 | 10.6 | 2.7 | 0 | 10.6 | 2.7 | 0 | 10.6 | 2.7 |
| 21.0 m | 0 | 10.3 | 2.9 | 0 | 10.3 | 2.9 | 0 | 10.3 | 2.9 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 2.8 m | 11306 | 10.2 | 2.5 | 7459 | 66.0 | 10.9 | 2.3 |
| 5.5 m | 9150 | 10.2 | 2.3 | 7459 | 81.5 | 11.1 | 2.2 |
| 8.5 m | 11248 | 10.2 | 2.6 | 7459 | 66.3 | 11.0 | 2.4 |
| 11.5 m | 11207 | 10.7 | 2.7 | 7459 | 66.6 | 11.9 | 2.4 |
| 14.5 m | 11170 | 10.6 | 2.7 | 7459 | 66.8 | 11.8 | 2.4 |
| 21.0 m | 10771 | 10.3 | 2.9 | 7459 | 69.3 | 12.0 | 2.6 |

Tabel C.7: Kvalitetskontrol af saltholdighedsdata; station Flinten

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|-------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 3.0 m | 97831 | 11.3 | 4.9 | 362 | 11.4 | 4.9 | 23 | 11.4 | 4.9 |
| 4.5 m | 98227 | 12.1 | 5.6 | 1 | 12.1 | 5.6 | 15 | 12.1 | 5.6 |
| 6.0 m | 97988 | 13.0 | 6.1 | 0 | 13.0 | 6.1 | 1 | 13.0 | 6.1 |
| 7.5 m | 98090 | 13.3 | 6.5 | 352 | 13.4 | 6.4 | 0 | 13.4 | 6.4 |
| 9.1 m | 96474 | 13.8 | 6.9 | 932 | 13.8 | 6.7 | 0 | 13.8 | 6.7 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|-------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 3.0 m | 0 | 0.0 | 0.0 | 1 | 11.4 | 4.9 | 0 | 11.4 | 4.9 |
| 4.5 m | 0 | 0.0 | 0.0 | 0 | 12.1 | 5.6 | 0 | 12.1 | 5.6 |
| 6.0 m | 0 | 0.0 | 0.0 | 0 | 13.0 | 6.1 | 0 | 13.0 | 6.1 |
| 7.5 m | 0 | 0.0 | 0.0 | 0 | 13.4 | 6.4 | 0 | 13.4 | 6.4 |
| 9.1 m | 0 | 0.0 | 0.0 | 0 | 13.8 | 6.7 | 0 | 13.8 | 6.7 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|-------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 3.0 m | 49884 | 11.4 | 4.9 | 681 | 1.4 | 11.4 | 4.9 |
| 4.5 m | 50219 | 12.1 | 5.6 | 681 | 1.4 | 12.1 | 5.6 |
| 6.0 m | 50208 | 13.0 | 6.1 | 681 | 1.4 | 13.0 | 6.1 |
| 7.5 m | 49999 | 13.3 | 6.4 | 681 | 1.4 | 13.4 | 6.4 |
| 9.1 m | 48869 | 13.8 | 6.7 | 681 | 1.4 | 13.9 | 6.7 |

Tabel C.8: Kvalitetskontrol af saltholdighedsdata; station Gamle Bro

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 5.0 m | 67214 | 19.5 | 3.4 | 0 | 19.5 | 3.4 | 1 | 19.5 | 3.4 |
| 10.0 m | 62840 | 18.8 | 4.3 | 1 | 18.8 | 4.3 | 5 | 18.8 | 4.3 |
| 15.0 m | 65667 | 20.0 | 4.0 | 0 | 20.0 | 4.0 | 7 | 20.0 | 4.0 |
| 20.0 m | 54080 | 20.2 | 3.7 | 0 | 20.2 | 3.7 | 31 | 20.2 | 3.7 |
| 22.5 m | 51486 | 20.9 | 3.2 | 0 | 20.9 | 3.2 | 10 | 20.9 | 3.2 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 5.0 m | 0 | 0.0 | 0.0 | 0 | 19.5 | 3.4 | 0 | 19.5 | 3.4 |
| 10.0 m | 0 | 0.0 | 0.0 | 0 | 18.8 | 4.3 | 0 | 18.8 | 4.3 |
| 15.0 m | 0 | 0.0 | 0.0 | 0 | 20.0 | 4.0 | 0 | 20.0 | 4.0 |
| 20.0 m | 0 | 0.0 | 0.0 | 1 | 20.2 | 3.7 | 0 | 20.2 | 3.7 |
| 22.5 m | 0 | 0.0 | 0.0 | 0 | 20.9 | 3.2 | 0 | 20.9 | 3.2 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 5.0 m | 34580 | 19.5 | 3.4 | 6154 | 17.8 | 19.5 | 3.2 |
| 10.0 m | 32362 | 18.8 | 4.2 | 6154 | 19.0 | 19.9 | 3.1 |
| 15.0 m | 33770 | 20.0 | 3.9 | 6154 | 18.2 | 20.6 | 3.2 |
| 20.0 m | 27830 | 20.2 | 3.6 | 6154 | 22.1 | 20.7 | 3.4 |
| 22.5 m | 26354 | 20.9 | 3.2 | 6154 | 23.4 | 20.8 | 3.3 |

Tabel C.9: Kvalitetskontrol af saltholdighedsdata; station Hjelm Bugt

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.7 m | 56150 | 8.7 | 1.6 | 3 | 8.7 | 1.6 | 0 | 8.7 | 1.6 |
| 10.2 m | 51215 | 9.0 | 2.1 | 50 | 9.0 | 2.1 | 0 | 9.0 | 2.1 |
| 15.4 m | 56148 | 11.0 | 3.3 | 3 | 11.0 | 3.3 | 1 | 11.0 | 3.3 |
| 21.5 m | 56043 | 16.7 | 4.1 | 2 | 16.7 | 4.1 | 4 | 16.7 | 4.1 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.7 m | 0 | 0.0 | 0.0 | 0 | 8.7 | 1.6 | 0 | 8.7 | 1.6 |
| 10.2 m | 0 | 0.0 | 0.0 | 0 | 9.0 | 2.1 | 0 | 9.0 | 2.1 |
| 15.4 m | 0 | 0.0 | 0.0 | 0 | 11.0 | 3.3 | 0 | 11.0 | 3.3 |
| 21.5 m | 0 | 0.0 | 0.0 | 0 | 16.7 | 4.1 | 0 | 16.7 | 4.1 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 6.7 m | 28110 | 8.7 | 1.6 | 418 | 1.5 | 8.6 | 1.5 |
| 10.2 m | 25619 | 9.0 | 2.1 | 418 | 1.6 | 8.9 | 2.0 |
| 15.4 m | 28109 | 11.0 | 3.3 | 418 | 1.5 | 11.0 | 3.4 |
| 21.5 m | 28087 | 16.7 | 4.1 | 418 | 1.5 | 16.8 | 4.1 |

Tabel C.10: Kvalitetskontrol af saltholdighedsdata; station Kiel

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 8.0 m | 36123 | 15.0 | 3.1 | 1 | 15.0 | 3.1 | 3 | 15.0 | 3.1 |
| 13.0 m | 34858 | 18.1 | 2.4 | 0 | 18.1 | 2.4 | 0 | 18.1 | 2.4 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 8.0 m | 0 | 0.0 | 0.0 | 4 | 15.0 | 3.1 | 3 | 15.0 | 3.1 |
| 13.0 m | 0 | 0.0 | 0.0 | 0 | 18.1 | 2.4 | 2 | 18.1 | 2.4 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 8.0 m | 36092 | 15.0 | 3.1 | 62 | 0.2 | 15.0 | 3.1 |
| 13.0 m | 34837 | 18.1 | 2.4 | 62 | 0.2 | 18.1 | 2.4 |

Tabel C.11: Kvalitetskontrol af saltholdighedsdata; station Læsø Rende

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|-----------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.2 m | 25110 | 24.2 | 3.3 | 0 | 24.2 | 3.3 | 6 | 24.2 | 3.3 |
| 10.5 m | 25089 | 29.1 | 3.1 | 0 | 29.1 | 3.1 | 13 | 29.1 | 3.1 |
| 15.8 m | 25109 | 31.3 | 2.0 | 0 | 31.3 | 2.0 | 4 | 31.3 | 2.0 |
| 21.1 m | 15999 | 31.1 | 2.4 | 0 | 31.1 | 2.4 | 0 | 31.1 | 2.4 |
| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.2 m | 0 | 0.0 | 0.0 | 0 | 24.2 | 3.3 | 0 | 24.2 | 3.3 |
| 10.5 m | 0 | 0.0 | 0.0 | 0 | 29.1 | 3.1 | 1 | 29.1 | 3.1 |
| 15.8 m | 0 | 0.0 | 0.0 | 0 | 31.3 | 2.0 | 0 | 31.3 | 2.0 |
| 21.1 m | 0 | 0.0 | 0.0 | 0 | 31.1 | 2.4 | 0 | 31.1 | 2.4 |
| Dybde | Time obs. | | | Stabilitetskrav | | | | | |
| | antal | gns. | std. | antal | i % | gns. | std. | | |
| 6.2 m | 15676 | 24.0 | 3.4 | 3714 | 23.7 | 23.9 | 3.6 | | |
| 10.5 m | 15658 | 28.9 | 3.1 | 3714 | 23.7 | 29.0 | 3.2 | | |
| 15.8 m | 15688 | 31.1 | 2.1 | 3714 | 23.7 | 31.3 | 2.1 | | |
| 21.1 m | 11479 | 30.7 | 2.5 | 3714 | 32.4 | 31.6 | 1.7 | | |

Tabel C.12: Kvalitetskontrol af saltholdighedsdata; station Ndr. Røse

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.9 m | 105983 | 12.5 | 4.6 | 0 | 12.5 | 4.6 | 3 | 12.5 | 4.6 |
| 4.4 m | 104512 | 13.2 | 4.9 | 0 | 13.2 | 4.9 | 12 | 13.2 | 4.9 |
| 5.9 m | 105907 | 14.3 | 5.4 | 1 | 14.3 | 5.4 | 40 | 14.3 | 5.4 |
| 7.4 m | 105890 | 15.3 | 6.7 | 4362 | 15.9 | 6.1 | 27 | 15.9 | 6.1 |
| 9.0 m | 105603 | 17.1 | 6.4 | 0 | 17.1 | 6.4 | 5 | 17.1 | 6.4 |
| 10.6 m | 105753 | 18.7 | 7.0 | 2 | 18.7 | 7.0 | 26 | 18.7 | 7.0 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.9 m | 0 | 0.0 | 0.0 | 1 | 12.5 | 4.6 | 0 | 12.5 | 4.6 |
| 4.4 m | 0 | 0.0 | 0.0 | 1 | 13.2 | 4.9 | 0 | 13.2 | 4.9 |
| 5.9 m | 0 | 0.0 | 0.0 | 0 | 14.3 | 5.4 | 0 | 14.3 | 5.4 |
| 7.4 m | 0 | 0.0 | 0.0 | 0 | 15.9 | 6.1 | 0 | 15.9 | 6.1 |
| 9.0 m | 0 | 0.0 | 0.0 | 0 | 17.1 | 6.4 | 0 | 17.1 | 6.4 |
| 10.6 m | 0 | 0.0 | 0.0 | 0 | 18.7 | 7.0 | 3 | 18.7 | 7.0 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 2.9 m | 53140 | 12.5 | 4.6 | 5020 | 9.4 | 12.5 | 4.5 |
| 4.4 m | 52476 | 13.2 | 4.9 | 5020 | 9.6 | 13.1 | 4.8 |
| 5.9 m | 53134 | 14.3 | 5.4 | 5020 | 9.4 | 14.2 | 5.3 |
| 7.4 m | 50933 | 15.9 | 6.1 | 5020 | 9.9 | 15.9 | 5.9 |
| 9.0 m | 52951 | 17.1 | 6.4 | 5020 | 9.5 | 17.1 | 6.2 |
| 10.6 m | 53192 | 18.7 | 7.0 | 5020 | 9.4 | 19.0 | 6.9 |

Tabel C.13: Kvalitetskontrol af saltholdighedsdata; station Oder

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 3.0 m | 27066 | 6.9 | 0.8 | 14 | 6.9 | 0.8 | 0 | 6.9 | 0.8 |
| 12.0 m | 27609 | 7.8 | 2.6 | 1407 | 7.2 | 0.5 | 2 | 7.2 | 0.5 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 3.0 m | 0 | 6.9 | 0.8 | 5 | 6.9 | 0.8 | 0 | 6.9 | 0.8 |
| 12.0 m | 92 | 7.2 | 0.5 | 1 | 7.2 | 0.5 | 0 | 7.2 | 0.5 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 3.0 m | 27034 | 6.9 | 0.8 | 37 | 0.1 | 6.9 | 0.8 |
| 12.0 m | 26100 | 7.2 | 0.5 | 37 | 0.1 | 7.2 | 0.5 |

Tabel C.14: Kvalitetskontrol af saltholdighedsdata; station Østerrenden Nord

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 3.3 m | 34402 | 10.9 | 4.6 | 0 | 10.9 | 4.6 | 0 | 10.9 | 4.6 |
| 5.8 m | 34318 | 14.6 | 3.8 | 0 | 14.6 | 3.8 | 0 | 14.6 | 3.8 |
| 9.8 m | 34386 | 15.4 | 5.0 | 0 | 15.4 | 5.0 | 14 | 15.4 | 5.0 |
| 14.9 m | 34090 | 21.1 | 5.2 | 0 | 21.1 | 5.2 | 43 | 21.1 | 5.2 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 3.3 m | 0 | 0.0 | 0.0 | 0 | 10.9 | 4.6 | 0 | 10.9 | 4.6 |
| 5.8 m | 0 | 0.0 | 0.0 | 0 | 14.6 | 3.8 | 0 | 14.6 | 3.8 |
| 9.8 m | 0 | 0.0 | 0.0 | 0 | 15.4 | 5.0 | 0 | 15.4 | 5.0 |
| 14.9 m | 0 | 0.0 | 0.0 | 0 | 21.1 | 5.2 | 1 | 21.1 | 5.2 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 3.3 m | 17303 | 11.0 | 4.6 | 5366 | 31.0 | 11.1 | 4.4 |
| 5.8 m | 17298 | 14.6 | 3.8 | 5366 | 31.0 | 14.1 | 3.5 |
| 9.8 m | 17304 | 15.5 | 5.0 | 5366 | 31.0 | 16.8 | 4.3 |
| 14.9 m | 17175 | 21.2 | 5.2 | 5366 | 31.2 | 21.7 | 5.5 |

Tabel C.15: Kvalitetskontrol af saltholdighedsdata; station Romsø Tue Fyr

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 7.0 m | 19830 | 18.4 | 3.5 | 0 | 18.4 | 3.5 | 0 | 18.4 | 3.5 |
| 10.0 m | 19693 | 20.0 | 3.3 | 0 | 20.0 | 3.3 | 3 | 20.0 | 3.3 |
| 12.0 m | 16862 | 21.6 | 3.6 | 0 | 21.6 | 3.6 | 2 | 21.6 | 3.6 |
| 14.0 m | 19773 | 22.7 | 3.9 | 0 | 22.7 | 3.9 | 3 | 22.7 | 3.9 |
| 16.0 m | 19717 | 24.8 | 3.4 | 0 | 24.8 | 3.4 | 1 | 24.8 | 3.4 |
| 19.0 m | 19827 | 25.5 | 4.0 | 0 | 25.5 | 4.0 | 1 | 25.5 | 4.0 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 7.0 m | 0 | 0.0 | 0.0 | 0 | 18.4 | 3.5 | 0 | 18.4 | 3.5 |
| 10.0 m | 0 | 0.0 | 0.0 | 0 | 20.0 | 3.3 | 0 | 20.0 | 3.3 |
| 12.0 m | 0 | 0.0 | 0.0 | 0 | 21.6 | 3.6 | 0 | 21.6 | 3.6 |
| 14.0 m | 0 | 0.0 | 0.0 | 0 | 22.7 | 3.9 | 0 | 22.7 | 3.9 |
| 16.0 m | 0 | 0.0 | 0.0 | 0 | 24.8 | 3.4 | 0 | 24.8 | 3.4 |
| 19.0 m | 0 | 0.0 | 0.0 | 0 | 25.5 | 4.0 | 0 | 25.5 | 4.0 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 7.0 m | 10355 | 18.4 | 3.5 | 4065 | 39.3 | 17.4 | 3.5 |
| 10.0 m | 10278 | 19.9 | 3.2 | 4065 | 39.6 | 19.7 | 3.5 |
| 12.0 m | 8857 | 21.6 | 3.5 | 4065 | 45.9 | 21.9 | 3.8 |
| 14.0 m | 10313 | 22.7 | 3.9 | 4065 | 39.4 | 24.0 | 4.0 |
| 16.0 m | 10282 | 24.8 | 3.4 | 4065 | 39.5 | 25.9 | 3.6 |
| 19.0 m | 10337 | 25.6 | 4.0 | 4065 | 39.3 | 27.3 | 3.4 |

Tabel C.16: Kvalitetskontrol af saltholdighedsdata; station Vesterrenden

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.5 m | 86835 | 16.4 | 4.9 | 2523 | 16.9 | 4.0 | 1 | 16.9 | 4.0 |
| 9.6 m | 75478 | 18.3 | 3.8 | 0 | 18.3 | 3.8 | 3 | 18.3 | 3.8 |
| 11.6 m | 74969 | 19.3 | 4.2 | 0 | 19.3 | 4.2 | 2 | 19.3 | 4.2 |
| 13.6 m | 70922 | 20.7 | 4.5 | 0 | 20.7 | 4.5 | 2 | 20.7 | 4.5 |
| 15.6 m | 76190 | 22.2 | 4.4 | 0 | 22.2 | 4.4 | 0 | 22.2 | 4.4 |
| 18.5 m | 81075 | 23.5 | 4.9 | 0 | 23.5 | 4.9 | 1 | 23.5 | 4.9 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 6.5 m | 0 | 0.0 | 0.0 | 0 | 16.9 | 4.0 | 0 | 16.9 | 4.0 |
| 9.6 m | 0 | 0.0 | 0.0 | 0 | 18.3 | 3.8 | 0 | 18.3 | 3.8 |
| 11.6 m | 0 | 0.0 | 0.0 | 1 | 19.3 | 4.2 | 0 | 19.3 | 4.2 |
| 13.6 m | 0 | 0.0 | 0.0 | 0 | 20.7 | 4.5 | 0 | 20.7 | 4.5 |
| 15.6 m | 0 | 0.0 | 0.0 | 0 | 22.2 | 4.4 | 0 | 22.2 | 4.4 |
| 18.5 m | 0 | 0.0 | 0.0 | 0 | 23.5 | 4.9 | 0 | 23.5 | 4.9 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 6.5 m | 42334 | 16.9 | 4.0 | 13491 | 31.9 | 15.8 | 3.6 |
| 9.6 m | 37951 | 18.3 | 3.8 | 13491 | 35.5 | 17.6 | 3.6 |
| 11.6 m | 37650 | 19.3 | 4.2 | 13491 | 35.8 | 19.5 | 4.0 |
| 13.6 m | 35617 | 20.7 | 4.5 | 13491 | 37.9 | 21.3 | 4.4 |
| 15.6 m | 38303 | 22.2 | 4.4 | 13491 | 35.2 | 23.0 | 4.4 |
| 18.5 m | 40700 | 23.5 | 4.8 | 13491 | 33.1 | 23.9 | 5.2 |

Tabel C.17: Kvalitetskontrol af saltholdighedsdata; station Østerrenden

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 7.0 m | 22276 | 16.5 | 3.3 | 0 | 16.5 | 3.3 | 0 | 16.5 | 3.3 |
| 10.0 m | 27841 | 17.4 | 3.9 | 0 | 17.4 | 3.9 | 2 | 17.4 | 3.9 |
| 12.0 m | 27840 | 18.2 | 4.1 | 0 | 18.2 | 4.1 | 5 | 18.2 | 4.1 |
| 14.0 m | 26807 | 19.2 | 4.5 | 0 | 19.2 | 4.5 | 1 | 19.2 | 4.5 |
| 16.0 m | 27840 | 21.7 | 4.8 | 0 | 21.7 | 4.8 | 3 | 21.7 | 4.8 |
| 19.0 m | 27789 | 23.0 | 4.7 | 0 | 23.0 | 4.7 | 0 | 23.0 | 4.7 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 7.0 m | 0 | 0.0 | 0.0 | 0 | 16.5 | 3.3 | 0 | 16.5 | 3.3 |
| 10.0 m | 0 | 0.0 | 0.0 | 0 | 17.4 | 3.9 | 0 | 17.4 | 3.9 |
| 12.0 m | 0 | 0.0 | 0.0 | 0 | 18.2 | 4.1 | 0 | 18.2 | 4.1 |
| 14.0 m | 0 | 0.0 | 0.0 | 0 | 19.2 | 4.5 | 0 | 19.2 | 4.5 |
| 16.0 m | 0 | 0.0 | 0.0 | 0 | 21.7 | 4.8 | 0 | 21.7 | 4.8 |
| 19.0 m | 0 | 0.0 | 0.0 | 0 | 23.0 | 4.7 | 0 | 23.0 | 4.7 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 7.0 m | 11245 | 16.5 | 3.3 | 5835 | 51.9 | 15.6 | 3.0 |
| 10.0 m | 14020 | 17.4 | 3.9 | 5835 | 41.6 | 16.7 | 3.5 |
| 12.0 m | 14018 | 18.2 | 4.1 | 5835 | 41.6 | 17.9 | 3.9 |
| 14.0 m | 13505 | 19.2 | 4.5 | 5835 | 43.2 | 19.4 | 4.4 |
| 16.0 m | 14020 | 21.7 | 4.8 | 5835 | 41.6 | 22.2 | 4.6 |
| 19.0 m | 13995 | 23.0 | 4.7 | 5835 | 41.7 | 23.9 | 4.6 |

Tabel C.18: Kvalitetskontrol af saltholdighedsdata; station Langelandsbælt

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 7.6 m | 18217 | 16.4 | 3.4 | 0 | 16.4 | 3.4 | 0 | 16.4 | 3.4 |
| 10.6 m | 17725 | 17.3 | 3.3 | 0 | 17.3 | 3.3 | 0 | 17.3 | 3.3 |
| 12.6 m | 17466 | 18.3 | 3.6 | 0 | 18.3 | 3.6 | 0 | 18.3 | 3.6 |
| 14.6 m | 18280 | 19.9 | 4.1 | 0 | 19.9 | 4.1 | 2 | 19.9 | 4.1 |
| 16.6 m | 18283 | 21.4 | 4.4 | 0 | 21.4 | 4.4 | 1 | 21.4 | 4.4 |
| 19.6 m | 15541 | 23.6 | 5.0 | 0 | 23.6 | 5.0 | 1 | 23.6 | 5.0 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 7.6 m | 0 | 0.0 | 0.0 | 0 | 16.4 | 3.4 | 0 | 16.4 | 3.4 |
| 10.6 m | 0 | 0.0 | 0.0 | 0 | 17.3 | 3.3 | 0 | 17.3 | 3.3 |
| 12.6 m | 0 | 0.0 | 0.0 | 0 | 18.3 | 3.6 | 0 | 18.3 | 3.6 |
| 14.6 m | 0 | 0.0 | 0.0 | 0 | 19.9 | 4.1 | 0 | 19.9 | 4.1 |
| 16.6 m | 0 | 0.0 | 0.0 | 0 | 21.4 | 4.4 | 0 | 21.4 | 4.4 |
| 19.6 m | 0 | 0.0 | 0.0 | 0 | 23.6 | 5.0 | 0 | 23.6 | 5.0 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 7.6 m | 9466 | 16.3 | 3.4 | 2584 | 27.3 | 15.5 | 3.0 |
| 10.6 m | 9200 | 17.3 | 3.3 | 2584 | 28.1 | 16.8 | 3.2 |
| 12.6 m | 9121 | 18.3 | 3.6 | 2584 | 28.3 | 18.3 | 3.9 |
| 14.6 m | 9477 | 19.9 | 4.1 | 2584 | 27.3 | 20.2 | 4.5 |
| 16.6 m | 9473 | 21.5 | 4.4 | 2584 | 27.3 | 22.1 | 4.8 |
| 19.6 m | 8095 | 23.7 | 5.0 | 2584 | 31.9 | 24.5 | 5.2 |

Tabel C.19: Kvalitetskontrol af saltholdighedsdata; station Saltholm North

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 3.5 m | 16046 | 10.5 | 4.2 | 0 | 10.5 | 4.2 | 0 | 10.5 | 4.2 |
| 5.5 m | 16046 | 10.8 | 4.1 | 0 | 10.8 | 4.1 | 0 | 10.8 | 4.1 |
| 7.5 m | 16045 | 11.7 | 4.4 | 0 | 11.7 | 4.4 | 1 | 11.7 | 4.4 |
| 9.5 m | 16045 | 13.6 | 4.6 | 0 | 13.6 | 4.6 | 3 | 13.6 | 4.6 |
| 11.5 m | 16043 | 17.0 | 4.6 | 0 | 17.0 | 4.6 | 1 | 17.0 | 4.6 |
| 13.5 m | 16043 | 19.8 | 4.5 | 0 | 19.8 | 4.5 | 3 | 19.8 | 4.5 |
| 14.2 m | 16042 | 16.7 | 9.9 | 3550 | 21.4 | 4.9 | 23 | 21.4 | 4.9 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 3.5 m | 0 | 0.0 | 0.0 | 0 | 10.5 | 4.2 | 0 | 10.5 | 4.2 |
| 5.5 m | 0 | 0.0 | 0.0 | 0 | 10.8 | 4.1 | 0 | 10.8 | 4.1 |
| 7.5 m | 0 | 0.0 | 0.0 | 0 | 11.7 | 4.4 | 0 | 11.7 | 4.4 |
| 9.5 m | 0 | 0.0 | 0.0 | 0 | 13.6 | 4.6 | 0 | 13.6 | 4.6 |
| 11.5 m | 0 | 0.0 | 0.0 | 0 | 17.0 | 4.6 | 0 | 17.0 | 4.6 |
| 13.5 m | 0 | 0.0 | 0.0 | 0 | 19.8 | 4.5 | 0 | 19.8 | 4.5 |
| 14.2 m | 0 | 0.0 | 0.0 | 0 | 21.4 | 4.9 | 0 | 21.4 | 4.9 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|-----|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 3.5 m | 8006 | 10.5 | 4.2 | 563 | 7.0 | 10.0 | 3.5 |
| 5.5 m | 8006 | 10.8 | 4.1 | 563 | 7.0 | 10.3 | 3.5 |
| 7.5 m | 8005 | 11.8 | 4.4 | 563 | 7.0 | 11.3 | 4.0 |
| 9.5 m | 8004 | 13.6 | 4.6 | 563 | 7.0 | 13.3 | 4.3 |
| 11.5 m | 8004 | 17.0 | 4.6 | 563 | 7.0 | 16.7 | 4.6 |
| 13.5 m | 8004 | 19.8 | 4.5 | 563 | 7.0 | 19.7 | 4.6 |
| 14.2 m | 6242 | 21.4 | 4.8 | 563 | 9.0 | 21.5 | 4.9 |

Tabel C.20: Kvalitetskontrol af saltholdighedsdata; station Svinbådan

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|-----------------|-------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.7 m | 17106 | 15.9 | 5.2 | 0 | 15.9 | 5.2 | 6 | 15.9 | 5.2 |
| 6.0 m | 162 | 22.4 | 2.4 | 0 | 22.4 | 2.4 | 0 | 22.4 | 2.4 |
| 7.7 m | 17158 | 20.2 | 5.0 | 0 | 20.2 | 5.0 | 28 | 20.2 | 5.0 |
| 12.9 m | 16395 | 27.8 | 5.0 | 4 | 27.8 | 5.0 | 8 | 27.8 | 5.0 |
| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.7 m | 0 | 0.0 | 0.0 | 0 | 15.9 | 5.2 | 0 | 15.9 | 5.2 |
| 6.0 m | 0 | 0.0 | 0.0 | 0 | 22.4 | 2.4 | 0 | 22.4 | 2.4 |
| 7.7 m | 0 | 0.0 | 0.0 | 0 | 20.2 | 5.0 | 0 | 20.2 | 5.0 |
| 12.9 m | 0 | 0.0 | 0.0 | 0 | 27.8 | 5.0 | 0 | 27.8 | 5.0 |
| Dybde | Time obs. | | | Stabilitetskrav | | | | | |
| | antal | gns. | std. | antal | i % | gns. | std. | | |
| 2.7 m | 8590 | 15.9 | 5.2 | 81 | 0.9 | 15.9 | 5.2 | | |
| 6.0 m | 81 | 22.4 | 2.4 | 81 | 100.0 | NaN | NaN | | |
| 7.7 m | 8597 | 20.2 | 5.0 | 81 | 0.9 | 20.3 | 5.0 | | |
| 12.9 m | 8256 | 27.8 | 4.9 | 81 | 1.0 | 27.7 | 4.9 | | |

Tabel C.21: Kvalitetskontrol af saltholdighedsdata; station Valgrundet

| Dybde | Observationer | | | Min/max-filter | | | Spikes i tid | | |
|--------|---------------|------|------|----------------|------|------|--------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.7 m | 21421 | 12.9 | 5.1 | 0 | 12.9 | 5.1 | 2 | 12.9 | 5.1 |
| 4.7 m | 21423 | 13.3 | 6.0 | 0 | 13.3 | 6.0 | 4 | 13.3 | 6.0 |
| 6.8 m | 21426 | 14.9 | 7.6 | 0 | 14.9 | 7.6 | 17 | 14.9 | 7.6 |
| 8.8 m | 18134 | 16.1 | 9.8 | 1751 | 17.9 | 8.7 | 8 | 17.9 | 8.7 |
| 10.9 m | 18436 | 19.6 | 11.0 | 1427 | 21.2 | 9.8 | 48 | 21.2 | 9.8 |

| Dybde | Manuelt | | | Enkelt pkt. | | | Spikes i tid 2 | | |
|--------|---------|------|------|-------------|------|------|----------------|------|------|
| | antal | gns. | std. | antal | gns. | std. | antal | gns. | std. |
| 2.7 m | 0 | 0.0 | 0.0 | 0 | 12.9 | 5.1 | 0 | 12.9 | 5.1 |
| 4.7 m | 0 | 0.0 | 0.0 | 0 | 13.3 | 6.0 | 0 | 13.3 | 6.0 |
| 6.8 m | 0 | 0.0 | 0.0 | 0 | 14.9 | 7.6 | 0 | 14.9 | 7.6 |
| 8.8 m | 0 | 0.0 | 0.0 | 0 | 17.9 | 8.7 | 0 | 17.9 | 8.7 |
| 10.9 m | 0 | 0.0 | 0.0 | 0 | 21.2 | 9.8 | 0 | 21.2 | 9.8 |

| Dybde | Time obs. | | | Stabilitetskrav | | | |
|--------|-----------|------|------|-----------------|------|------|------|
| | antal | gns. | std. | antal | i % | gns. | std. |
| 2.7 m | 10749 | 12.9 | 5.1 | 3213 | 29.9 | 13.6 | 5.1 |
| 4.7 m | 10747 | 13.3 | 6.0 | 3213 | 29.9 | 14.2 | 6.0 |
| 6.8 m | 10748 | 14.9 | 7.5 | 3213 | 29.9 | 16.2 | 7.6 |
| 8.8 m | 8229 | 17.9 | 8.7 | 3213 | 39.0 | 19.8 | 8.8 |
| 10.9 m | 8517 | 21.2 | 9.8 | 3213 | 37.7 | 24.8 | 8.3 |

Tabel C.22: Århus Bugt : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | |
|--------------------------|-------|-------|-------|
| Dybder (m) | 4.0 | 9.0 | 14.0 |
| Længste hul (d.) | 11.0 | 11.0 | 11.0 |
| Huller ialt (d.) | 15.5 | 15.5 | 15.5 |
| Huller i % | 2.7 | 2.7 | 2.7 |
| Periode u. huller > 2 d. | 270.0 | 270.0 | 270.0 |
| Obs. længde (d.) | 581.6 | 581.6 | 581.6 |
| Stabil vandsøjle | | | |
| Dybder (m) | 4.0 | 9.0 | 14.0 |
| Længste hul (d.) | 11.0 | 11.0 | 11.0 |
| Huller ialt (d.) | 15.5 | 15.5 | 15.5 |
| Huller i % | 2.7 | 2.7 | 2.7 |
| Periode u. huller > 2 d. | 270.0 | 270.0 | 270.0 |
| Obs. længde (d.) | 581.6 | 581.6 | 581.6 |

Tabel C.23: Darss Sill : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | |
|--------------------------|--------|--------|--------|--------|
| Dybder (m) | 7.0 | 12.0 | 17.0 | 19.0 |
| Længste hul (d.) | 415.0 | 415.0 | 415.0 | 415.1 |
| Huller ialt (d.) | 929.3 | 912.2 | 935.5 | 952.3 |
| Huller i % | 47.1 | 46.3 | 47.4 | 48.3 |
| Periode u. huller > 2 d. | 159.2 | 193.2 | 193.2 | 193.3 |
| Obs. længde (d.) | 1972.0 | 1972.0 | 1972.0 | 1972.0 |
| Stabil vandsøjle | | | | |
| Dybder (m) | 7.0 | 12.0 | 17.0 | 19.0 |
| Længste hul (d.) | 415.0 | 415.0 | 415.0 | 415.1 |
| Huller ialt (d.) | 931.3 | 914.2 | 937.4 | 954.2 |
| Huller i % | 47.2 | 46.4 | 47.5 | 48.4 |
| Periode u. huller > 2 d. | 159.2 | 193.2 | 193.2 | 193.3 |
| Obs. længde (d.) | 1972.0 | 1972.0 | 1972.0 | 1972.0 |

Tabel C.24: Deutsche Bucht : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | Stabil vandsøjle | | |
|--------------------------|-------|-------|--------------------------|-------|-------|
| Dybder (m) | 6.0 | 30.0 | Dybder (m) | 6.0 | 30.0 |
| Længste hul (d.) | 39.2 | 41.4 | Længste hul (d.) | 39.2 | 46.9 |
| Huller ialt (d.) | 157.2 | 159.0 | Huller ialt (d.) | 207.5 | 209.3 |
| Huller i % | 16.5 | 16.7 | Huller i % | 21.8 | 22.0 |
| Periode u. huller > 2 d. | 345.2 | 345.2 | Periode u. huller > 2 d. | 197.7 | 197.7 |
| Obs. længde (d.) | 951.5 | 951.5 | Obs. længde (d.) | 951.5 | 951.5 |

Tabel C.25: Drogden : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | |
|--------------------------|--------|--------|--------|--------|--------|
| Dybder (m) | 2.0 | 4.0 | 6.0 | 8.0 | 10.0 |
| Længste hul (d.) | 19.3 | 19.3 | 19.3 | 19.3 | 19.3 |
| Huller ialt (d.) | 119.1 | 101.8 | 92.5 | 94.4 | 98.3 |
| Huller i % | 10.0 | 8.5 | 7.7 | 7.9 | 8.2 |
| Periode u. huller > 2 d. | 487.1 | 487.1 | 487.1 | 487.1 | 487.1 |
| Obs. længde (d.) | 1195.5 | 1195.5 | 1195.5 | 1195.5 | 1195.5 |
| Stabil vandsøjle | | | | | |
| Dybder (m) | 2.0 | 4.0 | 6.0 | 8.0 | 10.0 |
| Længste hul (d.) | 19.3 | 19.3 | 19.3 | 19.3 | 19.3 |
| Huller ialt (d.) | 575.2 | 569.6 | 560.5 | 562.6 | 566.0 |
| Huller i % | 48.1 | 47.6 | 46.9 | 47.1 | 47.3 |
| Periode u. huller > 2 d. | 115.2 | 115.2 | 115.2 | 115.2 | 115.2 |
| Obs. længde (d.) | 1195.5 | 1195.5 | 1195.5 | 1195.5 | 1195.5 |

Tabel C.26: Elbe : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | Stabil vandsøjle | | |
|--------------------------|-------|-------|--------------------------|-------|-------|
| Dybder (m) | 6.0 | 20.0 | Dybder (m) | 6.0 | 20.0 |
| Længste hul (d.) | 26.5 | 12.0 | Længste hul (d.) | 26.5 | 12.0 |
| Huller ialt (d.) | 79.8 | 57.3 | Huller ialt (d.) | 84.7 | 62.1 |
| Huller i % | 17.4 | 12.5 | Huller i % | 18.5 | 13.6 |
| Periode u. huller > 2 d. | 148.5 | 204.1 | Periode u. huller > 2 d. | 148.5 | 204.1 |
| Obs. længde (d.) | 458.0 | 458.0 | Obs. længde (d.) | 458.0 | 458.0 |

Tabel C.27: Farø: Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | | |
|--------------------------|-------|-------|-------|-------|-------|-------|
| Dybder (m) | 2.8 | 5.5 | 8.5 | 11.5 | 14.5 | 21.0 |
| Længste hul (d.) | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 5.4 |
| Huller ialt (d.) | 16.0 | 17.0 | 18.4 | 20.1 | 21.6 | 38.2 |
| Huller i % | 3.3 | 3.5 | 3.8 | 4.1 | 4.4 | 7.8 |
| Periode u. huller > 2 d. | 254.3 | 254.3 | 254.3 | 254.3 | 254.3 | 254.3 |
| Obs. længde (d.) | 487.0 | 487.0 | 487.0 | 487.0 | 487.0 | 487.0 |
| Stabil vandsøjle | | | | | | |
| Dybder (m) | 2.8 | 5.5 | 8.5 | 11.5 | 14.5 | 21.0 |
| Længste hul (d.) | 36.7 | 85.6 | 85.6 | 138.0 | 34.5 | 34.5 |
| Huller ialt (d.) | 326.1 | 304.8 | 305.5 | 306.6 | 169.0 | 169.6 |
| Huller i % | 67.6 | 66.3 | 66.4 | 66.7 | 52.5 | 52.7 |
| Periode u. huller > 2 d. | 48.7 | 48.1 | 46.8 | 46.8 | 46.8 | 46.8 |
| Obs. længde (d.) | 482.3 | 459.9 | 459.9 | 459.9 | 321.8 | 321.8 |

Tabel C.28: Flinten : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | |
|--------------------------|--------|--------|--------|--------|--------|
| Dybder (m) | 3.0 | 4.5 | 6.0 | 7.5 | 9.1 |
| Længste hul (d.) | 101.2 | 101.2 | 101.2 | 101.2 | 101.2 |
| Huller ialt (d.) | 373.0 | 359.0 | 359.5 | 368.2 | 415.3 |
| Huller i % | 15.2 | 14.6 | 14.7 | 15.0 | 16.9 |
| Periode u. huller > 2 d. | 488.9 | 488.9 | 488.9 | 488.9 | 488.9 |
| Obs. længde (d.) | 2451.5 | 2451.5 | 2451.5 | 2451.5 | 2451.5 |
| Stabil vandsøjle | | | | | |
| Dybder (m) | 3.0 | 4.5 | 6.0 | 7.5 | 9.1 |
| Længste hul (d.) | 101.2 | 101.2 | 101.2 | 101.2 | 101.2 |
| Huller ialt (d.) | 401.4 | 387.4 | 387.9 | 396.6 | 443.2 |
| Huller i % | 16.4 | 15.8 | 15.8 | 16.2 | 18.1 |
| Periode u. huller > 2 d. | 475.2 | 434.8 | 391.4 | 431.6 | 475.2 |
| Obs. længde (d.) | 2451.5 | 2451.5 | 2451.5 | 2451.5 | 2451.5 |

Tabel C.29: Gamle Bro : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | |
|--------------------------|--------|--------|--------|--------|--------|
| Dybder (m) | 5.0 | 10.0 | 15.0 | 20.0 | 22.5 |
| Længste hul (d.) | 179.2 | 155.1 | 179.2 | 351.6 | 320.4 |
| Huller ialt (d.) | 542.2 | 459.0 | 576.0 | 823.5 | 885.0 |
| Huller i % | 27.3 | 25.4 | 29.0 | 41.5 | 44.6 |
| Periode u. huller > 2 d. | 632.0 | 647.0 | 620.4 | 523.8 | 283.0 |
| Obs. længde (d.) | 1983.0 | 1807.4 | 1983.0 | 1983.0 | 1983.0 |
| Stabil vandsøjle | | | | | |
| Dybder (m) | 5.0 | 10.0 | 15.0 | 20.0 | 22.5 |
| Længste hul (d.) | 260.6 | 260.6 | 179.2 | 506.9 | 428.0 |
| Huller ialt (d.) | 798.2 | 715.1 | 832.1 | 1050.9 | 1059.3 |
| Huller i % | 40.2 | 39.6 | 42.0 | 53.0 | 53.4 |
| Periode u. huller > 2 d. | 498.2 | 498.2 | 498.2 | 498.2 | 180.0 |
| Obs. længde (d.) | 1983.0 | 1807.4 | 1983.0 | 1983.0 | 1983.0 |

Tabel C.30: Hjelm Bugt : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | |
|--------------------------|--------|--------|--------|--------|
| Dybder (m) | 6.7 | 10.2 | 15.4 | 21.5 |
| Længste hul (d.) | 9.6 | 9.6 | 9.6 | 9.6 |
| Huller ialt (d.) | 41.1 | 41.1 | 41.1 | 42.0 |
| Huller i % | 3.4 | 3.7 | 3.4 | 3.5 |
| Periode u. huller > 2 d. | 684.7 | 581.0 | 684.7 | 684.7 |
| Obs. længde (d.) | 1212.3 | 1108.6 | 1212.3 | 1212.3 |
| Stabil vandsøjle | | | | |
| Dybder (m) | 6.7 | 10.2 | 15.4 | 21.5 |
| Længste hul (d.) | 9.6 | 9.6 | 9.6 | 9.6 |
| Huller ialt (d.) | 58.5 | 58.5 | 58.5 | 59.5 |
| Huller i % | 4.8 | 5.3 | 4.8 | 4.9 |
| Periode u. huller > 2 d. | 684.7 | 581.0 | 684.7 | 684.7 |
| Obs. længde (d.) | 1212.3 | 1108.6 | 1212.3 | 1212.3 |

Tabel C.31: Kiel : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | Stabil vandsøjle | | |
|--------------------------|--------|--------|--------------------------|--------|--------|
| Dybder (m) | 8.0 | 13.0 | Dybder (m) | 8.0 | 13.0 |
| Længste hul (d.) | 77.4 | 56.1 | Længste hul (d.) | 77.4 | 56.1 |
| Huller ialt (d.) | 469.2 | 331.2 | Huller ialt (d.) | 471.8 | 333.8 |
| Huller i % | 23.8 | 18.6 | Huller i % | 23.9 | 18.7 |
| Periode u. huller > 2 d. | 406.4 | 406.4 | Periode u. huller > 2 d. | 406.4 | 406.4 |
| Obs. længde (d.) | 1973.0 | 1782.8 | Obs. længde (d.) | 1973.0 | 1782.8 |

Tabel C.32: Læsø Rende : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | |
|--------------------------|-------|-------|-------|-------|
| Dybder (m) | 6.2 | 10.5 | 15.8 | 21.1 |
| Længste hul (d.) | 105.2 | 105.2 | 105.2 | 105.2 |
| Huller ialt (d.) | 139.3 | 140.1 | 138.8 | 129.8 |
| Huller i % | 17.6 | 17.7 | 17.5 | 21.3 |
| Periode u. huller > 2 d. | 185.0 | 185.0 | 185.0 | 185.0 |
| Obs. længde (d.) | 792.5 | 792.5 | 792.5 | 608.0 |
| Stabil vandsøjle | | | | |
| Dybder (m) | 6.2 | 10.5 | 15.8 | 21.1 |
| Længste hul (d.) | 106.7 | 106.7 | 106.7 | 106.7 |
| Huller ialt (d.) | 294.1 | 294.8 | 293.6 | 280.3 |
| Huller i % | 37.1 | 37.2 | 37.0 | 46.1 |
| Periode u. huller > 2 d. | 153.0 | 152.8 | 152.9 | 152.9 |
| Obs. længde (d.) | 792.5 | 792.5 | 792.5 | 608.0 |

Tabel C.33: Ndr. Røse : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | | |
|--------------------------|--------|--------|--------|--------|--------|--------|
| Dybder (m) | 2.9 | 4.4 | 5.9 | 7.4 | 9.0 | 10.6 |
| Længste hul (d.) | 36.7 | 36.7 | 36.7 | 29.0 | 36.7 | 50.8 |
| Huller ialt (d.) | 263.8 | 291.5 | 264.0 | 264.2 | 271.7 | 261.5 |
| Huller i % | 10.6 | 11.8 | 10.7 | 11.1 | 11.0 | 10.6 |
| Periode u. huller > 2 d. | 312.4 | 312.4 | 312.4 | 312.3 | 312.4 | 287.5 |
| Obs. længde (d.) | 2478.0 | 2478.0 | 2478.0 | 2386.5 | 2478.0 | 2478.0 |
| Stabil vandsøjle | | | | | | |
| Dybder (m) | 2.9 | 4.4 | 5.9 | 7.4 | 9.0 | 10.6 |
| Længste hul (d.) | 36.7 | 36.7 | 36.7 | 30.1 | 36.7 | 50.8 |
| Huller ialt (d.) | 472.8 | 494.8 | 473.0 | 471.6 | 480.8 | 470.6 |
| Huller i % | 19.1 | 20.0 | 19.1 | 19.8 | 19.4 | 19.0 |
| Periode u. huller > 2 d. | 312.4 | 312.4 | 312.4 | 312.3 | 312.4 | 281.2 |
| Obs. længde (d.) | 2478.0 | 2478.0 | 2478.0 | 2386.5 | 2478.0 | 2478.0 |

Tabel C.34: Oder : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | Stabil vandsøjle | | |
|--------------------------|--------|--------|--------------------------|--------|--------|
| Dybder (m) | 3.0 | 12.0 | Dybder (m) | 3.0 | 12.0 |
| Længste hul (d.) | 155.7 | 160.5 | Længste hul (d.) | 155.7 | 160.5 |
| Huller ialt (d.) | 707.6 | 742.8 | Huller ialt (d.) | 709.4 | 744.6 |
| Huller i % | 38.6 | 40.5 | Huller i % | 38.7 | 40.6 |
| Periode u. huller > 2 d. | 186.1 | 280.4 | Periode u. huller > 2 d. | 186.1 | 280.4 |
| Obs. længde (d.) | 1834.0 | 1834.0 | Obs. længde (d.) | 1834.0 | 1834.0 |

Tabel C.35: Østerrenden Nord : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | |
|--------------------------|-------|-------|-------|-------|
| Dybder (m) | 3.3 | 5.8 | 9.8 | 14.9 |
| Længste hul (d.) | 2.4 | 2.4 | 2.4 | 2.4 |
| Huller ialt (d.) | 8.1 | 8.3 | 8.0 | 13.4 |
| Huller i % | 1.1 | 1.1 | 1.1 | 1.8 |
| Periode u. huller > 2 d. | 681.5 | 681.5 | 681.5 | 681.5 |
| Obs. længde (d.) | 729.0 | 729.0 | 729.0 | 729.0 |
| Stabil vandsøjle | | | | |
| Dybder (m) | 3.3 | 5.8 | 9.8 | 14.9 |
| Længste hul (d.) | 97.4 | 97.4 | 97.4 | 97.4 |
| Huller ialt (d.) | 231.7 | 231.9 | 231.6 | 235.6 |
| Huller i % | 31.8 | 31.8 | 31.8 | 32.3 |
| Periode u. huller > 2 d. | 246.9 | 246.9 | 247.2 | 246.9 |
| Obs. længde (d.) | 729.0 | 729.0 | 729.0 | 729.0 |

Tabel C.36: Romsø Tue Fyr : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | | |
|--------------------------|-------|-------|-------|-------|-------|-------|
| Dybder (m) | 7.0 | 10.0 | 12.0 | 14.0 | 16.0 | 19.0 |
| Længste hul (d.) | 8.4 | 8.4 | 62.9 | 8.4 | 8.4 | 8.4 |
| Huller ialt (d.) | 85.8 | 89.0 | 148.2 | 87.5 | 88.8 | 86.5 |
| Huller i % | 16.6 | 17.2 | 28.7 | 16.9 | 17.2 | 16.7 |
| Periode u. huller > 2 d. | 218.6 | 218.6 | 116.3 | 218.6 | 218.6 | 218.6 |
| Obs. længde (d.) | 517.2 | 517.2 | 517.2 | 517.2 | 517.2 | 517.2 |
| Stabil vandsøjle | | | | | | |
| Dybder (m) | 7.0 | 10.0 | 12.0 | 14.0 | 16.0 | 19.0 |
| Længste hul (d.) | 19.5 | 19.5 | 80.1 | 19.5 | 19.5 | 19.5 |
| Huller ialt (d.) | 226.6 | 229.9 | 231.2 | 228.4 | 229.7 | 226.3 |
| Huller i % | 46.4 | 47.0 | 47.3 | 46.7 | 47.0 | 46.3 |
| Periode u. huller > 2 d. | 116.3 | 116.3 | 116.3 | 116.3 | 116.3 | 116.3 |
| Obs. længde (d.) | 488.8 | 488.8 | 488.8 | 488.8 | 488.8 | 488.8 |

Tabel C.37: Vesterrenden : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | | |
|--------------------------|--------|--------|--------|--------|--------|--------|
| Dybder (m) | 6.5 | 9.6 | 11.6 | 13.6 | 15.6 | 18.5 |
| Længste hul (d.) | 56.1 | 43.1 | 43.0 | 124.8 | 43.1 | 105.2 |
| Huller ialt (d.) | 258.6 | 159.8 | 172.4 | 257.1 | 145.2 | 326.7 |
| Huller i % | 12.8 | 9.2 | 9.9 | 14.8 | 8.3 | 16.2 |
| Periode u. huller > 2 d. | 685.8 | 715.0 | 499.8 | 568.0 | 715.0 | 563.0 |
| Obs. længde (d.) | 2022.5 | 1741.1 | 1741.1 | 1741.1 | 1741.1 | 2022.5 |
| Stabil vandsøjle | | | | | | |
| Dybder (m) | 6.5 | 9.6 | 11.6 | 13.6 | 15.6 | 18.5 |
| Længste hul (d.) | 82.9 | 43.6 | 43.5 | 136.2 | 43.6 | 105.2 |
| Huller ialt (d.) | 763.0 | 677.2 | 690.7 | 714.2 | 661.7 | 791.2 |
| Huller i % | 37.7 | 39.8 | 40.6 | 42.0 | 38.9 | 39.1 |
| Periode u. huller > 2 d. | 305.2 | 190.3 | 231.4 | 305.2 | 305.2 | 304.3 |
| Obs. længde (d.) | 2022.5 | 1700.2 | 1700.2 | 1700.2 | 1700.2 | 2022.5 |

Tabel C.38: Østerrenden : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | | |
|--------------------------|-------|-------|-------|-------|-------|-------|
| Dybder (m) | 7.0 | 10.0 | 12.0 | 14.0 | 16.0 | 19.0 |
| Længste hul (d.) | 104.3 | 104.3 | 104.3 | 104.3 | 104.3 | 104.3 |
| Huller ialt (d.) | 152.7 | 149.3 | 149.4 | 170.8 | 149.3 | 150.3 |
| Huller i % | 24.6 | 20.4 | 20.4 | 23.3 | 20.4 | 20.5 |
| Periode u. huller > 2 d. | 196.9 | 361.4 | 361.4 | 361.4 | 361.4 | 361.4 |
| Obs. længde (d.) | 621.2 | 733.5 | 733.5 | 733.5 | 733.5 | 733.5 |
| Stabil vandsøjle | | | | | | |
| Dybder (m) | 7.0 | 10.0 | 12.0 | 14.0 | 16.0 | 19.0 |
| Længste hul (d.) | 104.3 | 104.3 | 104.3 | 104.3 | 104.3 | 104.3 |
| Huller ialt (d.) | 340.8 | 387.8 | 387.9 | 405.4 | 387.8 | 388.8 |
| Huller i % | 54.9 | 53.2 | 53.2 | 55.6 | 53.2 | 53.3 |
| Periode u. huller > 2 d. | 110.9 | 110.9 | 110.9 | 110.9 | 110.9 | 110.9 |
| Obs. længde (d.) | 621.2 | 728.9 | 728.9 | 728.9 | 728.9 | 728.9 |

Tabel C.39: Langelandsbælt : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | | |
|--------------------------|-------|-------|-------|-------|-------|-------|
| Dybder (m) | 7.6 | 10.6 | 12.6 | 14.6 | 16.6 | 19.6 |
| Længste hul (d.) | 18.3 | 18.3 | 18.3 | 18.3 | 18.3 | 53.5 |
| Huller ialt (d.) | 116.0 | 127.1 | 130.4 | 115.6 | 115.8 | 173.2 |
| Huller i % | 22.7 | 24.9 | 25.5 | 22.6 | 22.7 | 33.9 |
| Periode u. huller > 2 d. | 208.5 | 119.5 | 197.3 | 208.5 | 208.5 | 136.4 |
| Obs. længde (d.) | 510.5 | 510.5 | 510.5 | 510.5 | 510.5 | 510.5 |
| Stabil vandsøjle | | | | | | |
| Dybder (m) | 7.6 | 10.6 | 12.6 | 14.6 | 16.6 | 19.6 |
| Længste hul (d.) | 24.5 | 24.5 | 24.5 | 24.5 | 24.5 | 58.2 |
| Huller ialt (d.) | 199.0 | 207.8 | 213.4 | 198.9 | 199.0 | 224.5 |
| Huller i % | 40.9 | 42.7 | 43.9 | 40.9 | 40.9 | 46.2 |
| Periode u. huller > 2 d. | 170.3 | 105.7 | 170.3 | 170.3 | 170.3 | 122.5 |
| Obs. længde (d.) | 486.1 | 486.1 | 486.1 | 486.1 | 486.1 | 486.1 |

Tabel C.40: Saltholm North : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | | | |
|--------------------------|-------|-------|-------|-------|-------|-------|-------|
| Dybder (m) | 3.5 | 5.5 | 7.5 | 9.5 | 11.5 | 13.5 | 14.2 |
| Længste hul (d.) | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 |
| Huller ialt (d.) | 68.8 | 68.8 | 68.8 | 68.9 | 68.9 | 68.9 | 69.1 |
| Huller i % | 17.1 | 17.1 | 17.1 | 17.1 | 17.1 | 17.1 | 21.0 |
| Periode u. huller > 2 d. | 94.8 | 94.8 | 94.8 | 94.8 | 94.7 | 94.7 | 94.7 |
| Obs. længde (d.) | 402.4 | 402.4 | 402.4 | 402.4 | 402.4 | 402.4 | 329.2 |
| Stabil vandsøjle | | | | | | | |
| Dybder (m) | 3.5 | 5.5 | 7.5 | 9.5 | 11.5 | 13.5 | 14.2 |
| Længste hul (d.) | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 |
| Huller ialt (d.) | 92.2 | 92.2 | 92.3 | 92.3 | 92.3 | 92.3 | 92.5 |
| Huller i % | 22.9 | 22.9 | 22.9 | 22.9 | 22.9 | 22.9 | 28.1 |
| Periode u. huller > 2 d. | 94.8 | 94.8 | 94.8 | 94.8 | 94.7 | 94.7 | 94.7 |
| Obs. længde (d.) | 402.4 | 402.4 | 402.4 | 402.4 | 402.4 | 402.4 | 329.2 |

Tabel C.41: Svinbådan : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | |
|--------------------------|-------|-----|-------|-------|
| Dybder (m) | 2.7 | 6.0 | 7.7 | 12.9 |
| Længste hul (d.) | 99.7 | 0.0 | 99.7 | 104.7 |
| Huller ialt (d.) | 111.7 | 0.0 | 111.4 | 125.6 |
| Huller i % | 23.8 | 0.0 | 23.7 | 26.8 |
| Periode u. huller > 2 d. | 272.4 | 3.3 | 272.4 | 132.8 |
| Obs. længde (d.) | 469.6 | 3.4 | 469.6 | 469.6 |
| Stabil vandsøjle | | | | |
| Dybder (m) | 2.7 | 6.0 | 7.7 | 12.9 |
| Længste hul (d.) | 99.7 | - | 99.7 | 108.1 |
| Huller ialt (d.) | 115.1 | - | 114.8 | 129.0 |
| Huller i % | 24.5 | - | 24.4 | 27.5 |
| Periode u. huller > 2 d. | 269.0 | - | 269.0 | 129.4 |
| Obs. længde (d.) | 469.6 | - | 469.6 | 469.6 |

Tabel C.42: Valgrundet : Information om manglende saltholdighedsdata i tidsserien.

| Hele tidsserien | | | | | |
|--------------------------|-------|-------|-------|-------|-------|
| Dybder (m) | 2.7 | 4.7 | 6.8 | 8.8 | 10.9 |
| Længste hul (d.) | 5.0 | 5.0 | 5.0 | 37.2 | 66.1 |
| Huller ialt (d.) | 24.5 | 24.7 | 24.6 | 61.0 | 117.6 |
| Huller i % | 5.2 | 5.2 | 5.2 | 15.1 | 24.9 |
| Periode u. huller > 2 d. | 355.0 | 355.0 | 355.0 | 312.4 | 184.6 |
| Obs. længde (d.) | 472.4 | 472.5 | 472.5 | 403.9 | 472.5 |
| Stabil vandsøjle | | | | | |
| Dybder (m) | 2.7 | 4.7 | 6.8 | 8.8 | 10.9 |
| Længste hul (d.) | 20.2 | 20.2 | 20.2 | 37.2 | 66.4 |
| Huller ialt (d.) | 155.2 | 158.5 | 158.5 | 183.2 | 248.2 |
| Huller i % | 33.1 | 33.5 | 33.5 | 45.8 | 52.5 |
| Periode u. huller > 2 d. | 146.7 | 146.7 | 146.7 | 146.7 | 68.5 |
| Obs. længde (d.) | 469.2 | 472.5 | 472.5 | 400.2 | 472.5 |

Tabel C.43: Statistik over saltholdighed for station Århus Bugt dybde 4.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 803 | 1 | 23.56 | 23.35 | 21.75 | 28.45 | 803 | 0.69 |
| feb | 1362 | 2 | 23.81 | 24.04 | 16.31 | 28.46 | 1362 | 2.50 |
| mar | 1485 | 2 | 19.44 | 18.69 | 16.11 | 25.44 | 1485 | 2.15 |
| apr | 1437 | 2 | 20.42 | 21.07 | 15.87 | 25.65 | 1437 | 1.79 |
| maj | 1468 | 2 | 21.08 | 21.35 | 15.42 | 28.70 | 1468 | 2.38 |
| jun | 1439 | 2 | 22.50 | 22.80 | 17.63 | 28.41 | 1439 | 2.18 |
| jul | 1425 | 2 | 24.00 | 23.95 | 19.21 | 25.84 | 1425 | 0.84 |
| aug | 1486 | 2 | 19.70 | 19.73 | 14.55 | 25.21 | 1486 | 2.06 |
| sep | 745 | 1 | 23.16 | 22.63 | 20.84 | 26.46 | 745 | 1.04 |
| oct | 608 | 1 | 24.82 | 25.51 | 19.62 | 28.09 | 608 | 2.37 |
| nov | 589 | 1 | 21.36 | 21.68 | 20.03 | 22.65 | 589 | 0.65 |
| dec | 741 | 1 | 24.72 | 25.27 | 21.41 | 26.10 | 741 | 1.37 |

Tabel C.44: Statistik over saltholdighed for station Århus Bugt dybde 9.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 803 | 1 | 23.84 | 23.58 | 22.28 | 28.45 | 803 | 0.61 |
| feb | 1362 | 2 | 25.51 | 24.85 | 20.68 | 28.80 | 1362 | 1.25 |
| mar | 1485 | 2 | 23.05 | 24.27 | 16.76 | 29.34 | 1485 | 3.56 |
| apr | 1437 | 2 | 22.31 | 21.73 | 16.81 | 28.14 | 1437 | 2.07 |
| maj | 1468 | 2 | 26.99 | 27.12 | 17.05 | 32.22 | 1468 | 2.61 |
| jun | 1439 | 2 | 26.94 | 26.44 | 21.34 | 31.48 | 1439 | 1.69 |
| jul | 1425 | 2 | 25.54 | 25.63 | 22.37 | 28.52 | 1425 | 0.75 |
| aug | 1486 | 2 | 24.15 | 24.08 | 20.14 | 29.37 | 1486 | 1.55 |
| sep | 745 | 1 | 24.26 | 23.22 | 22.26 | 29.62 | 745 | 1.31 |
| oct | 608 | 1 | 26.18 | 26.77 | 21.25 | 29.77 | 608 | 1.94 |
| nov | 589 | 1 | 22.13 | 21.96 | 21.31 | 26.93 | 589 | 0.63 |
| dec | 741 | 1 | 24.94 | 25.50 | 21.59 | 26.69 | 741 | 1.37 |

Tabel C.45: Statistik over saltholdighed for station Århus Bugt dybde 14.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 803 | 1 | 24.65 | 25.09 | 22.73 | 31.52 | 803 | 1.19 |
| feb | 1362 | 2 | 27.93 | 27.87 | 24.70 | 31.11 | 1362 | 0.79 |
| mar | 1485 | 2 | 27.73 | 28.11 | 17.04 | 31.33 | 1485 | 2.08 |
| apr | 1437 | 2 | 26.90 | 28.25 | 18.23 | 30.77 | 1437 | 2.67 |
| maj | 1468 | 2 | 30.69 | 30.59 | 25.59 | 32.46 | 1468 | 1.02 |
| jun | 1439 | 2 | 30.07 | 30.11 | 27.20 | 32.09 | 1439 | 1.03 |
| jul | 1425 | 2 | 28.58 | 28.70 | 25.41 | 30.64 | 1425 | 0.91 |
| aug | 1486 | 2 | 27.80 | 27.73 | 24.50 | 30.01 | 1486 | 1.05 |
| sep | 745 | 1 | 28.25 | 28.70 | 22.67 | 30.68 | 745 | 1.16 |
| oct | 608 | 1 | 28.47 | 29.25 | 24.29 | 30.74 | 608 | 1.93 |
| nov | 589 | 1 | 26.88 | 27.86 | 21.84 | 30.96 | 589 | 3.12 |
| dec | 741 | 1 | 27.01 | 26.41 | 24.70 | 30.61 | 741 | 1.49 |

Tabel C.46: Statistik over saltholdighed for station Darss Sill dybde 7.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1605 | 2 | 9.51 | 8.71 | 7.71 | 14.79 | 1610 | 0.76 |
| feb | 1910 | 3 | 9.38 | 9.05 | 7.82 | 14.13 | 1911 | 0.95 |
| mar | 2319 | 4 | 8.58 | 8.30 | 7.50 | 14.80 | 2321 | 0.64 |
| apr | 2160 | 4 | 8.08 | 7.87 | 6.57 | 11.75 | 2160 | 0.40 |
| maj | 3104 | 5 | 7.93 | 7.82 | 7.18 | 10.83 | 3106 | 0.41 |
| jun | 2487 | 4 | 7.97 | 7.74 | 7.09 | 10.81 | 2487 | 0.59 |
| jul | 2341 | 4 | 8.10 | 7.74 | 6.87 | 13.51 | 2346 | 0.84 |
| aug | 1692 | 4 | 8.19 | 8.07 | 7.08 | 11.26 | 1699 | 0.83 |
| sep | 1884 | 3 | 8.24 | 7.96 | 7.31 | 16.46 | 1885 | 1.29 |
| oct | 1651 | 3 | 10.02 | 8.44 | 6.98 | 16.32 | 1653 | 1.74 |
| nov | 1891 | 3 | 9.88 | 8.65 | 6.72 | 16.79 | 1908 | 1.79 |
| dec | 1932 | 3 | 9.34 | 8.72 | 7.73 | 15.70 | 1938 | 1.32 |

Tabel C.47: Statistik over saltholdighed for station Darss Sill dybde 12.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1639 | 2 | 10.12 | 9.16 | 7.95 | 18.57 | 1644 | 1.50 |
| feb | 1904 | 3 | 10.42 | 10.16 | 7.83 | 17.05 | 1906 | 1.69 |
| mar | 2793 | 5 | 8.97 | 8.56 | 7.50 | 14.85 | 2795 | 0.92 |
| apr | 2659 | 5 | 8.92 | 8.11 | 6.56 | 17.33 | 2659 | 1.28 |
| maj | 3123 | 5 | 8.48 | 8.04 | 6.92 | 14.99 | 3125 | 0.99 |
| jun | 2450 | 4 | 8.78 | 8.34 | 7.27 | 13.04 | 2450 | 0.92 |
| jul | 2332 | 4 | 8.75 | 8.10 | 7.10 | 15.50 | 2337 | 1.29 |
| aug | 1658 | 4 | 8.80 | 8.54 | 7.29 | 12.36 | 1665 | 1.16 |
| sep | 1699 | 3 | 8.86 | 8.46 | 7.33 | 13.38 | 1700 | 1.25 |
| oct | 1438 | 3 | 10.86 | 9.14 | 7.12 | 18.94 | 1440 | 2.67 |
| nov | 1845 | 3 | 11.65 | 10.00 | 7.32 | 18.08 | 1862 | 2.22 |
| dec | 1847 | 3 | 9.81 | 8.93 | 7.80 | 17.29 | 1853 | 1.95 |

Tabel C.48: Statistik over saltholdighed for station Darss Sill dybde 17.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1522 | 2 | 11.07 | 11.29 | 8.06 | 20.04 | 1527 | 1.85 |
| feb | 1790 | 3 | 12.16 | 11.46 | 7.90 | 19.00 | 1792 | 1.35 |
| mar | 2773 | 5 | 10.00 | 9.21 | 7.68 | 16.25 | 2775 | 1.84 |
| apr | 2458 | 5 | 11.19 | 10.68 | 7.41 | 19.19 | 2458 | 2.79 |
| maj | 3093 | 5 | 11.65 | 11.73 | 7.23 | 19.94 | 3095 | 2.22 |
| jun | 2314 | 4 | 11.75 | 11.95 | 7.32 | 17.05 | 2314 | 2.29 |
| jul | 2350 | 4 | 12.01 | 11.67 | 7.25 | 22.41 | 2355 | 3.05 |
| aug | 1551 | 4 | 12.59 | 11.22 | 6.82 | 21.75 | 1557 | 2.81 |
| sep | 1779 | 3 | 12.47 | 12.37 | 7.35 | 22.58 | 1780 | 2.82 |
| oct | 1594 | 3 | 12.10 | 11.12 | 7.39 | 20.83 | 1596 | 2.68 |
| nov | 1824 | 3 | 14.03 | 13.94 | 7.69 | 19.51 | 1840 | 2.00 |
| dec | 1783 | 3 | 11.08 | 10.98 | 7.39 | 17.38 | 1788 | 2.18 |

Tabel C.49: Statistik over saltholdighed for station Darss Sill dybde 19.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1388 | 2 | 11.16 | 11.91 | 8.12 | 20.13 | 1393 | 1.38 |
| feb | 1824 | 3 | 12.78 | 11.98 | 8.03 | 19.23 | 1826 | 1.27 |
| mar | 2847 | 5 | 10.43 | 9.56 | 7.72 | 16.29 | 2849 | 1.99 |
| apr | 2440 | 5 | 12.25 | 13.88 | 7.55 | 19.32 | 2440 | 2.73 |
| maj | 3113 | 5 | 12.97 | 13.29 | 7.39 | 19.96 | 3115 | 2.00 |
| jun | 2182 | 4 | 13.71 | 14.18 | 8.00 | 18.75 | 2182 | 2.14 |
| jul | 2113 | 4 | 14.38 | 14.21 | 7.77 | 22.13 | 2117 | 2.86 |
| aug | 1662 | 4 | 14.82 | 13.50 | 8.04 | 22.18 | 1669 | 2.71 |
| sep | 1880 | 3 | 13.55 | 14.48 | 7.45 | 22.82 | 1881 | 2.30 |
| oct | 1649 | 3 | 13.01 | 13.04 | 7.52 | 20.86 | 1651 | 2.71 |
| nov | 1823 | 3 | 14.78 | 15.11 | 6.41 | 19.65 | 1837 | 1.87 |
| dec | 1506 | 3 | 11.65 | 11.60 | 7.95 | 18.78 | 1512 | 2.35 |

Tabel C.50: Statistik over saltholdighed for station Deutche Bucht dybde 6.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1645 | 2 | 33.03 | 32.99 | 32.30 | 34.42 | 1645 | 0.18 |
| feb | 1989 | 3 | 32.89 | 32.90 | 28.82 | 34.45 | 1989 | 0.60 |
| mar | 1931 | 3 | 32.45 | 33.05 | 29.77 | 34.21 | 2176 | 0.42 |
| apr | 962 | 2 | 32.38 | 32.36 | 30.86 | 34.26 | 1411 | 0.66 |
| maj | 1290 | 2 | 33.00 | 33.01 | 31.12 | 34.18 | 1290 | 0.42 |
| jun | 1671 | 3 | 32.85 | 32.85 | 30.60 | 33.82 | 1674 | 0.45 |
| jul | 1443 | 2 | 32.85 | 32.94 | 31.06 | 33.76 | 1444 | 0.39 |
| aug | 1544 | 3 | 32.52 | 32.65 | 30.31 | 33.78 | 1805 | 0.53 |
| sep | 1148 | 2 | 33.22 | 33.27 | 31.72 | 34.18 | 1318 | 0.35 |
| oct | 1335 | 2 | 33.35 | 33.33 | 31.18 | 34.71 | 1411 | 0.53 |
| nov | 1413 | 2 | 33.22 | 33.20 | 31.05 | 34.88 | 1416 | 0.68 |
| dec | 1485 | 2 | 33.46 | 33.37 | 32.79 | 34.15 | 1485 | 0.32 |

Tabel C.51: Statistik over saltholdighed for station Deutche Bucht dybde 30.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1648 | 2 | 33.08 | 33.03 | 32.72 | 34.67 | 1648 | 0.17 |
| feb | 1982 | 3 | 33.21 | 33.00 | 31.96 | 34.61 | 1982 | 0.32 |
| mar | 1916 | 3 | 32.97 | 33.37 | 31.07 | 34.05 | 2161 | 0.37 |
| apr | 952 | 2 | 32.69 | 32.59 | 30.94 | 33.90 | 1401 | 0.47 |
| maj | 1284 | 2 | 33.58 | 33.44 | 32.98 | 34.26 | 1284 | 0.14 |
| jun | 1659 | 3 | 33.35 | 33.38 | 32.36 | 34.13 | 1662 | 0.25 |
| jul | 1446 | 2 | 33.13 | 33.15 | 32.43 | 33.61 | 1447 | 0.23 |
| aug | 1548 | 3 | 32.72 | 32.83 | 30.81 | 33.85 | 1809 | 0.56 |
| sep | 1144 | 2 | 33.26 | 33.41 | 32.25 | 34.10 | 1314 | 0.37 |
| oct | 1336 | 2 | 33.35 | 33.19 | 31.90 | 34.69 | 1412 | 0.38 |
| nov | 1415 | 2 | 33.65 | 33.54 | 32.03 | 34.78 | 1418 | 0.44 |
| dec | 1483 | 2 | 33.64 | 33.57 | 32.87 | 34.47 | 1483 | 0.36 |

Tabel C.52: Statistik over saltholdighed for station Drogden dybde 2.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1513 | 3 | 10.80 | 10.16 | 8.05 | 21.64 | 2501 | 2.03 |
| feb | 815 | 3 | 11.92 | 11.20 | 8.00 | 23.43 | 2319 | 3.14 |
| mar | 1067 | 3 | 9.27 | 9.23 | 7.24 | 23.23 | 2556 | 1.95 |
| apr | 1057 | 3 | 9.41 | 8.70 | 7.20 | 22.87 | 2300 | 1.53 |
| maj | 845 | 3 | 8.92 | 8.20 | 7.07 | 14.70 | 2078 | 1.24 |
| jun | 833 | 3 | 9.27 | 8.39 | 7.25 | 14.00 | 2070 | 1.62 |
| jul | 1054 | 3 | 9.05 | 9.10 | 7.33 | 14.73 | 1798 | 1.83 |
| aug | 1486 | 3 | 9.78 | 9.21 | 7.31 | 16.73 | 2046 | 1.67 |
| sep | 1735 | 3 | 9.87 | 8.75 | 7.43 | 26.39 | 2075 | 3.21 |
| oct | 1660 | 3 | 11.12 | 9.25 | 7.37 | 25.45 | 2105 | 4.80 |
| nov | 1526 | 3 | 12.22 | 10.50 | 8.33 | 25.62 | 2034 | 4.33 |
| dec | 1271 | 3 | 12.94 | 10.79 | 8.17 | 25.50 | 1928 | 4.78 |

Tabel C.53: Statistik over saltholdighed for station Drogden dybde 4.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1520 | 3 | 11.28 | 10.42 | 8.07 | 22.84 | 2525 | 2.44 |
| feb | 854 | 4 | 12.57 | 12.02 | 7.98 | 24.63 | 2382 | 3.22 |
| mar | 1081 | 3 | 9.54 | 9.38 | 7.20 | 24.05 | 2590 | 2.08 |
| apr | 1077 | 3 | 9.79 | 8.90 | 7.13 | 23.32 | 2353 | 1.58 |
| maj | 865 | 3 | 9.31 | 8.40 | 7.12 | 16.20 | 2182 | 1.40 |
| jun | 847 | 3 | 9.48 | 8.31 | 7.24 | 15.90 | 2124 | 1.97 |
| jul | 1090 | 3 | 9.22 | 9.40 | 6.65 | 16.00 | 1846 | 1.95 |
| aug | 1583 | 3 | 10.19 | 9.50 | 7.21 | 17.39 | 2151 | 1.97 |
| sep | 1706 | 3 | 10.28 | 9.00 | 7.21 | 25.86 | 2064 | 3.65 |
| oct | 1552 | 3 | 12.96 | 10.86 | 7.61 | 32.22 | 2002 | 5.30 |
| nov | 1546 | 3 | 13.88 | 11.30 | 8.16 | 30.04 | 2063 | 5.14 |
| dec | 1300 | 3 | 13.36 | 11.27 | 8.30 | 26.80 | 1965 | 4.83 |

Tabel C.54: Statistik over saltholdighed for station Drogden dybde 6.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1521 | 3 | 12.23 | 10.84 | 8.10 | 27.00 | 2527 | 3.27 |
| feb | 854 | 4 | 13.27 | 12.79 | 7.92 | 24.39 | 2382 | 3.46 |
| mar | 1081 | 3 | 9.83 | 9.74 | 7.19 | 25.46 | 2590 | 2.24 |
| apr | 1077 | 3 | 10.59 | 9.27 | 7.15 | 23.66 | 2353 | 1.79 |
| maj | 866 | 3 | 9.86 | 8.48 | 7.14 | 18.90 | 2183 | 1.68 |
| jun | 847 | 3 | 9.78 | 8.54 | 7.33 | 18.10 | 2124 | 2.26 |
| jul | 1089 | 3 | 9.70 | 9.80 | 7.41 | 18.52 | 1845 | 2.06 |
| aug | 1577 | 3 | 10.65 | 9.97 | 7.04 | 17.50 | 2145 | 2.04 |
| sep | 1765 | 3 | 10.92 | 9.20 | 7.37 | 28.94 | 2124 | 4.44 |
| oct | 1719 | 3 | 13.23 | 11.12 | 7.48 | 26.80 | 2171 | 5.93 |
| nov | 1544 | 3 | 13.21 | 11.55 | 8.18 | 25.69 | 2061 | 4.34 |
| dec | 1300 | 3 | 14.07 | 11.87 | 8.47 | 26.20 | 1965 | 5.39 |

Tabel C.55: Statistik over saltholdighed for station Drogden dybde 8.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1473 | 3 | 14.59 | 14.36 | 8.56 | 28.18 | 2480 | 3.72 |
| feb | 854 | 4 | 14.14 | 14.45 | 8.25 | 24.46 | 2382 | 3.47 |
| mar | 1081 | 3 | 11.07 | 10.32 | 7.79 | 25.23 | 2590 | 2.34 |
| apr | 1076 | 3 | 11.84 | 9.47 | 7.58 | 28.70 | 2352 | 1.73 |
| maj | 865 | 3 | 10.58 | 8.91 | 6.63 | 20.55 | 2186 | 1.85 |
| jun | 844 | 3 | 10.10 | 9.17 | 6.96 | 18.50 | 2122 | 2.62 |
| jul | 1090 | 3 | 9.97 | 9.60 | 6.88 | 20.06 | 1846 | 1.89 |
| aug | 1576 | 3 | 11.15 | 10.35 | 6.94 | 18.70 | 2144 | 2.07 |
| sep | 1765 | 3 | 11.50 | 9.11 | 7.55 | 28.82 | 2124 | 4.96 |
| oct | 1720 | 3 | 14.97 | 14.50 | 7.57 | 28.80 | 2172 | 5.95 |
| nov | 1545 | 3 | 14.02 | 12.40 | 8.55 | 25.95 | 2062 | 4.66 |
| dec | 1300 | 3 | 15.30 | 12.97 | 8.53 | 27.20 | 1965 | 5.70 |

Tabel C.56: Statistik over saltholdighed for station Drogden dybde 10.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1507 | 3 | 16.40 | 17.73 | 7.98 | 28.22 | 2514 | 4.01 |
| feb | 837 | 4 | 15.33 | 16.99 | 7.70 | 26.39 | 2365 | 3.65 |
| mar | 1039 | 3 | 12.30 | 11.39 | 7.20 | 25.66 | 2548 | 2.67 |
| apr | 988 | 3 | 12.37 | 10.27 | 6.97 | 28.80 | 2264 | 1.78 |
| maj | 845 | 3 | 11.04 | 9.40 | 6.50 | 21.21 | 2163 | 2.41 |
| jun | 843 | 3 | 10.62 | 10.48 | 7.31 | 18.15 | 2114 | 2.62 |
| jul | 1087 | 3 | 10.12 | 9.50 | 7.05 | 20.38 | 1843 | 1.95 |
| aug | 1576 | 3 | 11.80 | 10.90 | 7.27 | 18.90 | 2143 | 2.55 |
| sep | 1766 | 3 | 11.88 | 9.60 | 7.05 | 29.07 | 2125 | 5.05 |
| oct | 1720 | 3 | 16.87 | 18.13 | 7.47 | 28.90 | 2172 | 5.77 |
| nov | 1545 | 3 | 14.91 | 14.12 | 8.27 | 26.41 | 2062 | 5.08 |
| dec | 1300 | 3 | 16.43 | 14.10 | 8.10 | 28.20 | 1965 | 6.19 |

Tabel C.57: Statistik over saltholdighed for station Elbe dybde 6.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 662 | 1 | 31.77 | 31.76 | 29.99 | 32.86 | 662 | 0.51 |
| feb | 623 | 1 | 29.89 | 29.84 | 27.70 | 31.96 | 623 | 0.75 |
| mar | 665 | 1 | 31.21 | 31.45 | 28.75 | 32.69 | 665 | 0.82 |
| apr | 673 | 1 | 31.08 | 31.21 | 28.18 | 32.14 | 673 | 0.81 |
| maj | 693 | 1 | 31.56 | 31.63 | 30.03 | 32.29 | 693 | 0.43 |
| jun | 1010 | 2 | 32.27 | 32.36 | 31.01 | 33.23 | 1010 | 0.33 |
| jul | 1092 | 2 | 31.49 | 31.23 | 27.89 | 32.92 | 1092 | 0.58 |
| aug | 945 | 2 | 30.69 | 30.95 | 26.43 | 32.87 | 1061 | 0.86 |
| sep | 599 | 1 | 31.52 | 31.60 | 29.73 | 32.84 | 599 | 0.43 |
| oct | 725 | 1 | 31.90 | 31.90 | 27.99 | 33.64 | 725 | 1.20 |
| nov | 559 | 1 | 29.05 | 28.18 | 24.84 | 33.40 | 559 | 2.42 |
| dec | 714 | 1 | 32.11 | 32.27 | 28.53 | 33.47 | 714 | 0.75 |

Tabel C.58: Statistik over saltholdighed for station Elbe dybde 20.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 650 | 1 | 32.27 | 32.33 | 31.46 | 32.99 | 650 | 0.39 |
| feb | 602 | 1 | 30.77 | 30.71 | 29.04 | 32.57 | 602 | 0.70 |
| mar | 647 | 1 | 32.11 | 32.14 | 30.54 | 33.58 | 647 | 0.64 |
| apr | 669 | 1 | 31.56 | 31.72 | 29.98 | 32.23 | 669 | 0.47 |
| maj | 688 | 1 | 32.12 | 32.12 | 31.17 | 32.84 | 688 | 0.31 |
| jun | 1340 | 2 | 32.29 | 32.54 | 29.86 | 33.39 | 1340 | 0.56 |
| jul | 1360 | 2 | 31.80 | 31.83 | 30.10 | 32.95 | 1360 | 0.65 |
| aug | 939 | 2 | 31.56 | 31.52 | 29.65 | 32.88 | 1055 | 0.71 |
| sep | 603 | 1 | 31.95 | 31.91 | 30.23 | 32.84 | 603 | 0.27 |
| oct | 724 | 1 | 32.88 | 32.94 | 29.71 | 34.00 | 724 | 0.79 |
| nov | 559 | 1 | 31.64 | 31.43 | 29.82 | 33.59 | 559 | 1.04 |
| dec | 720 | 1 | 32.65 | 32.60 | 31.60 | 33.73 | 720 | 0.42 |

Tabel C.59: Statistik over saltholdighed for station Farødybde 2.8 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 548 | 1 | 11.95 | 11.91 | 8.46 | 16.64 | 1441 | 1.17 |
| feb | 383 | 1 | 12.85 | 13.49 | 8.57 | 16.52 | 672 | 2.28 |
| mar | 52 | 0 | - | 10.72 | 8.41 | 17.76 | 744 | 0.58 |
| apr | 8 | 0 | - | 7.85 | 7.58 | 8.11 | 719 | 0.13 |
| maj | 433 | 1 | 9.33 | 9.84 | 7.48 | 11.09 | 744 | 0.99 |
| jun | 470 | 1 | 9.19 | 9.43 | 7.51 | 11.79 | 580 | 1.46 |
| jul | 685 | 1 | 10.08 | 9.68 | 7.54 | 13.06 | 696 | 1.78 |
| aug | 398 | 1 | 9.80 | 9.03 | 7.88 | 12.73 | 744 | 1.54 |
| sep | 12 | 0 | - | 8.02 | 7.69 | 9.73 | 720 | 0.03 |
| oct | 540 | 1 | 11.86 | 11.80 | 7.31 | 15.39 | 1353 | 1.17 |
| nov | 95 | 0 | - | 9.86 | 8.19 | 12.65 | 1430 | 0.68 |
| dec | 224 | 0 | - | 12.43 | 8.30 | 14.14 | 1463 | 0.39 |

Tabel C.60: Statistik over saltholdighed for station Farødybde 5.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 488 | 1 | 12.55 | 13.11 | 8.81 | 16.30 | 744 | 1.96 |
| feb | 383 | 1 | 12.75 | 13.34 | 8.86 | 15.98 | 672 | 1.96 |
| mar | 52 | 0 | - | 11.19 | 9.08 | 17.55 | 744 | 0.47 |
| apr | 8 | 0 | - | 8.47 | 8.14 | 8.65 | 719 | 0.18 |
| maj | 432 | 1 | 9.73 | 10.10 | 8.02 | 11.28 | 743 | 0.92 |
| jun | 468 | 1 | 9.50 | 9.70 | 7.93 | 11.88 | 578 | 1.35 |
| jul | 684 | 1 | 10.19 | 9.75 | 7.53 | 13.10 | 695 | 1.83 |
| aug | 392 | 1 | 9.50 | 8.88 | 8.07 | 12.50 | 738 | 1.50 |
| sep | 5 | 0 | - | 7.59 | 7.48 | 9.14 | 713 | 0.02 |
| oct | 537 | 1 | 11.79 | 11.80 | 7.57 | 15.20 | 1350 | 1.08 |
| nov | 63 | 0 | - | 11.39 | 8.14 | 13.06 | 710 | 0.53 |
| dec | 210 | 0 | - | 13.35 | 9.06 | 14.04 | 744 | 0.72 |

Tabel C.61: Statistik over saltholdighed for station Farødybde 8.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 539 | 1 | 12.61 | 13.28 | 8.29 | 16.48 | 1432 | 1.09 |
| feb | 382 | 1 | 12.97 | 13.84 | 8.70 | 16.54 | 671 | 2.02 |
| mar | 52 | 0 | - | 11.49 | 8.47 | 18.69 | 744 | 0.44 |
| apr | 5 | 0 | - | 8.14 | 7.82 | 8.25 | 716 | 0.22 |
| maj | 431 | 1 | 9.43 | 9.83 | 7.41 | 11.57 | 742 | 1.09 |
| jun | 466 | 1 | 9.26 | 9.29 | 7.42 | 11.61 | 576 | 1.44 |
| jul | 679 | 1 | 10.08 | 9.77 | 7.37 | 12.87 | 690 | 1.79 |
| aug | 390 | 1 | 9.47 | 8.84 | 7.78 | 12.50 | 736 | 1.57 |
| sep | 5 | 0 | - | 7.65 | 7.52 | 9.47 | 711 | 0.02 |
| oct | 535 | 1 | 11.78 | 11.98 | 7.18 | 15.28 | 1347 | 1.16 |
| nov | 92 | 0 | - | 10.17 | 8.16 | 12.74 | 1427 | 0.68 |
| dec | 217 | 0 | - | 13.31 | 8.44 | 14.92 | 1456 | 0.38 |

Tabel C.62: Statistik over saltholdighed for station Farødybde 11.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 532 | 1 | 13.92 | 14.66 | 9.61 | 17.54 | 1426 | 1.01 |
| feb | 382 | 1 | 14.12 | 14.77 | 10.29 | 17.07 | 671 | 1.71 |
| mar | 52 | 0 | - | 15.35 | 10.03 | 19.11 | 744 | 0.36 |
| apr | 5 | 0 | - | 9.39 | 9.11 | 9.47 | 715 | 0.25 |
| maj | 431 | 1 | 10.59 | 10.92 | 8.59 | 13.04 | 742 | 1.11 |
| jun | 463 | 1 | 10.02 | 10.04 | 8.36 | 12.12 | 573 | 1.29 |
| jul | 675 | 1 | 10.75 | 10.61 | 8.18 | 13.22 | 686 | 1.63 |
| aug | 387 | 1 | 9.63 | 8.82 | 7.72 | 12.37 | 733 | 1.51 |
| sep | - | - | - | - | - | - | - | - |
| oct | 531 | 1 | 12.62 | 12.90 | 9.34 | 15.54 | 1340 | 2.04 |
| nov | 87 | 0 | - | 11.54 | 8.42 | 13.45 | 1422 | 0.59 |
| dec | 210 | 0 | - | 14.29 | 10.37 | 15.88 | 1449 | 0.36 |

Tabel C.63: Statistik over saltholdighed for station Farødybde 14.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 528 | 1 | 13.84 | 14.60 | 9.01 | 17.95 | 1422 | 1.64 |
| feb | 381 | 1 | 13.75 | 14.42 | 9.90 | 16.87 | 670 | 1.73 |
| mar | 52 | 0 | - | 16.12 | 9.84 | 19.44 | 742 | 0.38 |
| apr | 5 | 0 | - | 8.90 | 8.47 | 9.07 | 713 | 0.21 |
| maj | 429 | 1 | 10.47 | 10.82 | 8.03 | 14.02 | 739 | 1.59 |
| jun | 462 | 1 | 9.59 | 9.61 | 7.64 | 11.85 | 572 | 1.46 |
| jul | 671 | 1 | 10.49 | 10.44 | 7.51 | 13.11 | 682 | 1.79 |
| aug | 386 | 1 | 9.67 | 8.99 | 7.95 | 12.86 | 728 | 1.61 |
| sep | - | - | - | - | - | - | - | - |
| oct | 531 | 1 | 12.56 | 12.96 | 8.70 | 16.31 | 1335 | 2.27 |
| nov | 86 | 0 | - | 11.25 | 8.21 | 13.02 | 1417 | 0.65 |
| dec | 209 | 0 | - | 13.76 | 9.93 | 15.84 | 1448 | 0.38 |

Tabel C.64: Statistik over saltholdighed for station Farødybde 21.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 514 | 1 | 14.58 | 14.92 | 8.69 | 18.56 | 1072 | 2.90 |
| feb | 379 | 1 | 13.82 | 14.54 | 9.89 | 16.65 | 665 | 1.56 |
| mar | 52 | 0 | - | 17.02 | 9.82 | 19.24 | 738 | 0.36 |
| apr | 5 | 0 | - | 8.98 | 8.50 | 9.36 | 710 | 0.20 |
| maj | 427 | 1 | 11.09 | 10.73 | 7.83 | 15.73 | 736 | 2.47 |
| jun | 461 | 1 | 9.58 | 9.54 | 7.57 | 11.93 | 570 | 1.50 |
| jul | 668 | 1 | 10.48 | 10.65 | 7.23 | 12.91 | 679 | 1.75 |
| aug | 385 | 1 | 9.60 | 8.93 | 7.79 | 12.76 | 727 | 1.60 |
| sep | - | - | - | - | - | - | - | - |
| oct | 526 | 1 | 12.77 | 13.34 | 8.62 | 16.68 | 1325 | 2.26 |
| nov | 86 | 0 | - | 11.58 | 8.76 | 13.03 | 1410 | 0.68 |
| dec | 208 | 0 | - | 13.54 | 10.14 | 15.91 | 1439 | 0.37 |

Tabel C.65: Statistik over saltholdighed for station Flinten dybde 3.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4570 | 6 | 12.11 | 10.19 | 6.56 | 27.55 | 4580 | 3.69 |
| feb | 4479 | 7 | 13.00 | 10.99 | 6.45 | 30.42 | 4493 | 4.86 |
| mar | 4554 | 6 | 11.56 | 9.19 | 6.99 | 29.54 | 4566 | 3.87 |
| apr | 3900 | 6 | 9.13 | 8.52 | 7.18 | 25.26 | 3900 | 1.89 |
| maj | 4558 | 6 | 9.25 | 8.20 | 6.94 | 22.84 | 4558 | 2.13 |
| jun | 3859 | 7 | 10.33 | 8.70 | 7.34 | 20.25 | 4058 | 2.64 |
| jul | 3768 | 6 | 9.49 | 8.38 | 7.25 | 19.77 | 3781 | 2.09 |
| aug | 3536 | 5 | 9.86 | 8.48 | 7.35 | 22.33 | 3587 | 2.20 |
| sep | 4074 | 6 | 11.15 | 8.83 | 7.38 | 33.07 | 4081 | 4.41 |
| oct | 3795 | 6 | 14.70 | 12.18 | 7.29 | 32.55 | 3796 | 5.88 |
| nov | 3819 | 6 | 12.09 | 9.60 | 6.78 | 29.48 | 4102 | 4.51 |
| dec | 4291 | 6 | 13.80 | 11.38 | 6.90 | 33.91 | 4382 | 5.32 |

Tabel C.66: Statistik over saltholdighed for station Flinten dybde 4.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4573 | 6 | 13.07 | 10.73 | 6.56 | 27.80 | 4583 | 4.72 |
| feb | 4439 | 7 | 13.49 | 11.16 | 6.28 | 32.27 | 4453 | 5.14 |
| mar | 4531 | 6 | 12.17 | 9.25 | 6.67 | 31.26 | 4543 | 4.40 |
| apr | 4027 | 6 | 9.66 | 8.46 | 6.82 | 27.62 | 4027 | 2.52 |
| maj | 4662 | 6 | 9.84 | 8.14 | 6.50 | 27.68 | 4662 | 3.04 |
| jun | 3859 | 7 | 10.77 | 8.91 | 7.31 | 20.62 | 4058 | 3.05 |
| jul | 3879 | 6 | 9.79 | 8.46 | 7.29 | 21.33 | 3892 | 2.61 |
| aug | 3552 | 5 | 10.58 | 8.71 | 7.40 | 27.38 | 3603 | 3.08 |
| sep | 3788 | 6 | 12.51 | 9.11 | 7.29 | 32.95 | 3795 | 5.77 |
| oct | 4010 | 6 | 15.46 | 13.91 | 7.27 | 32.68 | 4011 | 6.36 |
| nov | 3928 | 6 | 12.85 | 9.99 | 6.26 | 31.36 | 4211 | 5.36 |
| dec | 4290 | 6 | 14.70 | 12.21 | 6.37 | 33.45 | 4381 | 5.90 |

Tabel C.67: Statistik over saltholdighed for station Flinten dybde 6.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4573 | 6 | 14.46 | 11.56 | 6.29 | 29.22 | 4583 | 5.51 |
| feb | 4441 | 7 | 14.20 | 11.88 | 6.30 | 31.86 | 4455 | 5.28 |
| mar | 4548 | 6 | 12.77 | 9.58 | 7.25 | 31.59 | 4560 | 4.98 |
| apr | 4029 | 6 | 10.84 | 8.93 | 7.32 | 29.05 | 4029 | 3.00 |
| maj | 4662 | 6 | 10.71 | 8.44 | 6.92 | 29.48 | 4662 | 3.74 |
| jun | 3861 | 7 | 11.40 | 9.32 | 7.39 | 24.08 | 4060 | 3.49 |
| jul | 3739 | 5 | 9.95 | 8.59 | 7.39 | 21.95 | 3752 | 2.98 |
| aug | 3551 | 5 | 11.55 | 9.21 | 7.56 | 27.68 | 3602 | 3.65 |
| sep | 3824 | 6 | 13.43 | 9.48 | 7.28 | 33.51 | 3831 | 6.47 |
| oct | 4082 | 7 | 16.13 | 15.91 | 7.35 | 33.30 | 4083 | 6.55 |
| nov | 3926 | 6 | 13.82 | 10.57 | 6.79 | 32.05 | 4209 | 5.88 |
| dec | 4291 | 6 | 15.54 | 13.34 | 7.09 | 33.33 | 4382 | 6.12 |

Tabel C.68: Statistik over saltholdighed for station Flinten dybde 7.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4569 | 6 | 15.10 | 11.96 | 6.28 | 29.97 | 4579 | 5.97 |
| feb | 4427 | 7 | 14.43 | 12.00 | 5.94 | 32.62 | 4441 | 5.42 |
| mar | 4548 | 6 | 13.14 | 9.59 | 7.25 | 31.91 | 4560 | 5.41 |
| apr | 3927 | 6 | 11.12 | 8.98 | 7.27 | 29.99 | 3927 | 3.25 |
| maj | 4662 | 6 | 11.05 | 8.46 | 6.86 | 29.54 | 4662 | 4.20 |
| jun | 3855 | 7 | 11.70 | 9.41 | 7.33 | 26.66 | 4054 | 3.80 |
| jul | 3878 | 6 | 10.46 | 8.60 | 7.30 | 22.42 | 3891 | 3.11 |
| aug | 3486 | 5 | 11.87 | 9.38 | 7.49 | 27.81 | 3537 | 3.83 |
| sep | 3828 | 6 | 14.01 | 9.59 | 7.10 | 33.11 | 3835 | 6.92 |
| oct | 3967 | 7 | 16.54 | 17.10 | 7.30 | 32.98 | 3968 | 6.71 |
| nov | 3879 | 6 | 14.33 | 10.82 | 6.77 | 32.25 | 4162 | 6.29 |
| dec | 4292 | 6 | 15.89 | 13.91 | 7.09 | 33.47 | 4383 | 6.34 |

Tabel C.69: Statistik over saltholdighed for station Flinten dybde 9.1 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4569 | 6 | 15.50 | 11.95 | 6.33 | 39.95 | 4579 | 6.12 |
| feb | 4409 | 7 | 14.83 | 12.88 | 6.36 | 32.41 | 4423 | 5.47 |
| mar | 4527 | 6 | 13.41 | 9.99 | 7.33 | 32.02 | 4539 | 5.22 |
| apr | 4016 | 6 | 12.05 | 9.43 | 7.37 | 30.29 | 4016 | 3.39 |
| maj | 3921 | 5 | 11.12 | 8.67 | 7.22 | 29.45 | 3921 | 3.89 |
| jun | 3433 | 6 | 11.14 | 9.00 | 7.02 | 25.93 | 3632 | 3.82 |
| jul | 3859 | 6 | 10.50 | 8.62 | 7.33 | 21.91 | 3872 | 3.14 |
| aug | 3584 | 5 | 12.20 | 9.57 | 7.04 | 28.24 | 3635 | 4.08 |
| sep | 4040 | 6 | 15.01 | 11.79 | 7.39 | 38.78 | 4047 | 6.86 |
| oct | 4085 | 7 | 17.37 | 17.98 | 7.34 | 38.57 | 4086 | 6.86 |
| nov | 3928 | 6 | 15.19 | 12.25 | 6.48 | 33.98 | 4211 | 6.54 |
| dec | 3828 | 5 | 16.16 | 13.93 | 6.83 | 39.62 | 3908 | 6.85 |

Tabel C.70: Statistik over saltholdighed for station Gamle Bro dybde 5.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2591 | 4 | 20.90 | 20.45 | 18.41 | 27.57 | 2751 | 1.78 |
| feb | 2663 | 4 | 20.79 | 20.98 | 14.10 | 25.44 | 2671 | 1.83 |
| mar | 2623 | 4 | 18.54 | 18.98 | 12.02 | 24.10 | 2628 | 2.01 |
| apr | 2114 | 3 | 15.61 | 15.88 | 11.52 | 23.23 | 2117 | 1.27 |
| maj | 3467 | 5 | 17.26 | 17.15 | 11.40 | 26.25 | 3493 | 2.32 |
| jun | 2655 | 4 | 20.45 | 20.54 | 13.66 | 28.41 | 2666 | 2.86 |
| jul | 2158 | 4 | 18.91 | 19.39 | 9.70 | 24.95 | 2789 | 2.24 |
| aug | 1575 | 3 | 19.67 | 20.48 | 12.80 | 25.88 | 2816 | 2.64 |
| sep | 2134 | 3 | 20.06 | 20.47 | 15.25 | 25.38 | 2865 | 2.43 |
| oct | 1554 | 2 | 19.58 | 18.90 | 15.32 | 27.89 | 2965 | 3.13 |
| nov | 2380 | 3 | 21.72 | 21.36 | 9.10 | 27.88 | 3119 | 1.12 |
| dec | 2523 | 4 | 20.47 | 20.26 | 16.30 | 25.59 | 3700 | 1.00 |

Tabel C.71: Statistik over saltholdighed for station Gamle Bro dybde 10.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2592 | 4 | 20.85 | 20.37 | 18.42 | 27.64 | 2752 | 1.75 |
| feb | 2671 | 4 | 20.85 | 21.02 | 14.23 | 25.34 | 2679 | 1.81 |
| mar | 2630 | 4 | 18.68 | 19.09 | 12.08 | 24.02 | 2635 | 2.06 |
| apr | 2118 | 3 | 15.79 | 16.15 | 11.33 | 23.38 | 2122 | 1.36 |
| maj | 3104 | 5 | 17.46 | 17.93 | 11.66 | 26.99 | 3131 | 2.14 |
| jun | 1935 | 3 | 22.24 | 22.38 | 13.80 | 28.45 | 1946 | 2.57 |
| jul | 1416 | 3 | 19.14 | 20.02 | 8.75 | 25.21 | 2048 | 3.50 |
| aug | 1328 | 3 | 20.38 | 21.13 | 14.62 | 25.84 | 2569 | 2.33 |
| sep | 2138 | 3 | 20.00 | 20.56 | 15.21 | 25.11 | 2869 | 2.29 |
| oct | 1556 | 2 | 19.86 | 19.32 | 15.25 | 28.37 | 2968 | 2.09 |
| nov | 2200 | 3 | 21.78 | 21.67 | 17.55 | 27.73 | 2939 | 1.36 |
| dec | 2527 | 4 | 20.42 | 20.20 | 16.67 | 25.35 | 3704 | 0.96 |

Tabel C.72: Statistik over saltholdighed for station Gamle Bro dybde 15.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2892 | 4 | 20.79 | 20.41 | 18.34 | 27.50 | 3052 | 1.56 |
| feb | 3363 | 5 | 21.12 | 21.36 | 14.36 | 25.30 | 3371 | 1.57 |
| mar | 2961 | 4 | 18.85 | 19.45 | 12.00 | 24.82 | 2966 | 1.86 |
| apr | 1743 | 2 | 16.56 | 17.59 | 11.46 | 24.51 | 1747 | 1.60 |
| maj | 3069 | 5 | 20.57 | 20.52 | 11.84 | 28.33 | 3095 | 2.94 |
| jun | 2466 | 4 | 23.73 | 24.24 | 13.87 | 29.51 | 2477 | 2.57 |
| jul | 1413 | 3 | 20.92 | 21.62 | 13.25 | 27.79 | 2045 | 2.75 |
| aug | 1328 | 3 | 21.01 | 21.83 | 16.18 | 26.05 | 2570 | 2.07 |
| sep | 1922 | 3 | 19.82 | 20.48 | 15.11 | 26.08 | 2653 | 3.25 |
| oct | 1555 | 2 | 20.42 | 20.42 | 15.24 | 29.13 | 2967 | 2.67 |
| nov | 2383 | 3 | 21.90 | 21.49 | 9.35 | 27.98 | 3123 | 1.18 |
| dec | 2527 | 4 | 20.34 | 20.15 | 16.57 | 25.45 | 3704 | 0.95 |

Tabel C.73: Statistik over saltholdighed for station Gamle Bro dybde 20.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2596 | 4 | 21.06 | 20.59 | 17.99 | 27.72 | 2756 | 1.85 |
| feb | 2669 | 4 | 21.08 | 21.17 | 14.56 | 25.41 | 2677 | 1.76 |
| mar | 2631 | 4 | 19.16 | 19.44 | 12.12 | 25.52 | 2636 | 2.30 |
| apr | 1744 | 2 | 17.08 | 17.99 | 11.51 | 25.39 | 1748 | 1.88 |
| maj | 2723 | 4 | 20.55 | 21.13 | 11.91 | 28.41 | 2751 | 3.36 |
| jun | 1820 | 3 | 24.93 | 25.46 | 13.99 | 29.61 | 1831 | 2.27 |
| jul | 1183 | 2 | 21.62 | 21.72 | 14.24 | 27.23 | 1818 | 2.29 |
| aug | 955 | 2 | 21.29 | 22.76 | 15.30 | 26.88 | 1909 | 4.68 |
| sep | 1422 | 2 | 21.37 | 21.77 | 16.76 | 26.95 | 1897 | 2.84 |
| oct | 813 | 1 | 19.83 | 19.08 | 13.68 | 27.79 | 2074 | 2.11 |
| nov | 1694 | 2 | 21.82 | 21.52 | 9.38 | 25.59 | 2434 | 1.01 |
| dec | 2122 | 4 | 20.36 | 19.21 | 15.48 | 25.42 | 3299 | 1.34 |

Tabel C.74: Statistik over saltholdighed for station Gamle Bro dybde 22.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2896 | 4 | 21.20 | 20.98 | 18.12 | 27.75 | 3056 | 1.57 |
| feb | 3368 | 5 | 21.51 | 21.77 | 14.76 | 25.64 | 3376 | 1.54 |
| mar | 2972 | 4 | 19.32 | 19.84 | 12.19 | 25.87 | 2977 | 1.97 |
| apr | 2120 | 3 | 16.73 | 17.47 | 11.62 | 25.59 | 2124 | 1.91 |
| maj | 2812 | 4 | 21.28 | 21.76 | 11.88 | 28.57 | 2840 | 3.64 |
| jun | 1938 | 3 | 24.81 | 24.65 | 17.88 | 29.19 | 1949 | 1.91 |
| jul | 1256 | 2 | 21.41 | 21.67 | 17.11 | 25.34 | 1582 | 1.67 |
| aug | 996 | 2 | 20.72 | 21.04 | 15.95 | 24.21 | 1459 | 1.52 |
| sep | 964 | 1 | 22.11 | 21.70 | 18.54 | 27.09 | 968 | 1.42 |
| oct | 76 | 0 | - | 22.45 | 20.39 | 26.11 | 1335 | 0.37 |
| nov | 985 | 1 | 20.60 | 19.59 | 9.47 | 25.36 | 1724 | 0.46 |
| dec | 1787 | 4 | 20.35 | 19.06 | 16.80 | 25.40 | 2964 | 1.08 |

Tabel C.75: Statistik over saltholdighed for station Hjelm Bugt dybde 6.7 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2905 | 4 | 9.73 | 9.07 | 7.91 | 19.17 | 2905 | 1.58 |
| feb | 2679 | 4 | 9.69 | 9.01 | 7.72 | 16.37 | 2680 | 1.12 |
| mar | 2919 | 4 | 8.68 | 8.53 | 7.66 | 13.82 | 2919 | 0.59 |
| apr | 2345 | 3 | 8.18 | 8.15 | 6.54 | 9.18 | 2345 | 0.17 |
| maj | 2194 | 3 | 7.99 | 7.92 | 7.46 | 11.16 | 2194 | 0.34 |
| jun | 2116 | 3 | 8.17 | 7.85 | 7.09 | 12.78 | 2116 | 0.70 |
| jul | 2224 | 3 | 7.85 | 7.83 | 6.61 | 11.48 | 2224 | 0.45 |
| aug | 2132 | 3 | 7.70 | 7.53 | 6.36 | 10.59 | 2132 | 0.57 |
| sep | 2110 | 3 | 7.17 | 7.10 | 5.63 | 10.38 | 2115 | 0.73 |
| oct | 2174 | 3 | 8.27 | 8.25 | 5.04 | 14.80 | 2174 | 1.33 |
| nov | 1488 | 2 | 10.34 | 9.81 | 8.37 | 17.17 | 1838 | 2.16 |
| dec | 2406 | 3 | 9.28 | 8.75 | 7.72 | 14.65 | 2468 | 1.12 |

Tabel C.76: Statistik over saltholdighed for station Hjelm Bugt dybde 10.2 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2161 | 3 | 10.48 | 9.51 | 7.71 | 19.36 | 2161 | 2.03 |
| feb | 2007 | 3 | 10.03 | 9.23 | 7.59 | 15.59 | 2008 | 1.32 |
| mar | 2175 | 3 | 8.69 | 8.33 | 7.46 | 13.63 | 2175 | 0.87 |
| apr | 2309 | 3 | 8.08 | 7.99 | 7.54 | 10.32 | 2309 | 0.26 |
| maj | 2194 | 3 | 8.13 | 7.87 | 7.38 | 12.16 | 2194 | 0.63 |
| jun | 2116 | 3 | 8.67 | 8.03 | 7.34 | 15.96 | 2116 | 1.43 |
| jul | 2224 | 3 | 8.17 | 7.88 | 6.15 | 13.22 | 2224 | 0.72 |
| aug | 2132 | 3 | 8.24 | 7.71 | 5.99 | 17.44 | 2132 | 1.20 |
| sep | 2110 | 3 | 7.65 | 7.32 | 5.24 | 11.96 | 2115 | 1.13 |
| oct | 2174 | 3 | 9.08 | 8.25 | 6.72 | 18.28 | 2174 | 1.97 |
| nov | 1488 | 2 | 11.10 | 10.41 | 7.82 | 18.58 | 1838 | 2.78 |
| dec | 2111 | 3 | 9.69 | 8.81 | 7.58 | 16.09 | 2173 | 1.93 |

Tabel C.77: Statistik over saltholdighed for station Hjelm Bugt dybde 15.4 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2905 | 4 | 11.83 | 10.78 | 8.13 | 21.14 | 2905 | 2.21 |
| feb | 2679 | 4 | 11.82 | 10.74 | 7.79 | 21.00 | 2680 | 2.42 |
| mar | 2919 | 4 | 10.40 | 9.04 | 7.59 | 22.09 | 2919 | 2.51 |
| apr | 2344 | 3 | 8.94 | 8.24 | 7.65 | 19.30 | 2344 | 1.61 |
| maj | 2194 | 3 | 9.28 | 8.31 | 7.33 | 18.95 | 2194 | 1.85 |
| jun | 2116 | 3 | 11.25 | 10.49 | 7.43 | 21.71 | 2116 | 2.98 |
| jul | 2224 | 3 | 9.83 | 8.90 | 7.51 | 22.30 | 2224 | 1.79 |
| aug | 2132 | 3 | 11.71 | 9.65 | 7.30 | 22.98 | 2132 | 4.05 |
| sep | 2110 | 3 | 11.52 | 10.31 | 7.01 | 21.29 | 2115 | 3.83 |
| oct | 2174 | 3 | 11.25 | 9.44 | 7.48 | 19.74 | 2174 | 3.53 |
| nov | 1488 | 2 | 13.34 | 13.43 | 7.91 | 19.18 | 1838 | 2.19 |
| dec | 2406 | 3 | 11.34 | 11.27 | 7.85 | 17.27 | 2468 | 2.13 |

Tabel C.78: Statistik over saltholdighed for station Hjelm Bugt dybde 21.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 2905 | 4 | 14.70 | 14.29 | 8.29 | 22.15 | 2905 | 2.56 |
| feb | 2679 | 4 | 17.12 | 17.86 | 8.68 | 22.23 | 2680 | 2.38 |
| mar | 2919 | 4 | 14.82 | 15.05 | 8.20 | 22.43 | 2919 | 2.22 |
| apr | 2344 | 3 | 16.34 | 16.05 | 7.77 | 22.35 | 2344 | 2.58 |
| maj | 2173 | 3 | 18.24 | 18.19 | 7.78 | 22.35 | 2173 | 1.71 |
| jun | 2116 | 3 | 18.15 | 17.68 | 7.56 | 22.69 | 2116 | 1.46 |
| jul | 2214 | 3 | 18.18 | 19.13 | 8.80 | 22.70 | 2214 | 2.18 |
| aug | 2132 | 3 | 21.25 | 21.21 | 7.48 | 24.49 | 2132 | 1.58 |
| sep | 2110 | 3 | 18.58 | 20.23 | 7.50 | 22.19 | 2115 | 3.10 |
| oct | 2184 | 3 | 16.79 | 18.51 | 7.52 | 20.87 | 2184 | 3.94 |
| nov | 1488 | 2 | 16.11 | 17.38 | 8.34 | 20.13 | 1838 | 2.23 |
| dec | 2405 | 3 | 13.92 | 15.01 | 8.42 | 18.48 | 2467 | 1.84 |

Tabel C.79: Statistik over saltholdighed for station Kiel dybde 8.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 3359 | 6 | 15.32 | 16.51 | 7.14 | 22.27 | 3359 | 1.53 |
| feb | 3174 | 5 | 17.14 | 18.22 | 7.70 | 21.74 | 3179 | 1.08 |
| mar | 2881 | 5 | 17.39 | 18.65 | 6.75 | 21.93 | 2881 | 1.45 |
| apr | 2969 | 5 | 14.33 | 14.74 | 6.77 | 21.20 | 2970 | 1.81 |
| maj | 3322 | 5 | 12.84 | 12.41 | 6.01 | 18.80 | 3322 | 1.21 |
| jun | 2715 | 4 | 13.02 | 12.75 | 8.76 | 19.59 | 2715 | 1.51 |
| jul | 3470 | 5 | 14.09 | 13.67 | 9.38 | 20.42 | 3470 | 1.58 |
| aug | 2907 | 5 | 14.20 | 14.02 | 8.82 | 18.58 | 2907 | 1.45 |
| sep | 2422 | 4 | 14.56 | 14.27 | 8.94 | 21.23 | 2422 | 1.71 |
| oct | 2380 | 4 | 15.99 | 15.13 | 10.50 | 21.92 | 2380 | 1.09 |
| nov | 3157 | 5 | 15.47 | 15.21 | 10.38 | 20.94 | 3213 | 1.42 |
| dec | 3274 | 5 | 13.40 | 14.43 | 7.35 | 19.57 | 3274 | 1.81 |

Tabel C.80: Statistik over saltholdighed for station Kiel dybde 13.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 3069 | 5 | 18.96 | 18.34 | 15.20 | 22.60 | 3069 | 0.55 |
| feb | 3162 | 5 | 19.07 | 19.30 | 15.57 | 22.00 | 3167 | 0.68 |
| mar | 2653 | 5 | 19.06 | 19.17 | 15.58 | 22.37 | 2653 | 0.43 |
| apr | 2664 | 5 | 16.76 | 16.76 | 11.67 | 22.19 | 2665 | 1.42 |
| maj | 2541 | 4 | 15.11 | 15.53 | 11.18 | 20.43 | 2541 | 1.44 |
| jun | 2645 | 4 | 16.98 | 16.96 | 12.52 | 21.48 | 2645 | 1.50 |
| jul | 3361 | 5 | 17.93 | 18.34 | 12.39 | 21.63 | 3361 | 1.29 |
| aug | 2910 | 5 | 18.32 | 18.28 | 12.83 | 22.48 | 2910 | 1.15 |
| sep | 2440 | 4 | 17.60 | 17.27 | 12.80 | 22.05 | 2440 | 1.63 |
| oct | 2565 | 4 | 18.69 | 17.00 | 13.34 | 25.10 | 2565 | 0.72 |
| nov | 3264 | 5 | 19.64 | 20.06 | 15.57 | 23.58 | 3320 | 1.19 |
| dec | 3501 | 5 | 18.87 | 19.65 | 13.61 | 22.24 | 3501 | 1.07 |

Tabel C.81: Statistik over saltholdighed for station Læsø Rende dybde 6.2 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 47 | 0 | - | 25.92 | 23.90 | 26.59 | 664 | 1.29 |
| feb | 727 | 1 | 26.42 | 25.19 | 20.48 | 33.70 | 1299 | 2.35 |
| mar | 971 | 1 | 25.34 | 25.67 | 21.25 | 32.24 | 1397 | 1.23 |
| apr | 2113 | 3 | 22.55 | 22.52 | 11.04 | 32.62 | 2116 | 2.52 |
| maj | 2211 | 3 | 21.76 | 21.04 | 12.63 | 33.47 | 2215 | 3.50 |
| jun | 1372 | 2 | 25.79 | 25.80 | 20.59 | 30.59 | 1420 | 1.32 |
| jul | 1292 | 2 | 24.07 | 24.36 | 18.98 | 31.94 | 1339 | 2.17 |
| aug | 841 | 2 | 23.77 | 23.35 | 18.04 | 31.68 | 1298 | 2.70 |
| sep | 1266 | 2 | 23.02 | 23.00 | 19.68 | 31.67 | 1382 | 1.86 |
| oct | 275 | 0 | - | 20.43 | 18.66 | 25.37 | 1091 | 0.88 |
| nov | 389 | 1 | 30.42 | 30.97 | 27.35 | 31.40 | 712 | 1.07 |
| dec | 458 | 1 | 24.71 | 24.66 | 20.13 | 30.33 | 743 | 1.20 |

Tabel C.82: Statistik over saltholdighed for station Læsø Rende dybde 10.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 47 | 0 | - | 27.91 | 24.78 | 31.02 | 664 | 1.84 |
| feb | 727 | 1 | 30.19 | 31.91 | 20.67 | 33.84 | 1299 | 2.30 |
| mar | 971 | 1 | 29.46 | 29.04 | 21.80 | 33.47 | 1397 | 1.50 |
| apr | 2113 | 3 | 29.21 | 30.02 | 20.86 | 34.11 | 2116 | 3.18 |
| maj | 2211 | 3 | 30.02 | 31.02 | 16.56 | 33.69 | 2215 | 2.94 |
| jun | 1372 | 2 | 28.32 | 28.34 | 21.91 | 31.88 | 1420 | 1.23 |
| jul | 1280 | 2 | 29.37 | 29.80 | 23.12 | 32.38 | 1327 | 2.13 |
| aug | 838 | 2 | 28.42 | 29.96 | 19.36 | 31.88 | 1295 | 2.11 |
| sep | 1265 | 2 | 27.16 | 27.02 | 20.75 | 33.20 | 1380 | 3.82 |
| oct | 275 | 0 | - | 28.45 | 20.30 | 32.58 | 1090 | 3.44 |
| nov | 389 | 1 | 30.61 | 30.92 | 27.18 | 31.22 | 712 | 0.76 |
| dec | 458 | 1 | 26.00 | 25.33 | 23.58 | 31.76 | 743 | 2.02 |

Tabel C.83: Statistik over saltholdighed for station Læsø Rende dybde 15.8 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 63 | 0 | - | 31.38 | 27.45 | 33.23 | 680 | 1.03 |
| feb | 727 | 1 | 31.56 | 32.47 | 21.79 | 33.93 | 1299 | 1.58 |
| mar | 971 | 1 | 31.86 | 31.84 | 24.82 | 33.95 | 1397 | 1.13 |
| apr | 2112 | 3 | 32.64 | 33.03 | 25.76 | 34.33 | 2115 | 1.21 |
| maj | 2210 | 3 | 32.36 | 32.55 | 27.13 | 33.70 | 2214 | 1.01 |
| jun | 1372 | 2 | 30.18 | 30.56 | 25.72 | 32.24 | 1420 | 0.88 |
| jul | 1291 | 2 | 30.98 | 31.19 | 27.98 | 32.53 | 1338 | 0.80 |
| aug | 841 | 2 | 29.48 | 30.93 | 20.00 | 32.05 | 1298 | 1.37 |
| sep | 1266 | 2 | 30.67 | 31.78 | 22.02 | 33.46 | 1382 | 2.56 |
| oct | 275 | 0 | - | 32.52 | 23.70 | 33.02 | 1091 | 1.05 |
| nov | 389 | 1 | 31.13 | 31.35 | 27.50 | 31.65 | 712 | 0.29 |
| dec | 457 | 1 | 28.81 | 28.12 | 23.46 | 32.46 | 742 | 1.97 |

Tabel C.84: Statistik over saltholdighed for station Læsø Rende dybde 21.1 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 47 | 0 | - | 30.91 | 27.20 | 33.15 | 664 | 0.85 |
| feb | 727 | 1 | 32.19 | 32.78 | 22.34 | 33.86 | 1299 | 1.22 |
| mar | 936 | 1 | 32.46 | 32.33 | 24.28 | 33.86 | 1362 | 1.07 |
| apr | 1402 | 2 | 32.78 | 33.00 | 27.15 | 33.94 | 1405 | 0.85 |
| maj | 1476 | 2 | 32.35 | 32.38 | 28.99 | 33.63 | 1480 | 0.65 |
| jun | 660 | 1 | 30.58 | 30.53 | 28.21 | 32.23 | 707 | 0.45 |
| jul | 560 | 1 | 31.20 | 31.31 | 29.41 | 32.25 | 593 | 0.58 |
| aug | 371 | 1 | 30.44 | 31.01 | 27.37 | 31.82 | 743 | 0.61 |
| sep | 564 | 1 | 31.19 | 31.81 | 23.58 | 32.74 | 680 | 1.53 |
| oct | 275 | 0 | - | 32.25 | 24.34 | 32.58 | 1091 | 0.64 |
| nov | 389 | 1 | 31.01 | 31.18 | 27.41 | 31.47 | 712 | 2.45 |
| dec | 458 | 1 | 29.09 | 29.34 | 23.14 | 31.89 | 743 | 1.48 |

Tabel C.85: Statistik over saltholdighed for station Ndr. Røse dybde 2.9 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4328 | 7 | 14.03 | 13.16 | 7.89 | 26.27 | 5109 | 4.52 |
| feb | 3627 | 6 | 14.83 | 13.29 | 7.53 | 25.22 | 4095 | 3.77 |
| mar | 4021 | 7 | 13.47 | 10.57 | 7.63 | 26.62 | 4800 | 4.33 |
| apr | 4081 | 7 | 10.76 | 9.62 | 7.83 | 21.55 | 4343 | 2.55 |
| maj | 4544 | 7 | 10.11 | 9.20 | 7.50 | 20.02 | 4604 | 2.31 |
| jun | 4313 | 6 | 11.84 | 10.39 | 7.53 | 19.67 | 4566 | 2.42 |
| jul | 3934 | 6 | 10.72 | 9.49 | 7.42 | 18.49 | 4194 | 2.11 |
| aug | 3190 | 5 | 10.59 | 9.51 | 7.50 | 18.68 | 3236 | 2.08 |
| sep | 3150 | 5 | 11.76 | 9.76 | 7.54 | 27.52 | 3535 | 3.24 |
| oct | 4881 | 7 | 14.45 | 13.23 | 6.53 | 27.92 | 5137 | 4.58 |
| nov | 4184 | 7 | 12.48 | 10.44 | 7.79 | 24.70 | 4905 | 3.41 |
| dec | 3870 | 7 | 15.04 | 13.95 | 7.94 | 30.28 | 4616 | 4.70 |

Tabel C.86: Statistik over saltholdighed for station Ndr. Røse dybde 4.4 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4328 | 7 | 14.76 | 14.18 | 7.86 | 29.29 | 5110 | 4.85 |
| feb | 3627 | 6 | 15.33 | 13.98 | 7.53 | 26.19 | 4095 | 3.78 |
| mar | 4021 | 7 | 13.87 | 10.92 | 7.51 | 27.03 | 4800 | 4.52 |
| apr | 4080 | 7 | 11.43 | 9.96 | 7.78 | 22.10 | 4342 | 2.81 |
| maj | 4543 | 7 | 10.56 | 9.42 | 7.60 | 23.76 | 4603 | 2.57 |
| jun | 4011 | 6 | 12.00 | 10.94 | 7.65 | 20.45 | 4221 | 2.48 |
| jul | 3714 | 6 | 11.14 | 9.80 | 7.75 | 19.90 | 3877 | 1.96 |
| aug | 3190 | 5 | 11.16 | 9.95 | 7.63 | 19.90 | 3236 | 2.49 |
| sep | 3155 | 5 | 12.33 | 10.19 | 7.54 | 27.83 | 3540 | 3.50 |
| oct | 4876 | 7 | 15.43 | 14.91 | 7.44 | 28.69 | 5132 | 4.75 |
| nov | 4182 | 7 | 13.32 | 10.84 | 7.82 | 27.73 | 4904 | 4.24 |
| dec | 3869 | 7 | 15.65 | 14.86 | 8.00 | 30.52 | 4616 | 4.89 |

Tabel C.87: Statistik over saltholdighed for station Ndr. Røse dybde 5.9 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4328 | 7 | 16.18 | 16.01 | 8.00 | 31.58 | 5110 | 5.81 |
| feb | 3627 | 6 | 15.87 | 15.20 | 7.43 | 28.70 | 4095 | 3.94 |
| mar | 4021 | 7 | 14.46 | 11.52 | 7.78 | 28.89 | 4800 | 4.82 |
| apr | 4081 | 7 | 12.63 | 10.55 | 7.70 | 27.99 | 4343 | 3.51 |
| maj | 4544 | 7 | 11.73 | 9.59 | 7.36 | 30.73 | 4604 | 3.73 |
| jun | 4313 | 6 | 13.19 | 12.44 | 7.34 | 27.83 | 4566 | 2.89 |
| jul | 3931 | 6 | 11.93 | 10.48 | 7.24 | 21.84 | 4191 | 2.61 |
| aug | 3188 | 5 | 12.24 | 11.18 | 7.61 | 27.19 | 3234 | 3.13 |
| sep | 3153 | 5 | 13.76 | 11.11 | 7.54 | 30.84 | 3538 | 4.21 |
| oct | 4882 | 7 | 16.66 | 17.58 | 7.41 | 30.93 | 5138 | 5.04 |
| nov | 4182 | 7 | 14.40 | 12.11 | 7.84 | 33.05 | 4903 | 5.07 |
| dec | 3868 | 7 | 17.22 | 17.36 | 8.14 | 32.12 | 4612 | 5.30 |

Tabel C.88: Statistik over saltholdighed for station Ndr. Røse dybde 7.4 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4328 | 7 | 17.94 | 19.03 | 7.95 | 31.48 | 5110 | 6.40 |
| feb | 3627 | 6 | 17.01 | 17.86 | 7.61 | 28.96 | 4095 | 4.17 |
| mar | 4021 | 7 | 15.58 | 12.47 | 7.88 | 30.83 | 4800 | 5.31 |
| apr | 3377 | 6 | 14.60 | 12.27 | 7.77 | 29.80 | 3635 | 3.99 |
| maj | 3821 | 6 | 13.27 | 10.94 | 7.44 | 32.25 | 3862 | 4.92 |
| jun | 3592 | 5 | 14.42 | 14.79 | 7.48 | 31.69 | 3825 | 3.33 |
| jul | 3905 | 6 | 13.40 | 13.12 | 7.21 | 25.45 | 4165 | 3.28 |
| aug | 3205 | 5 | 14.01 | 14.41 | 7.47 | 29.74 | 3251 | 3.79 |
| sep | 3154 | 5 | 15.83 | 14.55 | 7.58 | 31.41 | 3539 | 4.88 |
| oct | 4880 | 7 | 18.20 | 19.75 | 7.54 | 32.39 | 5136 | 5.46 |
| nov | 4177 | 7 | 15.98 | 14.50 | 7.95 | 33.72 | 4899 | 5.83 |
| dec | 3869 | 7 | 18.95 | 20.00 | 8.19 | 33.70 | 4616 | 5.70 |

Tabel C.89: Statistik over saltholdighed for station Ndr. Røse dybde 9.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4328 | 7 | 19.20 | 20.68 | 8.19 | 32.36 | 5110 | 6.54 |
| feb | 3627 | 6 | 17.46 | 19.30 | 7.56 | 29.02 | 4095 | 4.30 |
| mar | 4020 | 7 | 16.42 | 14.69 | 8.07 | 30.70 | 4799 | 5.70 |
| apr | 4081 | 7 | 15.93 | 15.17 | 7.74 | 30.77 | 4343 | 5.12 |
| maj | 4543 | 7 | 15.77 | 14.25 | 7.44 | 32.08 | 4603 | 6.06 |
| jun | 4297 | 6 | 15.75 | 16.23 | 7.51 | 31.56 | 4550 | 3.85 |
| jul | 3759 | 6 | 14.97 | 15.74 | 7.47 | 27.75 | 4017 | 3.63 |
| aug | 3189 | 5 | 15.53 | 16.30 | 7.50 | 30.75 | 3235 | 4.13 |
| sep | 3155 | 5 | 17.54 | 17.48 | 7.57 | 31.75 | 3540 | 5.30 |
| oct | 4881 | 7 | 19.05 | 20.41 | 7.35 | 31.86 | 5137 | 5.60 |
| nov | 4183 | 7 | 17.31 | 17.70 | 7.84 | 33.40 | 4905 | 6.27 |
| dec | 3870 | 7 | 20.01 | 21.25 | 8.23 | 33.30 | 4617 | 5.89 |

Tabel C.90: Statistik over saltholdighed for station Ndr. Røse dybde 10.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 4350 | 7 | 20.82 | 23.05 | 7.69 | 32.64 | 5132 | 6.60 |
| feb | 3626 | 6 | 18.70 | 21.20 | 8.17 | 29.17 | 4094 | 4.68 |
| mar | 4021 | 7 | 17.59 | 18.20 | 7.53 | 31.42 | 4800 | 6.18 |
| apr | 4414 | 7 | 17.13 | 17.09 | 7.88 | 30.77 | 4676 | 5.63 |
| maj | 4839 | 7 | 17.94 | 16.98 | 7.43 | 32.91 | 4899 | 6.91 |
| jun | 4128 | 7 | 18.28 | 18.56 | 7.47 | 32.04 | 4381 | 5.04 |
| jul | 3203 | 5 | 17.28 | 17.73 | 7.36 | 29.44 | 3463 | 3.90 |
| aug | 3428 | 5 | 17.75 | 18.45 | 7.71 | 31.49 | 3474 | 5.28 |
| sep | 3282 | 5 | 19.83 | 21.64 | 7.62 | 32.64 | 3667 | 5.77 |
| oct | 4838 | 7 | 20.58 | 21.58 | 7.38 | 32.29 | 5092 | 6.03 |
| nov | 4175 | 7 | 19.21 | 21.56 | 7.78 | 33.56 | 4897 | 6.73 |
| dec | 3870 | 7 | 21.62 | 23.33 | 8.05 | 33.64 | 4617 | 6.43 |

Tabel C.91: Statistik over saltholdighed for station Oder dybde 3.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|------|--------|------|------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1898 | 3 | 7.11 | 7.18 | 5.15 | 8.10 | 1898 | 0.29 |
| feb | 1747 | 3 | 7.50 | 7.27 | 6.19 | 8.73 | 1747 | 0.36 |
| mar | 1627 | 3 | 7.42 | 7.43 | 2.57 | 9.14 | 1627 | 0.68 |
| apr | 2194 | 3 | 6.11 | 6.37 | 3.02 | 8.02 | 2194 | 0.65 |
| maj | 2668 | 4 | 6.53 | 6.66 | 3.80 | 8.13 | 2668 | 0.49 |
| jun | 3154 | 5 | 6.90 | 6.77 | 4.94 | 8.12 | 3154 | 0.23 |
| jul | 2903 | 4 | 6.94 | 6.89 | 4.78 | 8.10 | 2903 | 0.35 |
| aug | 2075 | 3 | 6.12 | 6.63 | 3.21 | 8.23 | 2075 | 0.45 |
| sep | 2524 | 5 | 6.80 | 6.83 | 5.21 | 7.82 | 2524 | 0.41 |
| oct | 2218 | 5 | 7.18 | 7.21 | 5.72 | 8.33 | 2255 | 0.31 |
| nov | 1799 | 4 | 7.21 | 7.19 | 5.64 | 8.43 | 1799 | 0.35 |
| dec | 2190 | 4 | 7.18 | 7.22 | 5.49 | 8.08 | 2190 | 0.40 |

Tabel C.92: Statistik over saltholdighed for station Oder dybde 12.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|------|--------|------|------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1290 | 2 | 7.23 | 7.33 | 5.80 | 8.06 | 1290 | 0.16 |
| feb | 1156 | 2 | 7.22 | 7.23 | 6.36 | 7.85 | 1156 | 0.26 |
| mar | 1017 | 2 | 7.11 | 7.38 | 5.44 | 7.99 | 1017 | 0.23 |
| apr | 1971 | 3 | 6.92 | 6.98 | 5.82 | 8.62 | 1971 | 0.21 |
| maj | 2635 | 4 | 7.14 | 6.93 | 5.83 | 8.35 | 2635 | 0.20 |
| jun | 3187 | 5 | 7.13 | 7.04 | 6.24 | 8.12 | 3187 | 0.15 |
| jul | 3092 | 5 | 7.19 | 7.14 | 6.07 | 8.12 | 3092 | 0.16 |
| aug | 1986 | 3 | 7.03 | 7.03 | 6.21 | 8.10 | 1986 | 0.15 |
| sep | 2749 | 5 | 7.24 | 7.20 | 6.29 | 9.49 | 2749 | 0.35 |
| oct | 2727 | 5 | 7.32 | 7.20 | 6.33 | 8.69 | 2764 | 0.21 |
| nov | 2188 | 4 | 7.36 | 7.40 | 6.63 | 8.78 | 2188 | 0.26 |
| dec | 2065 | 4 | 7.33 | 7.34 | 6.30 | 8.09 | 2065 | 0.22 |

Tabel C.93: Statistik over saltholdighed for station Østerrenden Nord dybde 3.3 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 240 | 1 | 17.89 | 17.03 | 15.41 | 23.47 | 1488 | 0.52 |
| feb | 217 | 1 | 21.08 | 20.79 | 4.68 | 23.60 | 1253 | 0.71 |
| mar | 766 | 1 | 15.52 | 14.05 | 6.07 | 22.02 | 1483 | 1.95 |
| apr | 1102 | 2 | 7.56 | 8.98 | 4.49 | 13.49 | 1428 | 1.48 |
| maj | 1488 | 2 | 9.31 | 9.12 | 5.54 | 15.27 | 1488 | 1.02 |
| jun | 1390 | 2 | 11.66 | 11.34 | 4.97 | 18.80 | 1440 | 3.06 |
| jul | 1372 | 2 | 11.36 | 10.60 | 5.10 | 20.04 | 1488 | 2.93 |
| aug | 1359 | 2 | 7.78 | 7.43 | 4.50 | 12.05 | 1480 | 1.82 |
| sep | 1381 | 2 | 8.92 | 8.85 | 5.64 | 12.43 | 1437 | 1.55 |
| oct | 1327 | 2 | 9.87 | 9.26 | 6.02 | 16.33 | 1484 | 1.88 |
| nov | 745 | 1 | 14.96 | 14.85 | 7.37 | 18.77 | 1437 | 0.84 |
| dec | 550 | 1 | 20.35 | 21.25 | 13.00 | 23.70 | 1397 | 1.22 |

Tabel C.94: Statistik over saltholdighed for station Østerrenden Nord dybde 5.8 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 240 | 1 | 17.58 | 16.68 | 15.31 | 23.36 | 1488 | 0.36 |
| feb | 217 | 1 | 21.03 | 20.90 | 8.94 | 23.47 | 1253 | 0.71 |
| mar | 766 | 1 | 15.60 | 14.27 | 9.75 | 21.94 | 1483 | 2.26 |
| apr | 1102 | 2 | 9.69 | 9.28 | 8.48 | 15.50 | 1428 | 2.05 |
| maj | 1488 | 2 | 12.59 | 12.46 | 9.52 | 17.63 | 1488 | 1.47 |
| jun | 1390 | 2 | 14.84 | 15.39 | 9.18 | 21.15 | 1440 | 2.86 |
| jul | 1372 | 2 | 13.61 | 13.17 | 7.96 | 20.32 | 1488 | 2.79 |
| aug | 1359 | 2 | 12.39 | 11.54 | 7.30 | 19.26 | 1480 | 2.48 |
| sep | 1381 | 2 | 14.85 | 15.61 | 8.78 | 19.37 | 1437 | 2.09 |
| oct | 1328 | 2 | 14.77 | 14.19 | 9.26 | 22.12 | 1485 | 2.82 |
| nov | 737 | 1 | 15.46 | 15.42 | 12.03 | 20.54 | 1429 | 1.18 |
| dec | 552 | 1 | 20.14 | 21.23 | 13.14 | 23.41 | 1399 | 2.19 |

Tabel C.95: Statistik over saltholdighed for station Østerrenden Nord dybde 9.8 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 240 | 1 | 18.83 | 17.79 | 16.52 | 24.61 | 1488 | 0.34 |
| feb | 217 | 1 | 22.45 | 22.21 | 8.73 | 24.99 | 1253 | 0.81 |
| mar | 766 | 1 | 15.95 | 14.68 | 9.87 | 22.38 | 1483 | 2.33 |
| apr | 1102 | 2 | 11.52 | 10.56 | 8.90 | 21.30 | 1428 | 2.25 |
| maj | 1488 | 2 | 16.91 | 16.37 | 10.00 | 27.50 | 1488 | 3.61 |
| jun | 1390 | 2 | 20.36 | 21.34 | 10.37 | 28.98 | 1440 | 4.36 |
| jul | 1372 | 2 | 16.12 | 16.26 | 8.88 | 23.13 | 1488 | 2.72 |
| aug | 1359 | 2 | 15.59 | 17.00 | 8.05 | 25.15 | 1480 | 2.76 |
| sep | 1381 | 2 | 17.30 | 17.82 | 10.55 | 25.99 | 1437 | 2.74 |
| oct | 1328 | 2 | 15.97 | 15.11 | 9.34 | 23.93 | 1485 | 3.58 |
| nov | 740 | 1 | 16.69 | 16.22 | 12.27 | 25.02 | 1432 | 1.63 |
| dec | 556 | 1 | 21.26 | 22.44 | 13.97 | 25.20 | 1402 | 1.58 |

Tabel C.96: Statistik over saltholdighed for station Østerrenden Nord dybde 14.9 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 240 | 1 | 20.24 | 18.34 | 17.10 | 27.10 | 1488 | 0.42 |
| feb | 217 | 1 | 22.59 | 22.84 | 19.39 | 24.84 | 1253 | 0.89 |
| mar | 766 | 1 | 16.48 | 16.38 | 10.32 | 26.61 | 1483 | 3.86 |
| apr | 1102 | 2 | 15.96 | 15.92 | 9.49 | 28.01 | 1428 | 4.42 |
| maj | 1488 | 2 | 26.23 | 27.60 | 10.60 | 32.20 | 1488 | 3.88 |
| jun | 1390 | 2 | 27.96 | 28.69 | 17.49 | 31.91 | 1440 | 2.40 |
| jul | 1369 | 2 | 22.88 | 23.67 | 13.81 | 32.39 | 1485 | 3.49 |
| aug | 1338 | 2 | 20.67 | 20.50 | 10.35 | 28.91 | 1459 | 2.87 |
| sep | 1325 | 2 | 21.92 | 21.54 | 12.34 | 28.83 | 1377 | 2.64 |
| oct | 1325 | 2 | 17.85 | 17.48 | 10.38 | 27.89 | 1482 | 3.91 |
| nov | 729 | 1 | 21.10 | 20.88 | 12.79 | 29.50 | 1393 | 1.68 |
| dec | 553 | 1 | 22.88 | 23.35 | 15.54 | 28.02 | 1399 | 3.43 |

Tabel C.97: Statistik over saltholdighed for station Romsø Tue Fyr dybde 7.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 31 | 0 | - | 15.50 | 13.97 | 23.37 | 728 | 0.55 |
| feb | 115 | 0 | - | 22.08 | 17.04 | 25.71 | 655 | 0.87 |
| mar | 665 | 1 | 22.81 | 22.41 | 16.01 | 26.43 | 682 | 3.30 |
| apr | 690 | 1 | 14.10 | 14.32 | 10.62 | 19.98 | 692 | 1.52 |
| maj | 835 | 1 | 14.56 | 14.48 | 11.29 | 23.06 | 835 | 1.62 |
| jun | 846 | 2 | 15.74 | 15.40 | 11.58 | 22.59 | 846 | 1.62 |
| jul | 929 | 2 | 17.42 | 19.34 | 8.57 | 28.23 | 1112 | 2.43 |
| aug | 1216 | 2 | 16.85 | 17.88 | 8.78 | 24.33 | 1409 | 2.50 |
| sep | 608 | 2 | 17.33 | 17.74 | 13.41 | 22.65 | 1296 | 1.49 |
| oct | 96 | 0 | - | 21.26 | 19.59 | 22.70 | 998 | 0.94 |
| nov | 211 | 1 | 19.84 | 19.69 | 17.49 | 23.73 | 467 | 1.27 |
| dec | 49 | 0 | - | 20.33 | 18.80 | 21.42 | 635 | 0.16 |

Tabel C.98: Statistik over saltholdighed for station Romsø Tue Fyr dybde 10.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 31 | 0 | - | 18.28 | 16.69 | 25.20 | 728 | 1.08 |
| feb | 115 | 0 | - | 22.19 | 17.71 | 25.83 | 655 | 0.91 |
| mar | 665 | 1 | 22.88 | 22.33 | 15.89 | 26.39 | 682 | 3.16 |
| apr | 690 | 1 | 15.64 | 15.62 | 11.25 | 21.45 | 692 | 1.81 |
| maj | 836 | 1 | 17.34 | 17.40 | 13.38 | 27.51 | 836 | 2.34 |
| jun | 846 | 2 | 19.44 | 18.27 | 13.56 | 28.79 | 846 | 2.36 |
| jul | 855 | 2 | 19.56 | 20.80 | 10.18 | 30.84 | 1038 | 3.69 |
| aug | 1201 | 2 | 19.66 | 20.13 | 13.44 | 28.58 | 1394 | 2.37 |
| sep | 608 | 2 | 19.07 | 19.43 | 13.77 | 26.63 | 1297 | 1.64 |
| oct | 97 | 0 | - | 20.76 | 16.29 | 22.55 | 999 | 1.32 |
| nov | 220 | 1 | 20.00 | 20.10 | 13.04 | 25.46 | 476 | 3.56 |
| dec | 49 | 0 | - | 22.07 | 20.82 | 23.41 | 635 | 0.12 |

Tabel C.99: Statistik over saltholdighed for station Romsø Tue Fyr dybde 12.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | - | - | - | - | - | - | - | - |
| feb | 109 | 0 | - | 22.38 | 21.27 | 25.79 | 128 | 0.91 |
| mar | 665 | 1 | 22.99 | 22.66 | 16.28 | 26.33 | 682 | 3.03 |
| apr | 690 | 1 | 17.25 | 17.04 | 11.41 | 23.03 | 692 | 2.25 |
| maj | 836 | 1 | 20.44 | 20.44 | 14.54 | 29.21 | 836 | 3.15 |
| jun | 846 | 2 | 22.55 | 21.79 | 16.19 | 30.41 | 846 | 2.55 |
| jul | 909 | 2 | 22.41 | 24.54 | 12.73 | 31.53 | 1092 | 4.81 |
| aug | 1201 | 2 | 21.91 | 23.02 | 13.58 | 29.60 | 1394 | 2.97 |
| sep | 608 | 2 | 20.51 | 20.67 | 14.45 | 27.58 | 1297 | 1.42 |
| oct | 97 | 0 | - | 21.48 | 20.30 | 24.61 | 999 | 1.50 |
| nov | 220 | 1 | 21.76 | 21.71 | 18.28 | 26.51 | 476 | 1.34 |
| dec | - | - | - | - | - | - | - | - |

Tabel C.100: Statistik over saltholdighed for station Romsø Tue Fyr dybde 14.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 31 | 0 | - | 19.73 | 18.65 | 24.69 | 728 | 0.94 |
| feb | 115 | 0 | - | 22.45 | 17.52 | 25.93 | 655 | 0.98 |
| mar | 666 | 1 | 23.25 | 22.88 | 16.52 | 26.48 | 683 | 2.84 |
| apr | 690 | 1 | 19.06 | 19.46 | 11.59 | 24.42 | 692 | 2.39 |
| maj | 836 | 1 | 23.83 | 24.13 | 16.48 | 29.76 | 836 | 3.24 |
| jun | 847 | 2 | 26.16 | 26.40 | 19.58 | 31.16 | 847 | 1.97 |
| jul | 875 | 2 | 25.84 | 28.75 | 16.48 | 32.25 | 1058 | 4.00 |
| aug | 1214 | 2 | 23.82 | 25.78 | 14.54 | 29.73 | 1407 | 3.77 |
| sep | 608 | 2 | 21.17 | 21.65 | 14.75 | 28.67 | 1297 | 1.24 |
| oct | 97 | 0 | - | 21.52 | 20.15 | 24.59 | 999 | 1.86 |
| nov | 220 | 1 | 22.77 | 23.57 | 18.11 | 28.55 | 476 | 1.72 |
| dec | 49 | 0 | - | 21.14 | 20.43 | 23.62 | 635 | 0.10 |

Tabel C.101: Statistik over saltholdighed for station Romsø Tue Fyr dybde 16.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 31 | 0 | - | 21.77 | 19.78 | 25.25 | 728 | 0.72 |
| feb | 115 | 0 | - | 23.55 | 19.24 | 25.99 | 655 | 0.91 |
| mar | 666 | 1 | 23.59 | 23.77 | 17.52 | 26.64 | 683 | 2.61 |
| apr | 690 | 1 | 20.63 | 20.84 | 11.88 | 26.59 | 692 | 2.16 |
| maj | 838 | 1 | 26.36 | 27.11 | 19.99 | 30.95 | 838 | 2.44 |
| jun | 847 | 2 | 28.28 | 28.31 | 22.58 | 31.55 | 847 | 1.29 |
| jul | 855 | 2 | 28.25 | 30.48 | 21.06 | 32.67 | 1038 | 2.65 |
| aug | 1201 | 2 | 26.77 | 27.76 | 18.23 | 30.89 | 1394 | 2.62 |
| sep | 608 | 2 | 24.49 | 24.90 | 19.15 | 29.55 | 1297 | 1.53 |
| oct | 97 | 0 | - | 22.02 | 20.38 | 25.98 | 999 | 2.48 |
| nov | 220 | 1 | 24.55 | 25.53 | 18.57 | 31.65 | 476 | 1.36 |
| dec | 49 | 0 | - | 23.62 | 21.61 | 25.77 | 635 | 0.14 |

Tabel C.102: Statistik over saltholdighed for station Romsø Tue Fyr dybde 19.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 31 | 0 | - | 21.59 | 19.52 | 24.86 | 728 | 0.60 |
| feb | 115 | 0 | - | 24.55 | 18.87 | 26.04 | 655 | 0.58 |
| mar | 666 | 1 | 23.90 | 24.65 | 17.73 | 26.71 | 683 | 2.43 |
| apr | 690 | 1 | 22.07 | 21.61 | 16.79 | 27.23 | 692 | 1.92 |
| maj | 838 | 1 | 28.07 | 29.07 | 22.20 | 32.15 | 838 | 1.57 |
| jun | 847 | 2 | 29.91 | 29.74 | 26.09 | 32.12 | 847 | 0.81 |
| jul | 927 | 2 | 29.51 | 30.95 | 21.95 | 32.92 | 1110 | 1.76 |
| aug | 1217 | 2 | 28.95 | 29.20 | 22.41 | 31.41 | 1410 | 1.52 |
| sep | 608 | 2 | 26.27 | 27.01 | 19.63 | 30.20 | 1297 | 1.95 |
| oct | 97 | 0 | - | 22.60 | 20.73 | 27.72 | 999 | 2.85 |
| nov | 214 | 1 | 25.56 | 26.48 | 18.68 | 31.82 | 443 | 2.47 |
| dec | 49 | 0 | - | 24.71 | 21.07 | 26.19 | 635 | 0.17 |

Tabel C.103: Statistik over saltholdighed for station Vesterrenden dybde 6.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1119 | 1 | 21.51 | 18.06 | 12.22 | 27.27 | 2946 | 1.72 |
| feb | 2332 | 4 | 17.29 | 17.31 | 10.48 | 24.23 | 2795 | 2.24 |
| mar | 3251 | 5 | 17.61 | 17.03 | 11.32 | 26.45 | 3653 | 2.89 |
| apr | 3154 | 5 | 14.28 | 13.39 | 9.62 | 25.91 | 3483 | 2.55 |
| maj | 3192 | 5 | 14.17 | 13.55 | 9.36 | 23.38 | 3618 | 1.65 |
| jun | 3233 | 6 | 16.01 | 16.47 | 9.74 | 26.86 | 3838 | 1.67 |
| jul | 2764 | 4 | 16.60 | 16.01 | 8.16 | 28.26 | 3056 | 2.73 |
| aug | 2455 | 4 | 16.09 | 16.64 | 6.15 | 21.74 | 2920 | 2.07 |
| sep | 2719 | 5 | 15.43 | 14.93 | 9.36 | 22.84 | 3891 | 1.88 |
| oct | 2728 | 5 | 16.38 | 15.64 | 8.77 | 24.80 | 4396 | 2.11 |
| nov | 2546 | 4 | 15.20 | 15.84 | 6.68 | 23.55 | 4152 | 1.77 |
| dec | 735 | 2 | 17.14 | 16.16 | 11.16 | 23.52 | 3586 | 0.80 |

Tabel C.104: Statistik over saltholdighed for station Vesterrenden dybde 9.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1120 | 1 | 21.92 | 18.78 | 12.51 | 27.41 | 3689 | 1.39 |
| feb | 2207 | 4 | 17.60 | 17.73 | 10.32 | 24.29 | 3190 | 2.37 |
| mar | 2507 | 4 | 18.24 | 17.74 | 11.27 | 28.85 | 2909 | 3.06 |
| apr | 2492 | 4 | 15.91 | 14.66 | 9.80 | 29.02 | 2821 | 3.11 |
| maj | 2430 | 4 | 16.40 | 16.17 | 9.99 | 29.35 | 2788 | 1.93 |
| jun | 2563 | 5 | 17.68 | 18.13 | 10.14 | 29.55 | 3183 | 2.68 |
| jul | 2788 | 5 | 18.65 | 18.74 | 11.25 | 30.47 | 3090 | 2.84 |
| aug | 1915 | 3 | 18.35 | 18.57 | 8.74 | 26.85 | 2409 | 2.36 |
| sep | 2006 | 4 | 17.00 | 16.44 | 10.07 | 24.31 | 3176 | 1.72 |
| oct | 1985 | 4 | 17.95 | 18.04 | 9.51 | 29.14 | 3653 | 1.94 |
| nov | 1827 | 3 | 18.87 | 19.05 | 13.12 | 26.15 | 3439 | 1.59 |
| dec | 712 | 2 | 17.70 | 16.73 | 13.75 | 25.03 | 3604 | 0.75 |

Tabel C.105: Statistik over saltholdighed for station Vesterrenden dybde 11.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1120 | 1 | 22.55 | 20.06 | 14.25 | 28.90 | 3689 | 1.29 |
| feb | 2207 | 4 | 18.21 | 18.05 | 10.54 | 25.58 | 3190 | 2.48 |
| mar | 2507 | 4 | 19.39 | 18.77 | 11.68 | 30.46 | 2909 | 3.28 |
| apr | 2489 | 4 | 17.44 | 16.05 | 9.87 | 30.98 | 2818 | 3.28 |
| maj | 2459 | 4 | 18.95 | 18.66 | 10.77 | 30.56 | 2885 | 2.58 |
| jun | 2482 | 5 | 20.73 | 20.76 | 10.47 | 30.57 | 3102 | 3.41 |
| jul | 2852 | 5 | 21.00 | 21.01 | 11.75 | 31.70 | 3154 | 3.39 |
| aug | 2112 | 4 | 20.50 | 19.97 | 11.63 | 28.84 | 2602 | 2.60 |
| sep | 1751 | 4 | 18.20 | 18.11 | 10.05 | 26.01 | 2937 | 1.99 |
| oct | 1728 | 4 | 19.74 | 20.38 | 11.39 | 29.55 | 3396 | 1.76 |
| nov | 1827 | 3 | 20.24 | 20.39 | 12.50 | 27.28 | 3439 | 1.56 |
| dec | 693 | 2 | 19.26 | 19.24 | 14.12 | 26.18 | 3529 | 0.74 |

Tabel C.106: Statistik over saltholdighed for station Vesterrenden dybde 13.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 977 | 1 | 22.64 | 20.74 | 14.19 | 28.64 | 2956 | 1.11 |
| feb | 1848 | 3 | 17.89 | 18.05 | 10.50 | 25.25 | 2540 | 2.82 |
| mar | 2046 | 3 | 20.05 | 19.47 | 12.02 | 30.65 | 2187 | 4.34 |
| apr | 2030 | 3 | 20.07 | 18.84 | 10.96 | 30.61 | 2358 | 3.39 |
| maj | 2459 | 4 | 21.58 | 21.38 | 12.78 | 31.42 | 2885 | 3.08 |
| jun | 2562 | 5 | 23.88 | 24.52 | 12.92 | 31.42 | 3182 | 2.64 |
| jul | 2857 | 5 | 23.01 | 22.84 | 13.71 | 31.68 | 3158 | 3.50 |
| aug | 2350 | 4 | 23.38 | 23.55 | 16.56 | 30.33 | 2844 | 2.86 |
| sep | 2010 | 4 | 19.83 | 19.18 | 10.57 | 28.00 | 3180 | 1.99 |
| oct | 1985 | 4 | 20.40 | 21.59 | 9.01 | 30.01 | 3653 | 1.97 |
| nov | 1827 | 3 | 22.22 | 22.12 | 12.38 | 29.05 | 3439 | 1.71 |
| dec | 711 | 2 | 19.34 | 19.41 | 14.22 | 27.59 | 3235 | 0.66 |

Tabel C.107: Statistik over saltholdighed for station Vesterrenden dybde 15.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1120 | 1 | 23.42 | 22.43 | 14.30 | 29.12 | 3689 | 1.27 |
| feb | 2207 | 4 | 19.14 | 18.84 | 10.50 | 25.44 | 3190 | 2.59 |
| mar | 2507 | 4 | 21.34 | 20.76 | 12.52 | 30.11 | 2909 | 3.11 |
| apr | 2492 | 4 | 20.38 | 20.39 | 11.09 | 30.39 | 2821 | 3.39 |
| maj | 2397 | 4 | 24.65 | 25.86 | 13.68 | 31.69 | 2712 | 2.68 |
| jun | 2481 | 5 | 26.86 | 27.41 | 15.93 | 31.75 | 3101 | 1.99 |
| jul | 2852 | 5 | 25.27 | 25.95 | 15.09 | 32.02 | 3153 | 3.33 |
| aug | 2334 | 4 | 25.23 | 25.61 | 16.62 | 30.64 | 2828 | 2.82 |
| sep | 2010 | 4 | 22.07 | 21.42 | 12.23 | 29.11 | 3204 | 2.03 |
| oct | 1985 | 4 | 21.76 | 22.12 | 11.16 | 30.26 | 3653 | 2.09 |
| nov | 1827 | 3 | 23.58 | 23.75 | 12.96 | 30.69 | 3439 | 1.84 |
| dec | 712 | 2 | 19.52 | 19.68 | 13.63 | 28.91 | 3604 | 1.06 |

Tabel C.108: Statistik over saltholdighed for station Vesterrenden dybde 18.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 1032 | 1 | 24.33 | 24.54 | 14.75 | 29.37 | 2951 | 1.15 |
| feb | 2021 | 4 | 19.20 | 19.68 | 10.64 | 25.91 | 2998 | 2.10 |
| mar | 2648 | 4 | 22.34 | 21.94 | 12.87 | 30.45 | 2909 | 2.68 |
| apr | 2729 | 4 | 21.01 | 21.44 | 12.15 | 30.43 | 2803 | 3.72 |
| maj | 2864 | 4 | 27.70 | 28.22 | 16.92 | 31.89 | 2914 | 1.92 |
| jun | 3222 | 6 | 28.41 | 29.38 | 19.03 | 31.95 | 3842 | 1.56 |
| jul | 3435 | 6 | 26.60 | 27.57 | 15.77 | 32.09 | 3665 | 2.70 |
| aug | 3006 | 5 | 25.98 | 27.03 | 13.71 | 30.96 | 3500 | 2.71 |
| sep | 2708 | 5 | 23.79 | 24.00 | 13.75 | 29.53 | 3902 | 1.91 |
| oct | 2728 | 5 | 21.27 | 22.24 | 7.06 | 30.66 | 4396 | 2.38 |
| nov | 2540 | 4 | 21.45 | 23.35 | 6.13 | 30.86 | 3934 | 2.27 |
| dec | 619 | 1 | 20.42 | 20.85 | 9.91 | 29.59 | 2886 | 0.67 |

Tabel C.109: Statistik over saltholdighed for station Østerrenden dybde 7.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 538 | 2 | 17.60 | 16.71 | 11.39 | 23.66 | 1475 | 1.79 |
| feb | 241 | 1 | 17.64 | 17.55 | 11.64 | 20.24 | 403 | 0.79 |
| mar | - | - | - | - | - | - | - | - |
| apr | - | - | - | - | - | - | - | - |
| maj | 193 | 0 | - | 11.32 | 10.21 | 17.23 | 203 | 1.12 |
| jun | 1081 | 2 | 12.78 | 13.08 | 9.74 | 17.34 | 1099 | 1.32 |
| jul | 837 | 1 | 18.16 | 18.30 | 10.84 | 23.78 | 1196 | 2.60 |
| aug | 711 | 1 | 15.26 | 14.96 | 11.00 | 20.48 | 1418 | 0.92 |
| sep | 740 | 2 | 14.71 | 14.50 | 11.32 | 19.89 | 1343 | 1.04 |
| oct | 598 | 1 | 18.93 | 17.00 | 10.42 | 21.58 | 1447 | 1.21 |
| nov | 1204 | 2 | 16.92 | 15.91 | 12.04 | 21.70 | 1357 | 2.09 |
| dec | 587 | 2 | 16.99 | 17.38 | 13.41 | 22.27 | 1304 | 1.09 |

Tabel C.110: Statistik over saltholdighed for station Østerrenden dybde 10.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 537 | 2 | 18.80 | 17.15 | 12.98 | 25.27 | 1475 | 2.06 |
| feb | 654 | 2 | 16.96 | 16.79 | 10.29 | 22.55 | 1005 | 2.70 |
| mar | 507 | 1 | 15.04 | 12.84 | 10.98 | 25.22 | 744 | 3.23 |
| apr | 259 | 1 | 18.08 | 15.20 | 11.13 | 28.33 | 720 | 3.36 |
| maj | 430 | 1 | 16.46 | 13.50 | 10.41 | 20.83 | 807 | 2.14 |
| jun | 1080 | 2 | 14.75 | 14.70 | 10.68 | 26.04 | 1099 | 2.49 |
| jul | 868 | 2 | 18.02 | 20.34 | 11.36 | 28.81 | 1233 | 3.93 |
| aug | 712 | 1 | 17.15 | 16.84 | 11.04 | 27.93 | 1419 | 0.77 |
| sep | 740 | 2 | 16.32 | 16.58 | 11.69 | 22.64 | 1343 | 2.05 |
| oct | 599 | 1 | 20.08 | 18.17 | 10.73 | 23.78 | 1448 | 1.26 |
| nov | 1204 | 2 | 17.89 | 17.21 | 12.78 | 23.98 | 1357 | 2.10 |
| dec | 595 | 2 | 17.81 | 18.98 | 13.30 | 22.52 | 1370 | 1.17 |

Tabel C.111: Statistik over saltholdighed for station Østerrenden dybde 12.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 537 | 2 | 18.81 | 17.37 | 12.39 | 24.82 | 1475 | 2.04 |
| feb | 654 | 2 | 16.89 | 17.12 | 10.32 | 22.09 | 1005 | 2.57 |
| mar | 507 | 1 | 16.93 | 14.06 | 11.11 | 28.26 | 744 | 4.69 |
| apr | 259 | 1 | 19.46 | 15.97 | 10.96 | 28.79 | 720 | 3.05 |
| maj | 430 | 1 | 17.71 | 16.60 | 10.68 | 22.56 | 807 | 2.82 |
| jun | 1080 | 2 | 17.20 | 17.13 | 10.95 | 28.50 | 1099 | 3.80 |
| jul | 868 | 2 | 20.18 | 21.42 | 12.16 | 30.01 | 1233 | 4.88 |
| aug | 710 | 1 | 18.85 | 19.09 | 11.80 | 28.36 | 1417 | 1.08 |
| sep | 740 | 2 | 17.91 | 18.25 | 11.82 | 25.54 | 1343 | 2.79 |
| oct | 599 | 1 | 20.65 | 19.38 | 10.82 | 25.23 | 1448 | 1.24 |
| nov | 1204 | 2 | 18.62 | 18.47 | 13.16 | 25.61 | 1357 | 2.14 |
| dec | 595 | 2 | 17.75 | 18.82 | 13.42 | 22.78 | 1370 | 1.21 |

Tabel C.112: Statistik over saltholdighed for station Østerrenden dybde 14.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 537 | 2 | 19.83 | 17.95 | 13.66 | 26.59 | 1475 | 2.26 |
| feb | 653 | 2 | 17.70 | 17.47 | 10.31 | 23.45 | 1004 | 2.84 |
| mar | 507 | 1 | 19.10 | 16.94 | 10.96 | 28.95 | 744 | 5.99 |
| apr | 259 | 1 | 20.54 | 17.44 | 10.75 | 28.20 | 720 | 1.82 |
| maj | 430 | 1 | 18.71 | 18.25 | 11.03 | 24.59 | 807 | 3.13 |
| jun | 1081 | 2 | 20.15 | 21.05 | 10.80 | 29.95 | 1100 | 4.31 |
| jul | 868 | 2 | 22.40 | 23.36 | 13.38 | 30.71 | 1233 | 4.94 |
| aug | 712 | 1 | 20.90 | 21.41 | 12.07 | 29.18 | 1360 | 1.37 |
| sep | 559 | 2 | 18.71 | 19.12 | 11.93 | 26.54 | 1156 | 3.87 |
| oct | 359 | 1 | 21.70 | 14.11 | 11.00 | 26.55 | 1179 | 1.38 |
| nov | 1204 | 2 | 19.50 | 19.75 | 14.19 | 25.75 | 1357 | 2.28 |
| dec | 595 | 2 | 18.28 | 19.75 | 13.39 | 22.88 | 1370 | 1.20 |

Tabel C.113: Statistik over saltholdighed for station Østerrenden dybde 16.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 537 | 2 | 21.63 | 20.14 | 14.21 | 28.50 | 1475 | 2.35 |
| feb | 654 | 2 | 18.95 | 19.36 | 11.30 | 26.01 | 1005 | 2.73 |
| mar | 507 | 1 | 23.80 | 25.80 | 12.09 | 32.59 | 744 | 7.38 |
| apr | 259 | 1 | 26.19 | 24.29 | 14.96 | 32.46 | 720 | 1.43 |
| maj | 430 | 1 | 23.77 | 23.81 | 13.45 | 29.48 | 807 | 3.96 |
| jun | 1080 | 2 | 25.45 | 27.07 | 12.32 | 30.48 | 1099 | 4.06 |
| jul | 868 | 2 | 26.19 | 27.53 | 15.07 | 31.48 | 1233 | 3.43 |
| aug | 712 | 1 | 22.72 | 23.55 | 13.18 | 28.55 | 1419 | 1.63 |
| sep | 740 | 2 | 21.62 | 22.32 | 13.07 | 27.64 | 1343 | 3.52 |
| oct | 599 | 1 | 21.95 | 19.36 | 11.32 | 27.92 | 1448 | 1.69 |
| nov | 1204 | 2 | 20.91 | 21.35 | 14.09 | 29.06 | 1357 | 2.51 |
| dec | 595 | 2 | 19.21 | 20.57 | 14.60 | 25.29 | 1370 | 1.26 |

Tabel C.114: Statistik over saltholdighed for station Østerrenden dybde 19.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 537 | 2 | 22.02 | 20.82 | 14.22 | 28.17 | 1475 | 2.36 |
| feb | 652 | 2 | 18.85 | 19.46 | 10.70 | 25.88 | 1003 | 2.80 |
| mar | 507 | 1 | 25.09 | 27.16 | 11.55 | 31.99 | 744 | 6.75 |
| apr | 259 | 1 | 27.22 | 26.45 | 18.50 | 31.91 | 720 | 1.00 |
| maj | 430 | 1 | 24.34 | 24.71 | 16.24 | 30.68 | 807 | 2.27 |
| jun | 1080 | 2 | 28.35 | 28.75 | 17.16 | 31.43 | 1099 | 1.98 |
| jul | 868 | 2 | 27.55 | 28.52 | 17.57 | 31.95 | 1233 | 2.84 |
| aug | 711 | 1 | 25.35 | 25.86 | 16.48 | 29.02 | 1418 | 1.78 |
| sep | 721 | 2 | 23.88 | 25.00 | 12.90 | 28.71 | 1322 | 3.10 |
| oct | 599 | 1 | 22.10 | 20.26 | 11.33 | 27.89 | 1448 | 1.67 |
| nov | 1203 | 2 | 22.72 | 23.45 | 15.59 | 30.03 | 1356 | 2.86 |
| dec | 595 | 2 | 19.35 | 20.59 | 14.09 | 25.51 | 1370 | 1.35 |

Tabel C.115: Statistik over saltholdighed for station Langelandsbælt dybde 7.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 52 | 0 | - | 16.34 | 14.32 | 17.73 | 523 | 0.76 |
| feb | 368 | 1 | 18.25 | 18.47 | 16.08 | 22.79 | 656 | 1.17 |
| mar | 412 | 1 | 19.92 | 18.26 | 13.68 | 24.89 | 561 | 3.72 |
| apr | 691 | 1 | 12.22 | 12.11 | 9.97 | 15.96 | 692 | 1.48 |
| maj | 901 | 1 | 14.02 | 13.31 | 9.93 | 19.23 | 901 | 1.87 |
| jun | 1084 | 2 | 14.15 | 14.45 | 10.23 | 20.35 | 1084 | 1.51 |
| jul | 912 | 2 | 16.40 | 17.04 | 8.92 | 25.42 | 1014 | 3.03 |
| aug | 1071 | 2 | 15.61 | 16.43 | 10.52 | 21.14 | 1258 | 1.87 |
| sep | 919 | 1 | 15.06 | 15.36 | 10.77 | 20.44 | 1321 | 2.08 |
| oct | 173 | 0 | - | 14.67 | 10.75 | 20.47 | 747 | 1.08 |
| nov | 300 | 1 | 16.05 | 16.06 | 12.00 | 18.73 | 383 | 1.26 |
| dec | 9 | 0 | - | 18.43 | 15.79 | 19.62 | 326 | 0.28 |

Tabel C.116: Statistik over saltholdighed for station Langelandsbælt dybde 10.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 52 | 0 | - | 15.87 | 14.31 | 17.13 | 523 | 0.63 |
| feb | 368 | 1 | 18.28 | 18.61 | 16.30 | 23.40 | 656 | 1.25 |
| mar | 412 | 1 | 19.77 | 18.08 | 13.83 | 24.27 | 561 | 3.63 |
| apr | 691 | 1 | 12.70 | 12.54 | 10.08 | 16.95 | 692 | 1.61 |
| maj | 901 | 1 | 15.38 | 15.06 | 10.87 | 24.02 | 901 | 2.33 |
| jun | 1084 | 2 | 16.65 | 16.65 | 11.03 | 27.33 | 1084 | 2.21 |
| jul | 696 | 2 | 17.20 | 17.80 | 8.37 | 26.96 | 741 | 4.17 |
| aug | 1071 | 2 | 17.03 | 18.43 | 9.87 | 27.24 | 1258 | 2.64 |
| sep | 919 | 1 | 16.27 | 16.75 | 10.92 | 23.09 | 1321 | 2.41 |
| oct | 173 | 0 | - | 19.70 | 17.29 | 21.18 | 747 | 0.94 |
| nov | 302 | 1 | 17.25 | 17.27 | 13.80 | 21.93 | 387 | 1.33 |
| dec | 11 | 0 | - | 16.89 | 15.36 | 18.85 | 329 | 0.21 |

Tabel C.117: Statistik over saltholdighed for station Langelandsbælt dybde 12.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 52 | 0 | - | 16.46 | 15.57 | 17.64 | 523 | 0.49 |
| feb | 327 | 1 | 18.94 | 19.09 | 17.09 | 24.12 | 615 | 1.46 |
| mar | 162 | 0 | - | 24.40 | 13.90 | 25.81 | 308 | 0.61 |
| apr | 691 | 1 | 13.10 | 12.89 | 10.23 | 18.15 | 692 | 1.81 |
| maj | 901 | 1 | 16.72 | 16.55 | 11.28 | 25.77 | 901 | 2.84 |
| jun | 1081 | 2 | 19.29 | 19.46 | 12.08 | 29.20 | 1081 | 2.92 |
| jul | 911 | 2 | 19.96 | 21.61 | 10.04 | 30.20 | 1013 | 4.21 |
| aug | 1025 | 2 | 18.13 | 19.61 | 12.24 | 27.55 | 1212 | 2.71 |
| sep | 918 | 1 | 16.88 | 17.61 | 10.86 | 25.18 | 1320 | 2.72 |
| oct | 173 | 0 | - | 19.71 | 16.69 | 23.51 | 747 | 1.03 |
| nov | 301 | 1 | 18.24 | 18.46 | 14.05 | 25.13 | 387 | 1.62 |
| dec | 3 | 0 | - | 15.34 | 15.33 | 16.42 | 322 | 0.38 |

Tabel C.118: Statistik over saltholdighed for station Langelandsbælt dybde 14.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 52 | 0 | - | 17.54 | 16.46 | 18.40 | 523 | 0.53 |
| feb | 368 | 1 | 18.85 | 18.95 | 16.53 | 23.29 | 656 | 1.29 |
| mar | 412 | 1 | 20.10 | 18.31 | 14.02 | 25.01 | 561 | 3.62 |
| apr | 691 | 1 | 13.39 | 13.35 | 9.80 | 20.66 | 692 | 2.09 |
| maj | 901 | 1 | 18.86 | 18.90 | 12.95 | 28.58 | 901 | 3.59 |
| jun | 1082 | 2 | 23.15 | 24.30 | 12.65 | 30.45 | 1082 | 3.13 |
| jul | 914 | 2 | 22.20 | 24.71 | 11.05 | 30.82 | 1016 | 4.52 |
| aug | 1071 | 2 | 20.16 | 21.89 | 12.45 | 28.66 | 1258 | 3.08 |
| sep | 918 | 1 | 18.11 | 19.81 | 11.18 | 27.09 | 1319 | 2.94 |
| oct | 173 | 0 | - | 20.43 | 17.57 | 24.12 | 747 | 1.01 |
| nov | 303 | 1 | 19.49 | 19.30 | 14.52 | 28.45 | 391 | 2.31 |
| dec | 9 | 0 | - | 19.31 | 16.73 | 20.97 | 331 | 0.36 |

Tabel C.119: Statistik over saltholdighed for station Langelandsbælt dybde 16.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 52 | 0 | - | 17.79 | 16.42 | 19.77 | 522 | 0.89 |
| feb | 368 | 1 | 18.97 | 19.02 | 16.98 | 23.36 | 656 | 1.21 |
| mar | 412 | 1 | 20.22 | 18.39 | 14.18 | 25.04 | 561 | 3.56 |
| apr | 691 | 1 | 14.45 | 14.25 | 10.34 | 22.40 | 692 | 2.69 |
| maj | 901 | 1 | 21.58 | 23.16 | 13.39 | 30.05 | 901 | 3.01 |
| jun | 1081 | 2 | 26.32 | 27.27 | 15.84 | 31.05 | 1081 | 2.47 |
| jul | 914 | 2 | 23.83 | 26.38 | 12.36 | 31.09 | 1016 | 4.43 |
| aug | 1071 | 2 | 22.51 | 24.41 | 14.43 | 30.30 | 1258 | 3.26 |
| sep | 916 | 1 | 19.65 | 22.30 | 11.52 | 28.79 | 1318 | 3.09 |
| oct | 173 | 0 | - | 20.45 | 17.70 | 26.42 | 747 | 1.43 |
| nov | 303 | 1 | 21.39 | 21.31 | 15.28 | 29.29 | 391 | 3.16 |
| dec | 8 | 0 | - | 18.66 | 16.21 | 19.01 | 330 | 0.24 |

Tabel C.120: Statistik over saltholdighed for station Langelandsbælt dybde 19.6 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | - | - | - | - | - | - | - | - |
| feb | 348 | 1 | 19.39 | 19.30 | 17.05 | 23.26 | 356 | 1.38 |
| mar | 412 | 1 | 20.41 | 18.46 | 14.36 | 25.12 | 561 | 3.40 |
| apr | 691 | 1 | 16.26 | 15.87 | 10.68 | 24.30 | 692 | 2.88 |
| maj | 901 | 1 | 24.84 | 26.74 | 16.27 | 31.03 | 901 | 2.48 |
| jun | 1082 | 2 | 29.17 | 29.66 | 21.81 | 31.82 | 1082 | 1.46 |
| jul | 887 | 2 | 26.77 | 29.10 | 16.61 | 32.03 | 989 | 3.73 |
| aug | 566 | 1 | 25.33 | 27.69 | 16.22 | 31.23 | 736 | 4.30 |
| sep | 914 | 1 | 22.33 | 25.02 | 12.24 | 29.25 | 1316 | 2.79 |
| oct | 172 | 0 | - | 20.65 | 18.16 | 28.63 | 746 | 2.07 |
| nov | 302 | 1 | 24.93 | 25.93 | 18.37 | 30.46 | 390 | 3.31 |
| dec | 4 | 0 | - | 18.81 | 17.99 | 20.64 | 326 | 0.17 |

Tabel C.121: Statistik over saltholdighed for station Saltholm North dybde 3.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 339 | 1 | 15.03 | 7.71 | 6.84 | 23.07 | 645 | 5.98 |
| feb | 374 | 1 | 10.80 | 8.41 | 7.28 | 18.55 | 374 | 3.84 |
| mar | 744 | 1 | 10.26 | 7.39 | 6.69 | 18.87 | 744 | 4.03 |
| apr | 720 | 1 | 8.50 | 7.08 | 6.65 | 17.15 | 720 | 2.54 |
| maj | 436 | 1 | 7.68 | 7.15 | 6.47 | 12.79 | 436 | 1.34 |
| jun | 473 | 1 | 11.19 | 10.68 | 6.36 | 15.16 | 473 | 2.91 |
| jul | 896 | 1 | 8.98 | 7.77 | 6.38 | 16.64 | 896 | 2.91 |
| aug | 1471 | 2 | 9.41 | 8.90 | 5.57 | 15.07 | 1488 | 1.94 |
| sep | 606 | 1 | 9.27 | 8.84 | 6.80 | 13.69 | 718 | 0.77 |
| oct | 417 | 1 | 11.37 | 7.36 | 6.40 | 18.87 | 537 | 4.46 |
| nov | 229 | 0 | - | 12.92 | 8.30 | 20.15 | 231 | 3.54 |
| dec | 738 | 1 | 11.75 | 10.62 | 6.85 | 20.83 | 744 | 3.79 |

Tabel C.122: Statistik over saltholdighed for station Saltholm North dybde 5.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 339 | 1 | 15.09 | 7.87 | 6.89 | 22.91 | 645 | 6.02 |
| feb | 374 | 1 | 10.83 | 8.49 | 7.37 | 18.09 | 374 | 3.70 |
| mar | 744 | 1 | 10.54 | 7.54 | 6.78 | 21.20 | 744 | 4.03 |
| apr | 720 | 1 | 8.72 | 7.12 | 6.70 | 18.27 | 720 | 2.66 |
| maj | 436 | 1 | 7.94 | 7.34 | 6.63 | 12.85 | 436 | 1.45 |
| jun | 473 | 1 | 11.45 | 12.07 | 6.37 | 15.11 | 473 | 2.80 |
| jul | 896 | 1 | 9.27 | 8.39 | 6.68 | 16.56 | 896 | 2.81 |
| aug | 1471 | 2 | 9.80 | 9.05 | 6.70 | 15.58 | 1488 | 2.00 |
| sep | 606 | 1 | 9.53 | 9.12 | 6.75 | 14.11 | 718 | 0.84 |
| oct | 417 | 1 | 11.81 | 7.76 | 6.67 | 19.59 | 537 | 4.54 |
| nov | 229 | 0 | - | 13.68 | 8.27 | 20.65 | 231 | 3.34 |
| dec | 738 | 1 | 12.03 | 11.00 | 7.02 | 20.50 | 744 | 3.79 |

Tabel C.123: Statistik over saltholdighed for station Saltholm North dybde 7.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 338 | 1 | 15.67 | 8.52 | 6.91 | 23.92 | 644 | 6.68 |
| feb | 374 | 1 | 11.31 | 8.75 | 7.51 | 18.85 | 374 | 3.84 |
| mar | 744 | 1 | 11.49 | 8.00 | 6.76 | 23.23 | 744 | 4.60 |
| apr | 720 | 1 | 9.40 | 7.22 | 6.71 | 21.30 | 720 | 3.31 |
| maj | 436 | 1 | 9.03 | 8.08 | 6.68 | 14.48 | 436 | 2.14 |
| jun | 473 | 1 | 12.59 | 13.61 | 6.81 | 16.39 | 473 | 2.54 |
| jul | 896 | 1 | 10.15 | 9.65 | 6.80 | 17.38 | 896 | 2.73 |
| aug | 1471 | 2 | 11.03 | 10.78 | 6.73 | 17.22 | 1488 | 2.28 |
| sep | 606 | 1 | 10.31 | 9.57 | 6.76 | 16.02 | 718 | 1.10 |
| oct | 417 | 1 | 12.63 | 11.47 | 6.75 | 20.73 | 537 | 4.73 |
| nov | 229 | 0 | - | 15.98 | 8.51 | 21.34 | 231 | 3.27 |
| dec | 738 | 1 | 13.54 | 12.46 | 7.25 | 23.12 | 744 | 4.68 |

Tabel C.124: Statistik over saltholdighed for station Saltholm North dybde 9.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 338 | 1 | 17.19 | 19.52 | 7.37 | 24.36 | 644 | 6.79 |
| feb | 374 | 1 | 12.50 | 10.92 | 8.18 | 19.48 | 374 | 4.09 |
| mar | 744 | 1 | 13.37 | 12.74 | 7.45 | 24.35 | 744 | 4.80 |
| apr | 720 | 1 | 10.91 | 7.81 | 6.85 | 23.12 | 720 | 4.29 |
| maj | 436 | 1 | 11.21 | 10.73 | 7.03 | 18.02 | 436 | 3.11 |
| jun | 473 | 1 | 14.32 | 14.49 | 7.69 | 18.70 | 473 | 1.53 |
| jul | 896 | 1 | 11.95 | 12.23 | 7.24 | 18.79 | 896 | 2.35 |
| aug | 1471 | 2 | 13.22 | 13.46 | 6.63 | 18.92 | 1488 | 2.33 |
| sep | 606 | 1 | 12.37 | 11.60 | 6.70 | 20.11 | 718 | 1.73 |
| oct | 417 | 1 | 13.94 | 15.48 | 6.84 | 23.55 | 537 | 4.71 |
| nov | 229 | 0 | - | 18.88 | 11.78 | 22.93 | 231 | 2.54 |
| dec | 737 | 1 | 16.36 | 16.04 | 7.93 | 25.44 | 743 | 5.44 |

Tabel C.125: Statistik over saltholdighed for station Saltholm North dybde 11.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 338 | 1 | 21.26 | 22.65 | 8.84 | 25.99 | 644 | 4.54 |
| feb | 374 | 1 | 14.69 | 16.07 | 8.56 | 22.16 | 374 | 4.59 |
| mar | 744 | 1 | 16.87 | 17.83 | 7.73 | 25.80 | 744 | 4.74 |
| apr | 720 | 1 | 14.07 | 14.55 | 7.18 | 27.28 | 720 | 6.41 |
| maj | 435 | 1 | 14.88 | 14.19 | 8.30 | 25.59 | 435 | 4.30 |
| jun | 473 | 1 | 17.27 | 15.92 | 12.55 | 27.67 | 473 | 2.85 |
| jul | 896 | 1 | 14.78 | 15.41 | 8.96 | 25.41 | 896 | 2.33 |
| aug | 1471 | 2 | 16.71 | 16.20 | 7.36 | 25.36 | 1488 | 2.31 |
| sep | 606 | 1 | 16.54 | 17.64 | 7.75 | 24.96 | 718 | 2.21 |
| oct | 417 | 1 | 17.40 | 17.72 | 7.34 | 26.55 | 537 | 4.84 |
| nov | 229 | 0 | - | 21.09 | 14.47 | 25.96 | 231 | 2.38 |
| dec | 738 | 1 | 20.25 | 21.34 | 8.76 | 27.22 | 744 | 4.71 |

Tabel C.126: Statistik over saltholdighed for station Saltholm North dybde 13.5 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 338 | 1 | 22.62 | 23.12 | 17.56 | 25.52 | 644 | 1.73 |
| feb | 374 | 1 | 15.80 | 17.58 | 8.59 | 22.31 | 374 | 4.55 |
| mar | 744 | 1 | 18.95 | 20.05 | 8.13 | 25.68 | 744 | 4.86 |
| apr | 720 | 1 | 17.04 | 20.46 | 7.31 | 27.22 | 720 | 7.64 |
| maj | 435 | 1 | 21.36 | 22.12 | 13.31 | 27.28 | 435 | 4.33 |
| jun | 473 | 1 | 21.02 | 19.22 | 14.20 | 27.85 | 473 | 4.51 |
| jul | 896 | 1 | 16.96 | 17.31 | 13.50 | 25.91 | 896 | 2.40 |
| aug | 1471 | 2 | 19.38 | 19.20 | 12.28 | 26.07 | 1488 | 2.65 |
| sep | 606 | 1 | 20.40 | 21.82 | 9.42 | 25.73 | 718 | 1.95 |
| oct | 417 | 1 | 20.46 | 20.74 | 8.62 | 26.09 | 537 | 3.50 |
| nov | 229 | 0 | - | 22.88 | 18.48 | 26.74 | 231 | 2.16 |
| dec | 738 | 1 | 22.70 | 23.21 | 14.13 | 27.12 | 744 | 2.97 |

Tabel C.127: Statistik over saltholdighed for station Saltholm North dybde 14.2 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 338 | 1 | 23.69 | 24.11 | 19.34 | 26.53 | 644 | 1.58 |
| feb | 374 | 1 | 16.64 | 18.34 | 8.94 | 23.03 | 374 | 4.57 |
| mar | 744 | 1 | 19.94 | 21.12 | 8.50 | 26.27 | 744 | 4.86 |
| apr | 720 | 1 | 18.12 | 21.96 | 7.29 | 27.88 | 720 | 7.96 |
| maj | 435 | 1 | 23.22 | 24.89 | 15.52 | 27.97 | 435 | 4.03 |
| jun | 205 | 0 | - | 26.77 | 17.71 | 30.69 | 205 | 3.54 |
| jul | 152 | 0 | - | 24.18 | 17.52 | 26.68 | 152 | 2.64 |
| aug | 728 | 1 | 21.19 | 21.40 | 16.08 | 26.34 | 744 | 2.40 |
| sep | 602 | 1 | 21.63 | 23.12 | 10.97 | 26.54 | 714 | 4.29 |
| oct | 415 | 1 | 22.02 | 22.37 | 9.86 | 26.99 | 535 | 3.71 |
| nov | 229 | 0 | - | 24.02 | 19.21 | 27.66 | 231 | 2.21 |
| dec | 738 | 1 | 23.97 | 24.39 | 15.99 | 28.11 | 744 | 2.78 |

Tabel C.128: Statistik over saltholdighed for station Svinbådan dybde 2.7 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 957 | 1 | 18.19 | 13.66 | 9.77 | 27.45 | 957 | 4.25 |
| feb | - | - | - | - | - | - | - | - |
| mar | - | - | - | - | - | - | - | - |
| apr | - | - | - | - | - | - | - | - |
| maj | 690 | 1 | 10.71 | 9.82 | 8.31 | 15.93 | 738 | 2.02 |
| jun | 720 | 1 | 16.79 | 16.68 | 12.46 | 21.15 | 720 | 1.56 |
| jul | 744 | 1 | 10.53 | 9.59 | 8.41 | 18.04 | 744 | 2.13 |
| aug | 741 | 1 | 14.05 | 14.21 | 9.50 | 17.66 | 741 | 2.36 |
| sep | 718 | 1 | 14.92 | 15.11 | 9.18 | 22.57 | 718 | 3.16 |
| oct | 1088 | 2 | 17.70 | 19.38 | 10.33 | 25.09 | 1088 | 4.21 |
| nov | 1369 | 2 | 16.32 | 14.95 | 9.13 | 30.49 | 1369 | 5.22 |
| dec | 1481 | 2 | 19.81 | 21.16 | 10.61 | 31.81 | 1481 | 5.12 |

Tabel C.129: Statistik over saltholdighed for station Svinbådan dybde 6.0 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|------|--------|------|------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | - | - | - | - | - | - | - | - |
| feb | - | - | - | - | - | - | - | - |
| mar | - | - | - | - | - | - | - | - |
| apr | - | - | - | - | - | - | - | - |
| maj | - | - | - | - | - | - | - | - |
| jun | - | - | - | - | - | - | - | - |
| jul | - | - | - | - | - | - | - | - |
| aug | - | - | - | - | - | - | - | - |
| sep | - | - | - | - | - | - | - | - |
| oct | - | - | - | - | - | - | - | - |
| nov | - | - | - | - | - | - | - | - |
| dec | - | - | - | - | - | - | - | - |

Tabel C.130: Statistik over saltholdighed for station Svinbådan dybde 7.7 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 957 | 1 | 19.87 | 23.38 | 10.55 | 30.66 | 957 | 4.18 |
| feb | - | - | - | - | - | - | - | - |
| mar | - | - | - | - | - | - | - | - |
| apr | - | - | - | - | - | - | - | - |
| maj | 690 | 1 | 16.46 | 15.71 | 9.71 | 28.89 | 738 | 3.20 |
| jun | 720 | 1 | 17.36 | 17.15 | 13.02 | 22.66 | 720 | 1.53 |
| jul | 744 | 1 | 15.70 | 15.84 | 9.10 | 20.52 | 744 | 2.26 |
| aug | 743 | 1 | 16.92 | 16.91 | 11.27 | 23.13 | 743 | 1.95 |
| sep | 720 | 1 | 18.34 | 18.36 | 10.89 | 27.13 | 720 | 2.67 |
| oct | 1091 | 2 | 20.96 | 21.18 | 10.23 | 33.56 | 1091 | 4.42 |
| nov | 1369 | 2 | 24.06 | 23.48 | 10.76 | 35.53 | 1369 | 4.62 |
| dec | 1481 | 2 | 23.60 | 23.71 | 11.33 | 35.50 | 1481 | 3.55 |

Tabel C.131: Statistik over saltholdighed for station Svinbådan dybde 12.9 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 957 | 1 | 25.68 | 27.47 | 17.30 | 34.62 | 957 | 2.17 |
| feb | - | - | - | - | - | - | - | - |
| mar | - | - | - | - | - | - | - | - |
| apr | - | - | - | - | - | - | - | - |
| maj | 690 | 1 | 29.80 | 31.11 | 15.13 | 34.84 | 738 | 4.35 |
| jun | 720 | 1 | 21.49 | 20.11 | 15.79 | 34.66 | 720 | 3.88 |
| jul | 744 | 1 | 23.30 | 23.74 | 17.61 | 27.88 | 744 | 2.29 |
| aug | 742 | 1 | 29.74 | 29.62 | 20.62 | 37.89 | 742 | 4.31 |
| sep | 430 | 1 | 27.27 | 25.47 | 21.80 | 36.94 | 430 | 4.08 |
| oct | 1041 | 2 | 28.34 | 26.40 | 15.58 | 35.67 | 1041 | 4.22 |
| nov | 1369 | 2 | 30.72 | 32.47 | 18.70 | 36.10 | 1369 | 3.20 |
| dec | 1482 | 2 | 28.85 | 27.66 | 20.55 | 36.20 | 1482 | 3.28 |

Tabel C.132: Statistik over saltholdighed for station Valgrundet dybde 2.7 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 616 | 2 | 15.99 | 15.89 | 9.34 | 26.77 | 1129 | 3.11 |
| feb | 87 | 0 | - | 13.39 | 8.45 | 20.85 | 672 | 3.95 |
| mar | 381 | 1 | 15.96 | 17.66 | 8.70 | 24.55 | 696 | 5.36 |
| apr | 164 | 0 | - | 9.75 | 8.31 | 11.03 | 706 | 0.39 |
| maj | 694 | 1 | 9.13 | 8.56 | 8.09 | 18.02 | 694 | 2.01 |
| jun | 565 | 1 | 15.41 | 16.64 | 9.26 | 19.95 | 720 | 2.66 |
| jul | 744 | 1 | 8.56 | 8.48 | 8.04 | 10.58 | 744 | 0.36 |
| aug | 744 | 1 | 11.15 | 10.05 | 8.07 | 18.29 | 744 | 2.43 |
| sep | 534 | 1 | 11.48 | 11.24 | 9.09 | 18.04 | 534 | 2.04 |
| oct | 807 | 2 | 14.96 | 11.55 | 8.00 | 27.86 | 1228 | 4.82 |
| nov | 962 | 2 | 13.67 | 13.26 | 8.32 | 26.61 | 1394 | 2.69 |
| dec | 1238 | 2 | 16.91 | 15.06 | 9.65 | 29.69 | 1488 | 5.86 |

Tabel C.133: Statistik over saltholdighed for station Valgrundet dybde 4.7 m.

| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|------|-------|-----------------|------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 615 | 2 | 16.46 | 17.13 | 8.85 | 28.69 | 1128 | 3.55 |
| feb | 86 | 0 | - | 14.87 | 7.86 | 23.03 | 671 | 4.46 |
| mar | 381 | 1 | 17.03 | 18.68 | 8.24 | 31.71 | 696 | 6.91 |
| apr | 164 | 0 | - | 9.22 | 7.71 | 10.55 | 706 | 0.47 |
| maj | 693 | 1 | 9.45 | 8.12 | 7.55 | 27.92 | 693 | 3.94 |
| jun | 565 | 1 | 15.99 | 17.07 | 8.98 | 26.34 | 720 | 3.17 |
| jul | 744 | 1 | 8.42 | 8.34 | 7.91 | 16.97 | 744 | 0.64 |
| aug | 744 | 1 | 11.94 | 11.36 | 8.27 | 22.41 | 744 | 3.08 |
| sep | 534 | 1 | 11.84 | 11.66 | 8.71 | 20.48 | 534 | 2.62 |
| oct | 809 | 2 | 15.58 | 11.58 | 7.03 | 33.66 | 1230 | 5.59 |
| nov | 962 | 2 | 14.31 | 14.82 | 7.72 | 33.40 | 1393 | 4.71 |
| dec | 1238 | 2 | 17.85 | 16.40 | 9.03 | 34.19 | 1488 | 6.74 |

Tabel C.134: Statistik over saltholdighed for station Valgrundet dybde 6.8 m.


| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|-------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 616 | 2 | 17.84 | 20.16 | 8.78 | 31.40 | 1129 | 5.98 |
| feb | 87 | 0 | - | 23.74 | 12.08 | 31.52 | 672 | 4.95 |
| mar | 381 | 1 | 20.79 | 23.75 | 8.48 | 33.37 | 696 | 10.55 |
| apr | 164 | 0 | - | 9.32 | 7.58 | 10.84 | 706 | 0.55 |
| maj | 694 | 1 | 11.49 | 8.22 | 7.51 | 34.04 | 694 | 7.31 |
| jun | 565 | 1 | 16.95 | 17.42 | 9.26 | 31.14 | 720 | 4.19 |
| jul | 744 | 1 | 8.61 | 8.35 | 7.71 | 21.11 | 744 | 2.35 |
| aug | 744 | 1 | 13.50 | 12.68 | 8.27 | 31.22 | 744 | 4.54 |
| sep | 534 | 1 | 12.80 | 12.28 | 8.80 | 30.67 | 534 | 3.67 |
| oct | 809 | 2 | 17.40 | 14.79 | 7.29 | 34.49 | 1230 | 6.53 |
| nov | 961 | 2 | 16.08 | 16.99 | 7.68 | 34.55 | 1393 | 7.83 |
| dec | 1236 | 2 | 20.18 | 19.20 | 9.05 | 34.49 | 1486 | 8.10 |

Tabel C.135: Statistik over saltholdighed for station Valgrundet dybde 8.8 m.


| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|-------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 264 | 1 | 22.92 | 28.30 | 10.70 | 33.73 | 744 | 8.29 |
| feb | 87 | 0 | - | 31.21 | 14.13 | 33.61 | 672 | 5.03 |
| mar | 383 | 1 | 25.72 | 28.07 | 11.33 | 35.39 | 698 | 10.54 |
| apr | 164 | 0 | - | 11.30 | 9.27 | 13.87 | 706 | 0.65 |
| maj | 694 | 1 | 16.49 | 11.06 | 9.07 | 35.42 | 694 | 9.17 |
| jun | 565 | 1 | 19.48 | 19.38 | 10.71 | 34.88 | 720 | 5.25 |
| jul | 744 | 1 | 11.20 | 9.82 | 8.88 | 27.99 | 744 | 4.25 |
| aug | 743 | 1 | 17.67 | 16.93 | 9.34 | 34.49 | 743 | 6.65 |
| sep | 534 | 1 | 16.46 | 14.63 | 9.89 | 34.62 | 534 | 6.32 |
| oct | 228 | 1 | 21.40 | 19.80 | 7.07 | 33.13 | 639 | 3.77 |
| nov | 309 | 1 | 26.32 | 30.81 | 9.93 | 35.46 | 592 | 5.15 |
| dec | 493 | 1 | 28.58 | 32.76 | 10.87 | 35.69 | 743 | 8.76 |

Tabel C.136: Statistik over saltholdighed for station Valgrundet dybde 10.9 m.


| | Stabil vandsøjle | | | | | | Hele tidsserien | |
|-----|------------------|----|-------|--------|-------|-------|-----------------|-------|
| | obs. | år | gns. | median | min. | max. | obs. | std. |
| jan | 595 | 2 | 24.50 | 27.60 | 9.81 | 33.94 | 1108 | 9.86 |
| feb | 87 | 0 | - | 31.17 | 14.06 | 33.15 | 672 | 5.49 |
| mar | 381 | 1 | 27.66 | 30.05 | 11.00 | 34.81 | 696 | 11.29 |
| apr | 27 | 0 | - | 19.40 | 12.30 | 26.03 | 493 | 4.59 |
| maj | - | - | - | - | - | - | - | - |
| jun | 516 | 1 | 25.20 | 28.61 | 11.54 | 34.81 | 671 | 7.16 |
| jul | 741 | 1 | 18.01 | 12.88 | 10.01 | 29.64 | 741 | 7.72 |
| aug | 57 | 0 | - | 27.51 | 18.56 | 29.52 | 57 | 2.00 |
| sep | - | - | - | - | - | - | - | - |
| oct | 782 | 1 | 25.58 | 27.99 | 7.02 | 35.31 | 1203 | 7.90 |
| nov | 961 | 2 | 25.74 | 27.52 | 7.51 | 35.52 | 1392 | 9.39 |
| dec | 1236 | 2 | 25.74 | 27.98 | 7.58 | 35.48 | 1484 | 7.95 |




(a) Århus Bugt



(b) Darss Sill




(c) Deutsche Bucht




(d) Drogden


Figur C.1: Årliggang i saltholdighed




(a) Elbe



(b) Farø




(c) Flinten




(d) Gamle Bro


Figur C.2: Årliggang i saltholdighed




Figur C.3: Årliggang i saltholdighed




(a) Oder



(b) Østerrenden Nord




(c) Romsø Tue Fyr




(d) Vesterrenden

Figur C.4: Årliggang i saltholdighed




Figur C.5: Årliggang i saltholdighed




(a) Valgrundet


Figur C.6: Årliggang i saltholdighed



(a) 4.0 m dybde




(b) 9.0 m dybde




(c) 14.0 m dybde


Figur C.7: Gns., std., max. og min. af saltholdighed for Århus Bugt




(a) 7.0 m dybde



(b) 12.0 m dybde




(c) 17.0 m dybde




(d) 19.0 m dybde

Figur C.8: Gns., std., max. og min. af saltholdighed for Darss Sill




(a) 6.0 m dybde




(b) 30.0 m dybde


Figur C.9: Gns., std., max. og min. af saltholdighed for Deutche Bucht




(a) 2.0 m dybde




(b) 4.0 m dybde



(c) 6.0 m dybde




(d) 8.0 m dybde




(e) 10.0 m dybde

Figur C.10: Gns., std., max. og min. af saltholdighed for Drogden




(a) 6.0 m dybde




(b) 20.0 m dybde


Figur C.11: Gns., std., max. og min. af saltholdighed for Elbe




(a) 2.8 m dybde




(b) 5.5 m dybde




(c) 8.5 m dybde



(d) 11.5 m dybde




(e) 14.5 m dybde




(f) 21.0 m dybde


Figur C.12: Gns., std., max. og min. af saltholdighed for Farø




(a) 3.0 m dybde




(b) 4.5 m dybde



(c) 6.0 m dybde




(d) 7.5 m dybde




(e) 9.1 m dybde


Figur C.13: Gns., std., max. og min. af saltholdighed for Flinten




(a) 5.0 m dybde




(b) 10.0 m dybde



(c) 15.0 m dybde




(d) 20.0 m dybde




(e) 22.5 m dybde


Figur C.14: Gns., std., max. og min. af saltholdighed for Gamle Bro




(a) 6.7 m dybde



(b) 10.2 m dybde




(c) 15.4 m dybde




(d) 21.5 m dybde

Figur C.15: Gns., std., max. og min. af saltholdighed for Hjelm Bugt




(a) 8.0 m dybde




(b) 13.0 m dybde


Figur C.16: Gns., std., max. og min. af saltholdighed for Kiel




(a) 6.2 m dybde



(b) 10.5 m dybde




(c) 15.8 m dybde




(d) 21.1 m dybde


Figur C.17: Gns., std., max. og min. af saltholdighed for Læsø Rende




(a) 2.9 m dybde




(b) 4.4 m dybde




(c) 5.9 m dybde



(d) 7.4 m dybde




(e) 9.0 m dybde




(f) 10.6 m dybde


Figur C.18: Gns., std., max. og min. af saltholdighed for Ndr. Røse




Figur C.19: Gns., std., max. og min. af saltholdighed for Oder




(a) 3.3 m dybde



(b) 5.8 m dybde




(c) 9.8 m dybde




(d) 14.9 m dybde


Figur C.20: Gns., std., max. og min. af saltholdighed for Østerrenden Nord




(a) 7.0 m dybde




(b) 10.0 m dybde




(c) 12.0 m dybde



(d) 14.0 m dybde




(e) 16.0 m dybde




(f) 19.0 m dybde


Figur C.21: Gns., std., max. og min. af saltholdighed for Romsø Tue Fyr




(a) 6.5 m dybde




(b) 9.6 m dybde




(c) 11.6 m dybde



(d) 13.6 m dybde




(e) 15.6 m dybde




(f) 18.5 m dybde


Figur C.22: Gns., std., max. og min. af saltholdighed for Vesterrenden




(a) 7.0 m dybde




(b) 10.0 m dybde




(c) 12.0 m dybde



(d) 14.0 m dybde




(e) 16.0 m dybde




(f) 19.0 m dybde


Figur C.23: Gns., std., max. og min. af saltholdighed for Østerrenden




(a) 7.6 m dybde




(b) 10.6 m dybde




(c) 12.6 m dybde



(d) 14.6 m dybde




(e) 16.6 m dybde




(f) 19.6 m dybde


Figur C.24: Gns., std., max. og min. af saltholdighed for Langelandsbælt




(a) 3.5 m dybde




(b) 5.5 m dybde




(c) 7.5 m dybde




(d) 9.5 m dybde




(e) 11.5 m dybde




(f) 13.5 m dybde







(a) 2.7 m dybde



(b) 6.0 m dybde




(c) 7.7 m dybde




(d) 12.9 m dybde


Figur C.26: Gns., std., max. og min. af saltholdighed for Svinbådan




(a) 2.7 m dybde




(b) 4.7 m dybde



(c) 6.8 m dybde



(d) 8.8 m dybde



(e) 10.9 m dybde

Figur C.27: Gns., std., max. og min. af saltholdighed for Valgrundet

Tabel C.137: Hyppighedsfordeling af saltholdigheden for station Århus Bugt i 4.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | 0.2 | | | | |
| 14 – 15 | | | | | 0.1 | | | 2.2 | | | | |
| 15 – 16 | | | | 0.8 | 9.1 | | | 14.8 | | | | |
| 16 – 17 | | 5.3 | 27.3 | 9.9 | 14.2 | | | 9.8 | | | | |
| 17 – 18 | | 7.5 | 17.1 | 5.4 | 3.7 | 2.2 | | 10.6 | | | | |
| 18 – 19 | | 0.3 | 14.2 | 14.2 | 6.9 | 3.3 | 0.7 | 18.8 | | | | |
| 19 – 20 | | 0.5 | 4.9 | 3.7 | 8.2 | 19.7 | 4.6 | 15.1 | 1.3 | 16.8 | 21.4 | |
| 20 – 21 | | 1.5 | 7.3 | 34.9 | 8.1 | 13.5 | 4.7 | 4.5 | 0.7 | 3.3 | 18.8 | 6.2 |
| 21 – 22 | 10.1 | 2.6 | 12.1 | 24.7 | 10.2 | 11.3 | 17.8 | 10.4 | 20.3 | 0.3 | 58.7 | 9.3 |
| 22 – 23 | 41.6 | 9.7 | 5.0 | 3.1 | 4.6 | 16.5 | 14.4 | 8.7 | 54.6 | 0.8 | 1.0 | 0.4 |
| 23 – 24 | 20.0 | 34.1 | 5.3 | 1.2 | 10.1 | 16.3 | 38.5 | 3.8 | 4.6 | 1.3 | | 0.8 |
| 24 – 25 | 15.8 | 11.1 | 6.5 | 1.0 | 18.5 | 8.3 | 19.3 | 1.0 | 6.4 | 39.0 | | 63.6 |
| 25 – 26 | 4.7 | 2.2 | 0.3 | 1.1 | 3.7 | 4.4 | | | 11.9 | 25.0 | | 19.7 |
| 26 – 27 | | 9.9 | | | 1.6 | 2.3 | | | 0.1 | 12.8 | | |
| 27 – 28 | 1.9 | 10.5 | | | 0.7 | 2.2 | | | | 0.7 | | |
| 28 – 29 | 5.9 | 4.8 | | | 0.3 | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 803 | 1365 | 1485 | 1437 | 1468 | 1439 | 1425 | 1486 | 745 | 608 | 589 | 741 |

Tabel C.138: Hyppighedsfordeling af saltholdigheden for station Århus Bugt i 9.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | 11.6 | 1.1 | 0.9 | | | | | | | |
| 17 – 18 | | | 7.3 | 4.5 | 3.4 | | | | | | | |
| 18 – 19 | | | 2.0 | 0.9 | 1.4 | | | | | | | |
| 19 – 20 | | | 6.7 | 4.0 | 1.7 | | | 0.4 | | | | |
| 20 – 21 | | 0.1 | 1.8 | 7.7 | 1.2 | 0.1 | 1.6 | 4.4 | | 0.5 | 9.0 | 12.4 |
| 21 – 22 | 2.0 | 1.0 | 5.4 | 42.2 | 1.3 | 4.4 | 1.8 | 13.6 | 4.2 | 13.2 | 75.9 | 2.0 |
| 22 – 23 | 45.1 | 8.0 | 8.6 | 16.1 | 2.7 | 2.9 | 15.2 | 24.4 | 52.1 | 3.6 | 12.4 | 0.4 |
| 23 – 24 | 17.1 | 22.9 | 7.7 | 7.6 | 7.5 | 3.3 | 15.4 | 27.8 | 8.2 | 0.8 | 1.4 | 1.3 |
| 24 – 25 | 21.9 | 29.7 | 18.6 | 2.6 | 13.4 | 18.2 | 36.7 | 14.9 | 3.4 | 1.3 | 0.8 | 57.6 |
| 25 – 26 | 6.2 | 7.8 | 10.3 | 6.6 | 11.5 | 27.4 | 22.9 | 7.8 | 15.8 | 25.5 | 0.3 | 26.2 |
| 26 – 27 | | 5.2 | 7.1 | 5.8 | 10.2 | 9.0 | 6.0 | 2.9 | 5.6 | 45.4 | 0.2 | |
| 27 – 28 | | 17.5 | 9.3 | 0.8 | 6.7 | 10.3 | 0.3 | 3.4 | 3.5 | 5.3 | | |
| 28 – 29 | 7.7 | 7.8 | 3.6 | | 8.1 | 6.5 | | 0.3 | 7.0 | 4.3 | | |
| 29 – 30 | | | | | 10.6 | 10.4 | | | 0.3 | 0.2 | | |
| 30 – 31 | | | | | 15.2 | 7.6 | | | | | | |
| 31 – 32 | | | | | 4.2 | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 803 | 1365 | 1485 | 1437 | 1468 | 1439 | 1425 | 1486 | 745 | 608 | 589 | 741 |

Tabel C.139: Hyppighedsfordeling af saltholdigheden for station Århus Bugt i 14.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | 0.4 | | | | | | | | | |
| 17 – 18 | | | 1.4 | | | | | | | | | |
| 18 – 19 | | | | 0.6 | | | | | | | | |
| 19 – 20 | | | | 0.6 | | | | | | | | |
| 20 – 21 | | 0.1 | 0.1 | 0.6 | | | | | | | | |
| 21 – 22 | | 0.1 | 0.3 | 8.9 | | | | | | | 21.4 | |
| 22 – 23 | 12.5 | | 0.6 | 6.1 | | | | | 9.0 | | 1.5 | |
| 23 – 24 | 20.7 | | 4.6 | 8.4 | | | | 0.1 | 1.2 | 1.5 | 0.5 | 5.3 |
| 24 – 25 | 20.9 | 0.3 | 4.1 | 4.4 | | | 1.3 | 2.2 | 0.7 | 15.8 | 7.0 | 6.5 |
| 25 – 26 | 30.5 | 1.3 | 5.8 | 1.4 | 0.2 | | 3.8 | 7.4 | 1.5 | 7.6 | 8.7 | 53.0 |
| 26 – 27 | 7.7 | 11.7 | 17.2 | 8.3 | 2.0 | 1.5 | 19.9 | 33.8 | 8.3 | 0.7 | 9.7 | 8.5 |
| 27 – 28 | | 60.1 | 16.8 | 8.3 | 2.2 | 12.0 | 21.8 | 21.7 | 12.3 | 3.5 | 14.3 | 12.3 |
| 28 – 29 | 2.1 | 20.2 | 18.9 | 18.4 | 4.4 | 11.4 | 39.8 | 33.1 | 34.6 | 26.8 | 16.6 | 12.4 |
| 29 – 30 | 0.7 | 4.1 | 17.7 | 19.7 | 16.5 | 32.5 | 13.5 | 1.6 | 24.4 | 40.1 | 11.4 | 2.0 |
| 30 – 31 | 0.7 | 1.2 | 11.0 | 14.3 | 40.4 | 30.6 | | | 7.9 | 4.1 | 9.0 | |
| 31 – 32 | 4.1 | 0.7 | 1.0 | | 34.3 | 12.0 | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 803 | 1365 | 1485 | 1437 | 1468 | 1439 | 1425 | 1486 | 745 | 608 | 589 | 741 |

Tabel C.140: Hyppighedsfordeling af saltholdigheden for station Darss Sill i 7.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | 1.0 | | | 0.7 | 0.1 | |
| 7 – 8 | 1.5 | 4.3 | 27.8 | 65.0 | 65.2 | 67.7 | 67.8 | 48.1 | 51.6 | 31.8 | 12.8 | 10.0 |
| 8 – 9 | 60.9 | 42.2 | 54.8 | 29.4 | 29.9 | 20.9 | 15.4 | 34.7 | 24.6 | 30.7 | 41.5 | 45.1 |
| 9 – 10 | 16.7 | 26.4 | 11.0 | 4.1 | 4.5 | 10.3 | 6.9 | 11.0 | 10.2 | 4.3 | 14.8 | 18.3 |
| 10 – 11 | 10.9 | 16.1 | 0.9 | 1.0 | 0.3 | 1.1 | 4.3 | 5.5 | 5.4 | 4.9 | 7.8 | 11.5 |
| 11 – 12 | 2.7 | 6.4 | 1.5 | 0.4 | | | 2.0 | 0.7 | 2.9 | 2.9 | 3.4 | 4.7 |
| 12 – 13 | 3.4 | 2.7 | 1.9 | | | | 1.8 | | 0.7 | 7.7 | 3.5 | 3.4 |
| 13 – 14 | 2.0 | 1.8 | 1.5 | | | | 0.7 | | 1.0 | 6.7 | 5.8 | 3.3 |
| 14 – 15 | 2.0 | 0.1 | 0.7 | | | | | | 2.5 | 4.2 | 6.7 | 2.0 |
| 15 – 16 | | | | | | | | | 0.6 | 3.4 | 2.6 | 1.8 |
| 16 – 17 | | | | | | | | | 0.6 | 2.7 | 1.0 | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1610 | 1911 | 2321 | 2160 | 3106 | 2487 | 2346 | 1699 | 1885 | 1653 | 1908 | 1938 |

Tabel C.141: Hyppighedsfordeling af saltholdigheden for station Darss Sill i 12.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | 0.2 | 2.2 | 18.1 | 44.3 | 48.2 | 30.4 | 43.9 | 29.1 | 36.8 | 25.5 | 8.6 | 9.1 |
| 8 – 9 | 47.0 | 23.6 | 52.3 | 33.8 | 32.3 | 41.1 | 27.7 | 36.8 | 27.4 | 20.5 | 32.5 | 41.9 |
| 9 – 10 | 12.8 | 20.1 | 15.7 | 9.2 | 8.9 | 13.2 | 10.8 | 18.9 | 16.5 | 14.0 | 8.3 | 12.1 |
| 10 – 11 | 12.8 | 21.0 | 3.9 | 2.9 | 4.9 | 6.5 | 8.3 | 8.6 | 7.4 | 4.0 | 7.4 | 13.0 |
| 11 – 12 | 9.9 | 11.7 | 2.4 | 1.1 | 1.8 | 6.4 | 4.2 | 5.8 | 6.1 | 3.0 | 3.1 | 9.6 |
| 12 – 13 | 6.6 | 7.9 | 2.0 | 1.7 | 0.9 | 2.4 | 1.0 | 0.8 | 5.8 | 8.5 | 6.4 | 3.2 |
| 13 – 14 | 6.5 | 8.1 | 3.3 | 0.8 | 2.0 | | 0.6 | | 0.1 | 5.0 | 5.7 | 4.7 |
| 14 – 15 | 3.0 | 4.0 | 2.3 | 2.2 | 1.1 | | 2.9 | | | 3.8 | 7.4 | 0.6 |
| 15 – 16 | 0.5 | 1.0 | | 1.5 | | | 0.6 | | | 4.9 | 9.7 | 1.5 |
| 16 – 17 | 0.2 | 0.3 | | 2.4 | | | | | | 5.1 | 4.7 | 2.1 |
| 17 – 18 | 0.1 | 0.1 | | 0.2 | | | | | | 2.0 | 5.8 | 2.2 |
| 18 – 19 | 0.2 | | | | | | | | | 3.6 | 0.2 | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1644 | 1906 | 2795 | 2659 | 3125 | 2450 | 2337 | 1665 | 1700 | 1440 | 1862 | 1853 |

Tabel C.142: Hyppighedsfordeling af saltholdigheden for station Darss Sill i 17.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | 0.1 | | | | |
| 7 – 8 | | 1.0 | 14.3 | 28.6 | 17.5 | 7.2 | 10.7 | 6.3 | 15.9 | 12.2 | 7.7 | 4.9 |
| 8 – 9 | 17.0 | 12.5 | 29.4 | 14.3 | 16.6 | 15.3 | 13.5 | 15.4 | 15.7 | 13.2 | 15.4 | 23.8 |
| 9 – 10 | 18.2 | 8.9 | 19.6 | 5.5 | 4.2 | 12.6 | 8.7 | 16.2 | 6.2 | 10.6 | 9.2 | 11.6 |
| 10 – 11 | 10.9 | 20.1 | 11.9 | 2.8 | 5.6 | 7.3 | 10.4 | 10.1 | 8.1 | 11.9 | 3.0 | 9.8 |
| 11 – 12 | 19.3 | 13.1 | 7.4 | 6.6 | 8.3 | 8.5 | 10.1 | 9.1 | 3.2 | 7.9 | 3.2 | 11.1 |
| 12 – 13 | 12.0 | 12.9 | 3.9 | 6.2 | 11.5 | 8.5 | 13.0 | 7.6 | 5.9 | 6.0 | 2.6 | 9.7 |
| 13 – 14 | 12.8 | 13.2 | 4.6 | 7.9 | 7.2 | 15.5 | 8.9 | 7.2 | 4.4 | 10.7 | 10.1 | 9.4 |
| 14 – 15 | 4.9 | 4.4 | 6.9 | 11.6 | 8.5 | 20.4 | 2.9 | 7.9 | 6.0 | 7.4 | 14.9 | 7.6 |
| 15 – 16 | 0.1 | 5.0 | 1.0 | 7.4 | 6.7 | 3.1 | 7.7 | 7.9 | 6.1 | 5.6 | 10.5 | 5.5 |
| 16 – 17 | 2.8 | 5.5 | 1.1 | 3.0 | 5.5 | 1.6 | 6.1 | 6.6 | 6.3 | 5.1 | 9.9 | 3.7 |
| 17 – 18 | 0.5 | 3.0 | | 2.8 | 3.9 | 0.1 | 3.5 | 1.0 | 4.2 | 2.4 | 9.5 | 2.9 |
| 18 – 19 | 0.3 | 0.4 | | 2.7 | 2.6 | | 1.1 | 2.1 | 3.5 | 3.8 | 3.3 | |
| 19 – 20 | 1.1 | 0.1 | | 0.7 | 1.9 | | 0.7 | 1.5 | 3.7 | 2.4 | 0.6 | |
| 20 – 21 | 0.1 | | | | | | 0.8 | 0.7 | 3.1 | 0.8 | | |
| 21 – 22 | | | | | | | 1.4 | 0.3 | 4.2 | | | |
| 22 – 23 | | | | | | | 0.4 | | 3.4 | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1527 | 1792 | 2775 | 2458 | 3095 | 2314 | 2355 | 1557 | 1780 | 1596 | 1840 | 1788 |

Tabel C.143: Hyppighedsfordeling af saltholdigheden for station Darss Sill i 19.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | 0.1 | | | | | | | | | 0.2 | |
| 7 – 8 | | | 11.9 | 20.4 | 9.4 | | 1.0 | | 11.5 | 8.5 | 1.4 | 0.8 |
| 8 – 9 | 11.5 | 9.8 | 25.4 | 12.6 | 12.4 | 4.1 | 4.4 | 6.8 | 13.8 | 9.9 | 11.3 | 20.6 |
| 9 – 10 | 16.5 | 5.3 | 19.9 | 3.2 | 3.9 | 5.1 | 5.7 | 13.4 | 6.0 | 6.7 | 6.3 | 8.8 |
| 10 – 11 | 15.9 | 24.0 | 10.4 | 2.0 | 2.6 | 6.1 | 7.6 | 10.8 | 7.8 | 6.5 | 2.9 | 12.8 |
| 11 – 12 | 7.8 | 11.2 | 10.3 | 3.8 | 5.4 | 6.6 | 5.4 | 9.6 | 3.1 | 10.1 | 3.7 | 12.0 |
| 12 – 13 | 18.5 | 11.6 | 4.7 | 4.3 | 11.8 | 6.0 | 10.0 | 6.4 | 3.6 | 7.7 | 6.9 | 12.6 |
| 13 – 14 | 14.6 | 8.3 | 5.9 | 4.6 | 11.3 | 15.9 | 12.1 | 6.4 | 2.9 | 11.1 | 6.8 | 10.4 |
| 14 – 15 | 5.4 | 11.8 | 5.1 | 17.4 | 15.3 | 35.9 | 16.2 | 6.4 | 3.9 | 11.8 | 9.3 | 7.3 |
| 15 – 16 | | 5.1 | 4.9 | 7.9 | 10.1 | 9.9 | 13.0 | 7.2 | 5.2 | 6.1 | 15.7 | 10.1 |
| 16 – 17 | 6.0 | 6.6 | 1.5 | 7.1 | 5.2 | 4.8 | 10.3 | 11.4 | 5.7 | 6.2 | 8.4 | 3.6 |
| 17 – 18 | 2.2 | 5.5 | | 7.7 | 3.7 | 3.9 | 4.9 | 8.5 | 3.6 | 3.1 | 14.2 | 0.8 |
| 18 – 19 | 0.4 | 0.7 | | 7.9 | 6.4 | 1.6 | 4.4 | 3.0 | 6.0 | 4.9 | 10.6 | 0.1 |
| 19 – 20 | 1.1 | 0.1 | | 1.0 | 2.5 | | 2.1 | 4.1 | 12.0 | 5.9 | 2.2 | |
| 20 – 21 | 0.1 | | | | | | 0.2 | 2.8 | 5.4 | 1.4 | | |
| 21 – 22 | | | | | | | 2.2 | 2.5 | 5.1 | | | |
| 22 – 23 | | | | | | | 0.5 | 0.7 | 4.5 | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1393 | 1826 | 2849 | 2440 | 3115 | 2182 | 2117 | 1669 | 1881 | 1651 | 1837 | 1512 |

Tabel C.144: Hyppighedsfordeling af saltholdigheden for station Deutche Bucht i 6.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | 0.1 | | | | | | | | | | |
| 29 – 30 | | 2.6 | 0.3 | | | | | | | | | |
| 30 – 31 | | 1.1 | 15.3 | 1.1 | | 2.2 | | 2.5 | | | | |
| 31 – 32 | | 11.8 | 22.9 | 32.7 | 3.8 | 6.8 | 5.2 | 19.4 | 2.7 | 10.8 | 6.7 | |
| 32 – 33 | 50.5 | 39.9 | 15.0 | 46.0 | 45.0 | 60.8 | 54.3 | 57.8 | 24.4 | 30.7 | 27.3 | 4.8 |
| 33 – 34 | 39.9 | 25.2 | 45.2 | 20.2 | 50.8 | 30.2 | 40.5 | 20.2 | 71.5 | 20.6 | 49.2 | 88.2 |
| 34 – 35 | 9.7 | 19.4 | 1.2 | 0.1 | 0.4 | | | | 1.4 | 37.9 | 16.7 | 6.9 |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1645 | 1989 | 2176 | 1411 | 1290 | 1674 | 1444 | 1805 | 1318 | 1411 | 1416 | 1485 |

Tabel C.145: Hyppighedsfordeling af saltholdigheden for station Deutche Bucht i 30.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | 0.1 | | | | | | | | |
| 29 – 30 | | | | 11.8 | | | | | | | | |
| 30 – 31 | | | 5.6 | 18.3 | | | | 4.8 | | | | |
| 31 – 32 | | 0.5 | 17.7 | 24.7 | | | | 8.5 | | 0.4 | | |
| 32 – 33 | 42.1 | 49.2 | 27.3 | 22.6 | 0.2 | 14.6 | 22.5 | 61.7 | 36.5 | 46.0 | 8.0 | 1.6 |
| 33 – 34 | 46.7 | 27.7 | 49.3 | 22.6 | 81.5 | 83.0 | 77.5 | 25.0 | 62.3 | 16.6 | 57.3 | 78.5 |
| 34 – 35 | 11.3 | 22.6 | 0.1 | | 18.2 | 2.4 | | | 1.1 | 36.9 | 34.7 | 19.9 |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1648 | 1982 | 2161 | 1401 | 1284 | 1662 | 1447 | 1809 | 1314 | 1412 | 1418 | 1483 |

Tabel C.146: Hyppighedsfordeling af saltholdigheden for station Drogden i 2.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | 0.1 | | | | | | | | | | |
| 7 – 8 | | 0.1 | 12.8 | 11.3 | 23.2 | 20.4 | 14.0 | 17.8 | 23.8 | 10.4 | | |
| 8 – 9 | 22.0 | 12.9 | 29.9 | 39.2 | 44.5 | 24.3 | 25.3 | 18.6 | 36.3 | 30.5 | 12.0 | 12.8 |
| 9 – 10 | 24.4 | 24.6 | 28.9 | 30.8 | 11.1 | 29.1 | 34.3 | 35.7 | 15.0 | 15.0 | 22.2 | 24.2 |
| 10 – 11 | 17.4 | 15.6 | 12.8 | 6.5 | 3.8 | 8.5 | 7.1 | 9.3 | 6.2 | 5.0 | 28.8 | 13.7 |
| 11 – 12 | 9.7 | 8.5 | 4.9 | 3.5 | 2.8 | 6.4 | 3.8 | 3.6 | 3.1 | 5.0 | 9.4 | 9.2 |
| 12 – 13 | 8.4 | 6.2 | 2.5 | 1.7 | 3.0 | 2.9 | 4.2 | 3.1 | 3.7 | 4.8 | 4.5 | 5.1 |
| 13 – 14 | 5.6 | 5.6 | 1.6 | 1.6 | 3.6 | 3.0 | 3.4 | 1.9 | 1.2 | 2.7 | 3.5 | 5.6 |
| 14 – 15 | 3.4 | 5.3 | 1.1 | 1.3 | 2.0 | 2.5 | 2.9 | 3.8 | 1.2 | 1.7 | 1.5 | 3.3 |
| 15 – 16 | 2.0 | 3.4 | 0.8 | 2.1 | 2.3 | 0.5 | 1.6 | 3.5 | 1.8 | 2.1 | 1.0 | 2.2 |
| 16 – 17 | 1.0 | 3.1 | 0.6 | 0.9 | 0.7 | 0.3 | 1.2 | 1.7 | 1.6 | 2.2 | 1.2 | 3.0 |
| 17 – 18 | 1.4 | 2.9 | 0.6 | 0.7 | 0.9 | 0.7 | 2.3 | 1.1 | 2.4 | 3.4 | 1.0 | 3.9 |
| 18 – 19 | 1.0 | 2.4 | 0.4 | | 0.9 | 0.6 | | | 1.5 | 2.2 | 0.8 | 2.1 |
| 19 – 20 | 1.5 | 2.1 | 0.5 | | 1.1 | 0.4 | | | 0.6 | 1.9 | 1.4 | 2.6 |
| 20 – 21 | 1.3 | 2.8 | 0.1 | | 0.1 | 0.3 | | | 0.5 | 2.6 | 3.9 | 1.7 |
| 21 – 22 | 0.8 | 1.0 | 0.7 | 0.1 | | | | | 0.3 | 3.4 | 4.1 | 1.2 |
| 22 – 23 | 0.1 | 1.0 | 0.7 | 0.1 | | | | | 0.1 | 2.5 | 1.6 | 1.2 |
| 23 – 24 | | 1.5 | 0.8 | | | | | | 0.3 | 1.9 | 1.4 | 1.0 |
| 24 – 25 | | 0.9 | 0.2 | | | | | | 0.2 | 1.3 | 1.5 | 0.7 |
| 25 – 26 | | 0.1 | | | | | | | 0.1 | 1.0 | 0.1 | 5.2 |
| 26 – 27 | | | | | | | | | | 0.2 | | 0.7 |
| 27 – 28 | | | | | | | | | | 0.2 | | 0.4 |
| 28 – 29 | | | | | | | | | | | | 0.2 |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2501 | 2342 | 2556 | 2300 | 2078 | 2070 | 1798 | 2046 | 2075 | 2105 | 2034 | 1928 |

Tabel C.147: Hyppighedsfordeling af saltholdigheden for station Drogden i 4.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | 0.1 | 0.6 | | | | |
| 5 – 6 | | | | | | | 1.7 | 0.6 | | | | |
| 6 – 7 | | | | | | | 2.1 | 0.3 | | | | |
| 7 – 8 | | 0.2 | 11.7 | 11.9 | 20.2 | 20.8 | 9.9 | 16.1 | 20.9 | 3.7 | | |
| 8 – 9 | 19.3 | 11.5 | 29.2 | 29.3 | 41.1 | 19.1 | 19.8 | 11.6 | 27.9 | 15.8 | 12.8 | 9.7 |
| 9 – 10 | 23.1 | 24.2 | 29.2 | 33.4 | 9.9 | 27.7 | 33.8 | 36.8 | 20.8 | 14.7 | 12.4 | 21.9 |
| 10 – 11 | 15.5 | 16.1 | 11.0 | 10.6 | 5.6 | 9.6 | 10.0 | 10.3 | 7.8 | 13.9 | 19.2 | 15.5 |
| 11 – 12 | 9.3 | 6.9 | 4.2 | 2.9 | 5.2 | 8.1 | 5.0 | 5.4 | 2.8 | 10.2 | 9.9 | 8.9 |
| 12 – 13 | 8.4 | 6.5 | 3.6 | 2.7 | 3.0 | 3.7 | 4.9 | 3.9 | 5.6 | 5.3 | 5.3 | 6.3 |
| 13 – 14 | 7.3 | 5.6 | 1.3 | 2.5 | 3.6 | 3.7 | 4.3 | 2.2 | 1.9 | 2.7 | 10.3 | 5.6 |
| 14 – 15 | 4.5 | 5.9 | 1.5 | 1.7 | 2.2 | 2.6 | 3.3 | 2.5 | 1.2 | 2.9 | 4.4 | 3.2 |
| 15 – 16 | 2.9 | 3.6 | 1.6 | 2.4 | 3.0 | 1.2 | 2.1 | 4.6 | 1.5 | 1.5 | 3.2 | 2.7 |
| 16 – 17 | 1.8 | 2.8 | 1.4 | 1.1 | 2.9 | 0.8 | 1.4 | 3.6 | 1.2 | 2.2 | 3.2 | 3.6 |
| 17 – 18 | 1.4 | 2.4 | 1.0 | 0.6 | 0.9 | 0.8 | 1.6 | 1.4 | 1.9 | 2.4 | 1.6 | 3.9 |
| 18 – 19 | 1.7 | 3.2 | 0.7 | 0.3 | 0.9 | 0.7 | | 0.1 | 1.7 | 2.5 | 0.7 | 1.8 |
| 19 – 20 | 1.4 | 2.8 | 0.3 | 0.1 | 1.3 | 0.6 | | | 1.7 | 2.9 | 1.5 | 2.7 |
| 20 – 21 | 2.1 | 2.4 | 0.6 | 0.1 | 0.2 | 0.4 | | | 0.9 | 2.4 | 1.0 | 1.6 |
| 21 – 22 | 0.8 | 1.8 | 0.4 | | | 0.1 | | | 0.7 | 3.3 | 1.2 | 3.0 |
| 22 – 23 | 0.4 | 1.0 | 0.7 | 0.2 | | | | | 0.3 | 2.5 | 1.1 | 2.3 |
| 23 – 24 | | 1.4 | 1.0 | 0.1 | | | | | 0.6 | 1.8 | 2.8 | 1.1 |
| 24 – 25 | | 1.5 | 0.7 | | | | | | 0.2 | 2.1 | 1.1 | 1.9 |
| 25 – 26 | | 0.3 | | | | | | | 0.3 | 1.2 | 0.5 | 2.2 |
| 26 – 27 | | | | | | | | | | 1.0 | 1.0 | 0.8 |
| 27 – 28 | | | | | | | | | | 1.3 | 3.9 | 0.9 |
| 28 – 29 | | | | | | | | | | 2.1 | 2.4 | 0.3 |
| 29 – 30 | | | | | | | | | | 0.4 | 0.5 | |
| 30 – 31 | | | | | | | | | | 0.3 | | |
| 31 – 32 | | | | | | | | | | 0.2 | | |
| 32 – 33 | | | | | | | | | | 0.1 | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2525 | 2382 | 2590 | 2353 | 2182 | 2124 | 1846 | 2151 | 2064 | 2002 | 2063 | 1965 |

Tabel C.148: Hyppighedsfordeling af saltholdigheden for station Drogden i 6.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | 0.1 | | | | |
| 7 – 8 | | 0.7 | 18.9 | 17.6 | 31.4 | 22.2 | 13.8 | 16.8 | 26.6 | 7.9 | | |
| 8 – 9 | 22.2 | 19.6 | 27.9 | 22.6 | 17.9 | 20.2 | 13.3 | 13.1 | 15.7 | 19.0 | 9.5 | 10.7 |
| 9 – 10 | 23.7 | 12.2 | 12.7 | 16.8 | 15.3 | 14.1 | 19.5 | 22.1 | 23.4 | 11.1 | 14.7 | 25.4 |
| 10 – 11 | 9.7 | 9.9 | 17.2 | 22.2 | 5.8 | 15.1 | 23.3 | 16.0 | 8.5 | 8.5 | 20.1 | 8.2 |
| 11 – 12 | 5.0 | 14.0 | 5.3 | 4.2 | 3.7 | 8.4 | 8.1 | 6.8 | 3.7 | 4.1 | 14.9 | 5.6 |
| 12 – 13 | 4.9 | 5.1 | 2.8 | 3.9 | 5.0 | 5.7 | 4.2 | 6.4 | 4.6 | 3.5 | 7.7 | 8.0 |
| 13 – 14 | 5.3 | 4.7 | 3.1 | 2.8 | 3.2 | 4.1 | 4.3 | 4.5 | 1.5 | 4.3 | 3.6 | 4.5 |
| 14 – 15 | 7.4 | 4.9 | 1.1 | 1.7 | 2.4 | 3.1 | 2.8 | 3.5 | 1.3 | 2.9 | 3.7 | 4.5 |
| 15 – 16 | 4.5 | 5.3 | 1.5 | 2.5 | 2.6 | 2.1 | 4.6 | 6.3 | 0.5 | 2.7 | 2.2 | 2.4 |
| 16 – 17 | 3.8 | 3.7 | 1.4 | 2.3 | 3.0 | 1.3 | 3.1 | 3.7 | 1.6 | 2.7 | 2.7 | 2.7 |
| 17 – 18 | 2.3 | 2.8 | 1.2 | 1.3 | 4.1 | 1.0 | 1.6 | 0.7 | 2.2 | 3.5 | 1.7 | 4.7 |
| 18 – 19 | 2.3 | 3.1 | 0.9 | 0.5 | 2.7 | 0.8 | 1.5 | | 0.7 | 3.8 | 1.6 | 2.8 |
| 19 – 20 | 2.3 | 2.6 | 1.3 | 0.5 | 1.7 | 1.0 | | | 1.7 | 3.2 | 2.1 | 2.7 |
| 20 – 21 | 2.7 | 3.6 | 0.9 | 0.3 | 1.0 | 0.5 | | | 1.3 | 3.8 | 4.7 | 1.9 |
| 21 – 22 | 1.4 | 2.2 | 0.6 | 0.3 | 0.2 | 0.6 | | | 0.7 | 4.9 | 5.2 | 2.0 |
| 22 – 23 | 0.8 | 1.6 | 0.5 | 0.5 | 0.1 | | | | 0.9 | 3.3 | 1.9 | 1.8 |
| 23 – 24 | 0.9 | 1.9 | 0.6 | 0.1 | | | | | 1.6 | 3.1 | 2.0 | 1.4 |
| 24 – 25 | 0.4 | 1.5 | 1.0 | | | | | | 1.7 | 2.1 | 1.7 | 2.9 |
| 25 – 26 | 0.2 | 0.6 | 1.0 | | | | | | 1.1 | 1.9 | 0.1 | 5.2 |
| 26 – 27 | 0.2 | | | | | | | | 0.5 | 2.5 | | 1.3 |
| 27 – 28 | | | | | | | | | 0.2 | 0.6 | | 0.7 |
| 28 – 29 | | | | | | | | | 0.1 | 0.2 | | 0.5 |
| 29 – 30 | | | | | | | | | | 0.3 | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2527 | 2382 | 2590 | 2353 | 2183 | 2124 | 1845 | 2145 | 2124 | 2171 | 2061 | 1965 |

Tabel C.149: Hyppighedsfordeling af saltholdigheden for station Drogden i 8.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | 0.8 | 0.1 | | | | | |
| 5 – 6 | | | | | 0.9 | 4.5 | | 4.7 | | | | |
| 6 – 7 | | | | | 1.7 | 0.9 | 0.2 | 2.2 | | | | |
| 7 – 8 | | | 7.8 | 10.5 | 20.9 | 12.0 | 7.8 | 8.5 | 14.7 | 5.2 | | |
| 8 – 9 | 11.0 | 12.6 | 28.4 | 25.9 | 25.1 | 21.3 | 13.7 | 14.3 | 32.3 | 15.8 | 6.3 | 7.6 |
| 9 – 10 | 20.0 | 12.6 | 19.3 | 27.0 | 11.1 | 17.8 | 31.6 | 20.6 | 13.2 | 8.3 | 8.5 | 26.7 |
| 10 – 11 | 9.0 | 16.0 | 15.3 | 9.5 | 5.9 | 12.2 | 15.2 | 11.8 | 5.9 | 6.0 | 24.9 | 4.9 |
| 11 – 12 | 6.6 | 10.0 | 4.8 | 6.2 | 3.9 | 9.7 | 9.7 | 7.1 | 6.5 | 3.6 | 14.3 | 5.3 |
| 12 – 13 | 6.7 | 5.6 | 4.6 | 3.4 | 4.5 | 7.8 | 4.9 | 6.7 | 5.4 | 4.3 | 4.9 | 6.9 |
| 13 – 14 | 7.6 | 5.0 | 2.9 | 4.4 | 4.6 | 4.5 | 5.5 | 5.6 | 2.6 | 3.0 | 4.9 | 4.8 |
| 14 – 15 | 5.2 | 5.6 | 2.5 | 1.6 | 5.0 | 1.9 | 4.8 | 4.6 | 1.5 | 2.5 | 3.4 | 4.3 |
| 15 – 16 | 3.5 | 5.3 | 1.7 | 2.0 | 2.9 | 1.6 | 4.2 | 6.3 | 1.6 | 2.9 | 2.8 | 2.1 |
| 16 – 17 | 3.7 | 4.4 | 1.1 | 2.1 | 2.6 | 1.0 | 1.7 | 4.6 | 1.5 | 3.3 | 2.6 | 1.5 |
| 17 – 18 | 4.6 | 3.6 | 2.0 | 1.0 | 1.9 | 1.5 | 0.2 | 2.5 | 2.2 | 5.0 | 2.7 | 4.6 |
| 18 – 19 | 5.2 | 3.2 | 1.5 | 0.4 | 3.2 | 1.4 | 0.2 | 0.6 | 1.0 | 6.3 | 2.4 | 3.1 |
| 19 – 20 | 3.9 | 3.2 | 1.7 | 0.6 | 2.4 | 0.4 | 0.2 | | 1.7 | 4.0 | 2.8 | 3.4 |
| 20 – 21 | 3.8 | 3.8 | 1.0 | 0.9 | 2.4 | 0.7 | 0.1 | | 0.5 | 3.9 | 6.9 | 2.6 |
| 21 – 22 | 3.4 | 3.3 | 1.2 | 0.6 | 0.9 | | | | 0.5 | 6.2 | 5.6 | 3.6 |
| 22 – 23 | 1.7 | 2.0 | 1.2 | 1.2 | 0.1 | | | | 1.2 | 4.3 | 1.8 | 3.1 |
| 23 – 24 | 1.1 | 3.0 | 1.5 | 1.0 | | | | | 1.6 | 4.1 | 2.9 | 2.2 |
| 24 – 25 | 1.9 | 1.0 | 1.0 | 0.8 | | | | | 3.2 | 3.5 | 2.1 | 4.4 |
| 25 – 26 | 0.7 | | 0.4 | 0.7 | | | | | 1.7 | 4.3 | 0.4 | 6.0 |
| 26 – 27 | 0.2 | | | 0.2 | | | | | 0.8 | 2.1 | | 1.7 |
| 27 – 28 | 0.4 | | | 0.2 | | | | | 0.1 | 0.8 | | 0.9 |
| 28 – 29 | | | | 0.2 | | | | | 0.2 | 0.3 | | 0.3 |
| 29 – 30 | | | | | | | | | | | | 0.2 |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2480 | 2382 | 2590 | 2352 | 2186 | 2122 | 1846 | 2144 | 2124 | 2172 | 2062 | 1965 |

Tabel C.150: Hyppighedsfordeling af saltholdigheden for station Drogden i 10.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | 0.8 | 0.5 | 0.5 | | | 2.8 | 0.3 | |
| 6 – 7 | | | | 0.8 | 6.5 | 4.9 | 1.8 | 0.4 | 0.8 | 2.9 | 1.9 | 1.5 |
| 7 – 8 | 0.9 | 0.8 | 17.0 | 16.7 | 29.0 | 24.4 | 10.4 | 14.0 | 27.0 | 4.4 | 4.8 | 2.2 |
| 8 – 9 | 17.3 | 16.0 | 19.7 | 22.6 | 13.3 | 16.0 | 15.1 | 12.0 | 19.4 | 10.4 | 9.5 | 11.1 |
| 9 – 10 | 8.3 | 9.5 | 18.6 | 21.4 | 6.4 | 9.3 | 31.4 | 17.1 | 7.6 | 3.5 | 7.0 | 20.7 |
| 10 – 11 | 4.3 | 14.1 | 11.2 | 7.1 | 5.7 | 9.2 | 10.0 | 8.9 | 4.9 | 2.4 | 15.7 | 1.9 |
| 11 – 12 | 5.6 | 6.7 | 3.8 | 5.5 | 6.0 | 9.8 | 8.4 | 7.0 | 5.0 | 2.3 | 10.2 | 5.2 |
| 12 – 13 | 6.6 | 4.6 | 4.2 | 4.4 | 5.5 | 8.9 | 6.8 | 6.6 | 6.6 | 2.9 | 4.6 | 5.4 |
| 13 – 14 | 7.1 | 3.4 | 3.1 | 5.0 | 4.7 | 8.1 | 4.8 | 5.7 | 4.3 | 2.3 | 3.8 | 4.2 |
| 14 – 15 | 5.4 | 4.0 | 2.5 | 2.5 | 3.7 | 4.2 | 3.2 | 7.1 | 4.5 | 1.9 | 2.6 | 3.7 |
| 15 – 16 | 2.9 | 5.4 | 3.0 | 2.8 | 6.3 | 2.1 | 3.1 | 7.4 | 2.6 | 3.1 | 2.0 | 1.4 |
| 16 – 17 | 3.3 | 4.4 | 1.6 | 1.9 | 4.8 | 1.5 | 3.3 | 7.7 | 3.0 | 3.9 | 2.8 | 1.2 |
| 17 – 18 | 5.8 | 3.8 | 2.4 | 0.6 | 3.8 | 0.6 | 0.7 | 4.5 | 2.3 | 5.6 | 2.7 | 4.4 |
| 18 – 19 | 5.0 | 3.7 | 1.8 | 0.3 | 1.8 | 0.4 | 0.1 | 1.4 | 0.8 | 6.7 | 3.0 | 2.8 |
| 19 – 20 | 6.9 | 4.2 | 1.7 | 0.4 | 1.2 | 0.1 | 0.3 | | 1.4 | 5.6 | 4.5 | 3.9 |
| 20 – 21 | 5.9 | 5.5 | 1.1 | 0.5 | 0.3 | | 0.2 | | 0.5 | 4.9 | 7.1 | 2.6 |
| 21 – 22 | 6.7 | 4.3 | 1.1 | 1.1 | 0.3 | | | | 0.9 | 7.6 | 7.0 | 3.4 |
| 22 – 23 | 2.3 | 4.5 | 1.6 | 1.6 | | | | | 0.9 | 5.6 | 2.8 | 3.0 |
| 23 – 24 | 1.2 | 3.5 | 2.4 | 1.6 | | | | | 1.2 | 5.1 | 3.0 | 3.3 |
| 24 – 25 | 1.8 | 1.2 | 2.5 | 1.3 | | | | | 3.0 | 4.4 | 4.0 | 5.8 |
| 25 – 26 | 1.1 | 0.4 | 0.5 | 1.1 | | | | | 2.0 | 6.5 | 0.4 | 6.0 |
| 26 – 27 | 0.2 | 0.1 | | 0.4 | | | | | 0.9 | 2.7 | 0.1 | 4.0 |
| 27 – 28 | 0.9 | | | 0.3 | | | | | 0.1 | 1.4 | | 2.3 |
| 28 – 29 | 0.6 | | | 0.2 | | | | | 0.2 | 0.9 | | 0.1 |
| 29 – 30 | | | | | | | | | 0.1 | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2514 | 2365 | 2548 | 2318 | 2163 | 2114 | 1843 | 2143 | 2125 | 2172 | 2062 | 1965 |

Tabel C.151: Hyppighedsfordeling af saltholdigheden for station Elbe i 6.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | 0.2 | |
| 25 – 26 | | | | | | | | | | | 4.3 | |
| 26 – 27 | | | | | | | | 0.6 | | | 12.9 | |
| 27 – 28 | | 0.5 | | | | | 0.1 | 1.5 | | 0.1 | 27.0 | |
| 28 – 29 | | 10.3 | 0.2 | 2.8 | | | | 2.3 | | 3.9 | 18.6 | 0.4 |
| 29 – 30 | 0.2 | 47.0 | 6.6 | 8.3 | | | 5.1 | 13.0 | 2.2 | 5.1 | 7.0 | 1.3 |
| 30 – 31 | 7.7 | 32.6 | 31.7 | 26.6 | 12.4 | | 31.2 | 31.0 | 19.4 | 8.7 | | 4.9 |
| 31 – 32 | 58.3 | 9.6 | 40.9 | 57.1 | 74.9 | 20.1 | 39.7 | 46.7 | 55.3 | 34.8 | 2.7 | 27.9 |
| 32 – 33 | 33.8 | | 20.6 | 5.2 | 12.7 | 76.8 | 23.8 | 5.0 | 23.2 | 30.2 | 22.4 | 59.0 |
| 33 – 34 | | | | | | 3.1 | | | | 17.2 | 5.0 | 6.6 |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 662 | 623 | 665 | 673 | 693 | 1010 | 1092 | 1061 | 599 | 725 | 559 | 714 |

Tabel C.152: Hyppighedsfordeling af saltholdigheden for station Elbe i 20.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | 11.5 | | 0.1 | | 1.8 | | 5.9 | | 0.3 | 1.6 | |
| 30 – 31 | | 48.8 | 6.6 | 11.8 | | 11.2 | 12.4 | 31.7 | 2.7 | 3.5 | 28.1 | |
| 31 – 32 | 30.2 | 33.6 | 30.1 | 74.3 | 29.8 | 11.2 | 45.3 | 42.8 | 55.9 | 7.6 | 40.3 | 6.8 |
| 32 – 33 | 69.8 | 6.1 | 56.9 | 13.8 | 70.2 | 62.7 | 42.3 | 19.6 | 41.5 | 43.0 | 9.3 | 69.3 |
| 33 – 34 | | | 6.3 | | | 13.1 | | | | 45.6 | 20.8 | 23.9 |
| 34 – 35 | | | | | | | | | | 0.1 | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 650 | 602 | 647 | 669 | 688 | 1340 | 1360 | 1055 | 603 | 724 | 559 | 720 |

Tabel C.153: Hyppighedsfordeling af saltholdigheden for station Farøi 2.8 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | 5.8 | 75.7 | 43.7 | 23.1 | 12.8 | 5.9 | 57.1 | 18.6 | 0.1 | 0.1 |
| 8 – 9 | 18.6 | 3.4 | 36.0 | 21.3 | 11.0 | 30.7 | 21.4 | 29.3 | 19.0 | 8.6 | 62.8 | 27.8 |
| 9 – 10 | 15.7 | 8.9 | 18.0 | 3.1 | 20.8 | 22.6 | 21.1 | 17.7 | 23.9 | 18.7 | 16.6 | 16.9 |
| 10 – 11 | 12.5 | 8.6 | 7.1 | | 23.8 | 8.6 | 11.6 | 17.6 | | 6.8 | 6.3 | 20.6 |
| 11 – 12 | 15.7 | 6.0 | 7.1 | | 0.7 | 15.0 | 12.2 | 9.0 | | 7.6 | 5.5 | 12.6 |
| 12 – 13 | 18.7 | 11.2 | 5.2 | | | | 18.8 | 20.4 | | 9.3 | 3.8 | 4.8 |
| 13 – 14 | 3.3 | 19.3 | 0.4 | | | | 2.0 | | | 3.5 | 1.0 | 14.9 |
| 14 – 15 | 8.0 | 18.2 | 3.1 | | | | | | | 15.0 | 0.1 | 2.3 |
| 15 – 16 | 6.8 | 14.6 | 2.8 | | | | | | | 3.6 | 1.7 | |
| 16 – 17 | 0.8 | 2.7 | 3.9 | | | | | | | 1.8 | 0.8 | |
| 17 – 18 | | 1.6 | 2.8 | | | | | | | 1.6 | 0.3 | |
| 18 – 19 | | 1.2 | 1.3 | | | | | | | 3.0 | 0.1 | |
| 19 – 20 | | 3.6 | 4.7 | | | | | | | 1.9 | 0.8 | |
| 20 – 21 | | 0.7 | 1.6 | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1441 | 672 | 744 | 719 | 744 | 580 | 696 | 744 | 720 | 1353 | 1430 | 1463 |

Tabel C.154: Hyppighedsfordeling af saltholdigheden for station Farøi 5.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | 19.3 | |
| 3 – 4 | | | | | | | | | | | 27.0 | 16.5 |
| 4 – 5 | 8.5 | | | | | | | | | | 1.5 | 20.5 |
| 5 – 6 | 13.1 | | | | | | | | | | 1.3 | 12.1 |
| 6 – 7 | 20.3 | | | | | | | | | | 0.9 | |
| 7 – 8 | 6.3 | | | | 16.3 | 16.6 | 14.0 | 7.9 | 70.1 | 19.3 | 13.6 | |
| 8 – 9 | 3.5 | 0.7 | 19.2 | 86.0 | 33.2 | 28.9 | 18.6 | 32.9 | 14.9 | 16.7 | 25.4 | |
| 9 – 10 | 8.3 | 7.3 | 35.8 | 14.0 | 10.4 | 26.0 | 20.1 | 16.7 | 15.0 | 14.4 | 7.3 | 18.6 |
| 10 – 11 | 4.7 | 10.9 | 10.6 | | 26.1 | 13.3 | 12.7 | 13.8 | | 14.7 | 0.9 | 12.0 |
| 11 – 12 | 8.8 | 8.8 | 6.5 | | 14.0 | 15.2 | 10.8 | 23.3 | | 10.5 | 1.7 | 7.5 |
| 12 – 13 | 8.3 | 12.4 | 7.4 | | | | 18.6 | 5.4 | | 4.0 | 0.9 | 4.0 |
| 13 – 14 | 4.8 | 21.4 | 2.3 | | | | 5.3 | | | 5.6 | 0.1 | 8.5 |
| 14 – 15 | 5.4 | 24.1 | 3.5 | | | | | | | 14.0 | | 0.3 |
| 15 – 16 | 7.4 | 7.0 | 3.8 | | | | | | | 0.7 | | |
| 16 – 17 | 0.5 | 1.8 | 2.3 | | | | | | | | | |
| 17 – 18 | | 1.8 | 3.1 | | | | | | | | | |
| 18 – 19 | | 3.6 | 5.5 | | | | | | | | | |
| 19 – 20 | | 0.3 | 0.1 | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1438 | 672 | 744 | 719 | 743 | 578 | 695 | 738 | 713 | 1350 | 1429 | 1461 |

Tabel C.155: Hyppighedsfordeling af saltholdigheden for station Farøi 8.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | 1.4 | | 12.1 | 78.6 | 40.6 | 23.1 | 16.8 | 16.6 | 62.3 | 18.8 | 16.8 | 5.4 |
| 8 – 9 | 18.3 | 1.5 | 34.0 | 21.4 | 8.2 | 29.7 | 16.1 | 23.5 | 15.8 | 17.4 | 48.7 | 26.2 |
| 9 – 10 | 11.7 | 6.7 | 12.5 | | 25.2 | 24.8 | 20.3 | 16.0 | 21.9 | 9.7 | 14.9 | 15.2 |
| 10 – 11 | 7.5 | 8.0 | 6.9 | | 25.3 | 8.0 | 11.4 | 14.1 | | 6.2 | 5.8 | 17.7 |
| 11 – 12 | 16.1 | 10.1 | 8.7 | | 0.7 | 14.4 | 13.5 | 19.7 | | 7.3 | 4.6 | 10.6 |
| 12 – 13 | 19.3 | 8.9 | 4.8 | | | | 21.9 | 10.1 | | 9.2 | 3.8 | 5.4 |
| 13 – 14 | 7.1 | 20.4 | 0.4 | | | | | | | 4.0 | 1.5 | 17.4 |
| 14 – 15 | 10.1 | 24.4 | 2.8 | | | | | | | 18.0 | 0.7 | 2.0 |
| 15 – 16 | 7.7 | 10.3 | 3.6 | | | | | | | 1.3 | 1.2 | |
| 16 – 17 | 1.0 | 2.4 | 2.7 | | | | | | | 1.8 | 0.5 | |
| 17 – 18 | | 1.8 | 2.6 | | | | | | | 2.2 | 0.4 | |
| 18 – 19 | | 0.7 | 3.1 | | | | | | | 3.0 | 0.7 | |
| 19 – 20 | | 4.2 | 5.6 | | | | | | | 1.3 | 0.5 | |
| 20 – 21 | | 0.4 | 0.1 | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1432 | 671 | 744 | 716 | 742 | 576 | 690 | 736 | 711 | 1347 | 1427 | 1456 |

Tabel C.156: Hyppighedsfordeling af saltholdigheden for station Farøi 11.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | 4.2 | 17.5 | | |
| 6 – 7 | | | | | | | | 5.7 | 66.0 | 7.5 | | |
| 7 – 8 | | | | | | | | 8.5 | 29.7 | 5.1 | 16.0 | |
| 8 – 9 | | | 3.4 | 72.6 | 32.3 | 28.3 | 20.4 | 29.7 | | 6.4 | 5.6 | |
| 9 – 10 | 13.9 | | 35.3 | 27.3 | 10.5 | 29.0 | 19.5 | 19.0 | | 11.9 | 56.2 | 22.9 |
| 10 – 11 | 11.0 | 4.0 | 18.0 | 0.1 | 28.7 | 25.5 | 15.0 | 22.5 | | 10.1 | 12.9 | 17.3 |
| 11 – 12 | 9.0 | 8.8 | 6.7 | | 26.1 | 8.2 | 16.5 | 9.8 | | 5.6 | 4.9 | 22.6 |
| 12 – 13 | 12.4 | 11.0 | 8.7 | | 2.2 | 9.1 | 21.1 | 4.8 | | 10.6 | 3.3 | 11.0 |
| 13 – 14 | 22.4 | 9.5 | 4.6 | | 0.1 | | 7.4 | | | 3.7 | 1.1 | 5.9 |
| 14 – 15 | 10.8 | 23.0 | 0.9 | | | | | | | 18.6 | | 17.8 |
| 15 – 16 | 14.5 | 27.9 | 3.1 | | | | | | | 3.1 | | 2.6 |
| 16 – 17 | 5.3 | 7.6 | 5.6 | | | | | | | | | |
| 17 – 18 | 0.7 | 1.5 | 4.0 | | | | | | | | | |
| 18 – 19 | | 1.5 | 2.3 | | | | | | | | | |
| 19 – 20 | | 3.6 | 3.8 | | | | | | | | | |
| 20 – 21 | | 1.6 | 3.5 | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1426 | 671 | 744 | 715 | 742 | 573 | 686 | 733 | 706 | 1340 | 1422 | 1449 |

Tabel C.157: Hyppighedsfordeling af saltholdigheden for station Farøi 14.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | 1.1 | | |
| 7 – 8 | 0.8 | | 6.3 | 72.7 | 27.7 | 20.1 | 10.0 | 8.9 | 61.1 | 17.5 | 9.1 | 2.8 |
| 8 – 9 | 16.9 | | 32.7 | 23.6 | 8.7 | 22.4 | 15.4 | 27.2 | 17.8 | 9.6 | 49.5 | 22.4 |
| 9 – 10 | 7.0 | 1.8 | 16.2 | 3.8 | 14.3 | 28.7 | 17.3 | 10.9 | 21.1 | 14.4 | 15.9 | 13.6 |
| 10 – 11 | 6.7 | 7.3 | 6.3 | | 31.8 | 13.6 | 12.9 | 19.2 | | 5.5 | 10.5 | 20.8 |
| 11 – 12 | 13.9 | 8.7 | 6.9 | | 12.9 | 15.2 | 17.6 | 13.2 | | 5.7 | 5.5 | 12.1 |
| 12 – 13 | 21.2 | 9.3 | 6.9 | | 3.5 | | 23.0 | 20.6 | | 11.2 | 5.1 | 6.0 |
| 13 – 14 | 5.9 | 18.8 | 1.6 | | 0.9 | | 3.8 | | | 4.3 | 0.5 | 15.8 |
| 14 – 15 | 10.7 | 20.6 | 0.9 | | 0.1 | | | | | 16.6 | 1.2 | 5.2 |
| 15 – 16 | 12.8 | 22.4 | 2.3 | | | | | | | 6.7 | 0.6 | 1.3 |
| 16 – 17 | 2.6 | 3.6 | 6.1 | | | | | | | 1.3 | 0.1 | |
| 17 – 18 | 1.5 | 0.9 | 4.2 | | | | | | | 2.7 | 0.8 | |
| 18 – 19 | | 1.3 | 2.2 | | | | | | | 3.5 | 1.1 | |
| 19 – 20 | | 3.3 | 3.2 | | | | | | | | | |
| 20 – 21 | | 2.1 | 4.2 | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1422 | 670 | 742 | 713 | 739 | 572 | 682 | 728 | 702 | 1335 | 1417 | 1448 |

Tabel C.158: Hyppighedsfordeling af saltholdigheden for station Farøi 21.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | 1.0 | | | | | | | | | | 1.1 | |
| 6 – 7 | 6.2 | | | 1.8 | 5.4 | | | | | | 8.9 | 6.4 |
| 7 – 8 | 7.6 | | 11.9 | 76.9 | 22.6 | 20.2 | 12.8 | 12.9 | 61.4 | 18.5 | 26.7 | 8.4 |
| 8 – 9 | 5.0 | | 32.0 | 19.7 | 6.7 | 21.9 | 10.8 | 23.8 | 14.6 | 8.4 | 27.0 | 22.0 |
| 9 – 10 | 9.7 | 1.2 | 10.6 | 1.5 | 15.6 | 27.7 | 16.3 | 14.2 | 24.0 | 13.6 | 13.1 | 13.6 |
| 10 – 11 | 6.4 | 6.3 | 5.0 | | 28.1 | 12.1 | 15.0 | 16.1 | | 4.1 | 9.4 | 20.8 |
| 11 – 12 | 11.3 | 7.8 | 9.8 | | 5.8 | 18.1 | 20.2 | 13.2 | | 9.0 | 7.0 | 11.3 |
| 12 – 13 | 9.0 | 9.9 | 5.8 | | 5.6 | | 24.9 | 19.8 | | 8.8 | 3.0 | 2.8 |
| 13 – 14 | 8.0 | 19.8 | 0.8 | | 4.5 | | | | | 6.4 | 1.6 | 8.1 |
| 14 – 15 | 12.1 | 29.5 | 1.1 | | 4.3 | | | | | 17.9 | 0.2 | 3.9 |
| 15 – 16 | 13.2 | 15.8 | 1.5 | | 1.4 | | | | | 7.0 | 0.1 | 2.6 |
| 16 – 17 | 3.1 | 2.4 | 5.0 | | | | | | | 2.6 | 0.4 | 0.1 |
| 17 – 18 | 5.7 | 1.1 | 7.6 | | | | | | | 3.8 | 1.5 | |
| 18 – 19 | 1.5 | 1.1 | 2.4 | | | | | | | | | |
| 19 – 20 | | 4.4 | 5.4 | | | | | | | | | |
| 20 – 21 | | 0.8 | 1.1 | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1072 | 665 | 738 | 710 | 736 | 570 | 679 | 727 | 700 | 1325 | 1410 | 1439 |

Tabel C.159: Hyppighedsfordeling af saltholdigheden for station Flinten i 3.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | 4.2 | 2.9 | | | 0.5 | | | | | | 0.8 | 0.1 |
| 7 – 8 | 7.8 | 9.6 | 16.6 | 38.8 | 38.4 | 21.0 | 35.6 | 25.2 | 25.1 | 9.2 | 8.7 | 7.4 |
| 8 – 9 | 23.0 | 9.9 | 27.6 | 28.7 | 37.7 | 35.6 | 33.1 | 35.0 | 28.3 | 14.3 | 25.3 | 20.3 |
| 9 – 10 | 13.3 | 13.9 | 17.8 | 13.5 | 6.6 | 10.8 | 7.4 | 11.9 | 13.0 | 11.7 | 23.7 | 12.2 |
| 10 – 11 | 9.0 | 13.8 | 6.6 | 3.5 | 3.6 | 6.5 | 6.7 | 6.3 | 4.4 | 8.7 | 8.4 | 8.1 |
| 11 – 12 | 9.7 | 8.9 | 5.6 | 2.6 | 2.8 | 3.6 | 3.5 | 3.4 | 3.9 | 5.6 | 5.4 | 7.8 |
| 12 – 13 | 6.4 | 5.1 | 3.7 | 1.3 | 1.3 | 3.2 | 3.0 | 3.2 | 3.3 | 3.0 | 3.1 | 5.4 |
| 13 – 14 | 3.5 | 4.2 | 1.6 | 2.1 | 1.2 | 2.5 | 2.2 | 3.8 | 2.7 | 2.9 | 2.1 | 4.0 |
| 14 – 15 | 3.0 | 2.7 | 1.7 | 1.5 | 1.9 | 2.5 | 2.4 | 2.6 | 1.7 | 2.6 | 2.2 | 3.5 |
| 15 – 16 | 1.8 | 3.1 | 1.5 | 1.6 | 1.0 | 3.5 | 2.4 | 1.7 | 1.4 | 2.2 | 2.0 | 2.5 |
| 16 – 17 | 1.6 | 2.7 | 1.0 | 2.1 | 0.9 | 3.7 | 1.3 | 1.5 | 1.5 | 1.9 | 1.3 | 3.1 |
| 17 – 18 | 1.8 | 1.9 | 1.0 | 0.4 | 0.5 | 3.4 | 0.8 | 2.6 | 1.8 | 2.7 | 1.0 | 2.5 |
| 18 – 19 | 1.7 | 1.6 | 1.9 | 0.1 | 0.8 | 1.2 | 1.3 | 2.4 | 1.2 | 2.5 | 0.5 | 1.7 |
| 19 – 20 | 1.4 | 2.0 | 3.0 | 0.2 | 0.9 | 2.0 | 0.3 | 0.3 | 1.4 | 3.6 | 0.7 | 2.2 |
| 20 – 21 | 2.4 | 3.8 | 2.8 | 1.9 | 0.9 | 0.5 | | 0.2 | 1.6 | 5.6 | 0.8 | 2.5 |
| 21 – 22 | 2.2 | 3.6 | 1.2 | 0.2 | 0.5 | | | | 2.1 | 5.9 | 1.2 | 2.5 |
| 22 – 23 | 2.1 | 2.9 | 1.3 | 0.6 | 0.4 | | | | 2.6 | 6.9 | 1.7 | 1.8 |
| 23 – 24 | 1.5 | 2.9 | 1.5 | 0.9 | | | | | 0.9 | 5.0 | 3.4 | 1.9 |
| 24 – 25 | 1.4 | 2.2 | 1.4 | 0.1 | | | | | 1.2 | 2.7 | 5.2 | 2.4 |
| 25 – 26 | 0.9 | 0.9 | 0.9 | | | | | | 0.5 | 1.2 | 2.4 | 2.7 |
| 26 – 27 | 0.5 | 0.9 | 0.7 | | | | | | 0.4 | 0.7 | 0.1 | 2.1 |
| 27 – 28 | 0.5 | 0.2 | 0.3 | | | | | | 0.3 | 0.4 | | 2.1 |
| 28 – 29 | | 0.2 | 0.1 | | | | | | 0.2 | 0.3 | | 0.4 |
| 29 – 30 | | 0.1 | 0.1 | | | | | | 0.2 | 0.1 | | 0.4 |
| 30 – 31 | | | | | | | | | 0.1 | 0.1 | | 0.1 |
| 31 – 32 | | | | | | | | | 0.1 | 0.1 | | |
| 32 – 33 | | | | | | | | | 0.1 | 0.1 | | 0.1 |
| 33 – 34 | | | | | | | | | | | | 0.2 |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 4580 | 4493 | 4566 | 3900 | 4558 | 4058 | 3781 | 3587 | 4081 | 3796 | 4102 | 4382 |

Tabel C.160: Hyppighedsfordeling af saltholdigheden for station Flinten i 4.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | 3.9 | 6.6 | 1.9 | 3.6 | 6.8 | | | | | | 3.3 | 1.0 |
| 7 – 8 | 8.6 | 4.8 | 13.4 | 32.2 | 35.3 | 20.4 | 38.5 | 23.1 | 27.2 | 9.7 | 7.2 | 6.7 |
| 8 – 9 | 21.6 | 10.1 | 25.9 | 26.1 | 32.1 | 30.0 | 24.8 | 30.8 | 20.7 | 15.2 | 22.8 | 19.7 |
| 9 – 10 | 11.1 | 15.0 | 17.7 | 12.2 | 5.3 | 10.7 | 8.9 | 10.4 | 9.1 | 8.8 | 20.0 | 8.9 |
| 10 – 11 | 7.3 | 12.2 | 7.2 | 4.6 | 3.1 | 6.5 | 6.5 | 5.4 | 4.9 | 6.4 | 7.9 | 5.4 |
| 11 – 12 | 8.1 | 6.9 | 5.0 | 2.8 | 1.9 | 5.0 | 4.2 | 4.4 | 3.7 | 4.6 | 5.6 | 7.1 |
| 12 – 13 | 5.7 | 4.9 | 2.6 | 1.7 | 1.6 | 3.4 | 3.0 | 3.3 | 3.2 | 2.9 | 2.4 | 6.2 |
| 13 – 14 | 3.2 | 3.3 | 2.0 | 1.9 | 1.5 | 3.4 | 2.3 | 4.5 | 2.8 | 2.6 | 2.8 | 3.3 |
| 14 – 15 | 3.0 | 2.9 | 1.6 | 1.5 | 1.8 | 3.6 | 1.9 | 4.2 | 2.5 | 2.1 | 2.1 | 3.3 |
| 15 – 16 | 1.9 | 2.1 | 1.1 | 2.8 | 1.1 | 3.9 | 2.3 | 2.8 | 1.8 | 2.1 | 1.8 | 2.4 |
| 16 – 17 | 1.8 | 2.9 | 1.1 | 1.9 | 1.2 | 3.9 | 3.4 | 2.7 | 1.6 | 1.9 | 1.5 | 2.8 |
| 17 – 18 | 1.7 | 2.2 | 1.2 | 1.2 | 0.7 | 4.2 | 1.7 | 2.9 | 2.2 | 2.4 | 1.6 | 3.4 |
| 18 – 19 | 2.2 | 2.3 | 2.9 | 0.8 | 0.9 | 2.4 | 1.5 | 3.0 | 2.4 | 2.8 | 1.1 | 2.6 |
| 19 – 20 | 2.0 | 2.7 | 3.7 | 0.4 | 1.0 | 2.2 | 0.9 | 1.1 | 2.0 | 2.6 | 0.9 | 2.6 |
| 20 – 21 | 2.7 | 3.5 | 1.9 | 1.3 | 1.0 | 0.5 | 0.1 | 0.5 | 2.3 | 5.8 | 1.3 | 3.0 |
| 21 – 22 | 3.4 | 3.7 | 1.5 | 1.9 | 1.4 | | 0.1 | 0.4 | 2.8 | 7.0 | 1.2 | 3.1 |
| 22 – 23 | 3.2 | 3.5 | 1.5 | 1.0 | 1.4 | | | 0.3 | 1.7 | 7.1 | 1.8 | 2.7 |
| 23 – 24 | 2.0 | 2.8 | 1.5 | 1.6 | 1.1 | | | 0.1 | 1.7 | 5.5 | 3.7 | 2.9 |
| 24 – 25 | 2.4 | 2.7 | 2.1 | 0.2 | 0.6 | | | | 1.3 | 2.5 | 6.2 | 3.1 |
| 25 – 26 | 2.2 | 0.7 | 1.7 | 0.2 | 0.2 | | | | 1.1 | 1.7 | 2.8 | 2.8 |
| 26 – 27 | 1.8 | 0.8 | 0.9 | | 0.2 | | | | 0.8 | 1.8 | 1.1 | 3.3 |
| 27 – 28 | 0.4 | 1.1 | 0.9 | 0.1 | | | | 0.1 | 0.4 | 1.6 | 0.2 | 1.7 |
| 28 – 29 | | 0.9 | 0.2 | | | | | | 0.4 | 0.9 | 0.2 | 0.8 |
| 29 – 30 | | 0.5 | 0.2 | | | | | | 0.5 | 0.8 | 0.3 | 0.5 |
| 30 – 31 | | 0.4 | 0.2 | | | | | | 1.2 | 0.7 | 0.1 | 0.2 |
| 31 – 32 | | 0.2 | 0.1 | | | | | | 0.9 | 0.3 | 0.1 | 0.1 |
| 32 – 33 | | | | | | | | | 0.6 | 0.1 | | 0.1 |
| 33 – 34 | | | | | | | | | | | | 0.3 |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 4583 | 4453 | 4543 | 4027 | 4662 | 4058 | 3892 | 3603 | 3795 | 4011 | 4211 | 4381 |

Tabel C.161: Hyppighedsfordeling af saltholdigheden for station Flinten i 6.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | 4.1 | 3.3 | | | 0.5 | | | | | | 0.7 | |
| 7 – 8 | 4.6 | 7.7 | 13.1 | 26.4 | 27.9 | 15.7 | 33.9 | 16.5 | 21.0 | 7.2 | 6.6 | 5.7 |
| 8 – 9 | 17.1 | 6.7 | 19.8 | 26.3 | 38.2 | 28.9 | 27.2 | 29.3 | 20.2 | 14.6 | 19.5 | 14.7 |
| 9 – 10 | 12.2 | 12.4 | 21.7 | 13.3 | 7.3 | 10.7 | 9.4 | 10.5 | 11.9 | 8.3 | 21.4 | 12.0 |
| 10 – 11 | 5.5 | 12.3 | 6.8 | 4.4 | 4.1 | 6.0 | 5.8 | 4.4 | 4.3 | 5.5 | 8.3 | 4.7 |
| 11 – 12 | 8.3 | 8.3 | 6.6 | 3.0 | 2.1 | 4.6 | 3.8 | 3.9 | 2.8 | 4.1 | 5.1 | 6.0 |
| 12 – 13 | 6.0 | 5.3 | 2.5 | 2.4 | 1.9 | 4.0 | 2.8 | 4.2 | 2.3 | 2.6 | 2.4 | 6.4 |
| 13 – 14 | 3.2 | 3.5 | 2.0 | 2.1 | 1.7 | 4.3 | 3.2 | 4.2 | 2.0 | 3.3 | 3.1 | 3.0 |
| 14 – 15 | 2.9 | 3.3 | 1.7 | 1.7 | 1.6 | 3.6 | 1.9 | 4.8 | 2.3 | 2.2 | 1.9 | 3.4 |
| 15 – 16 | 2.0 | 2.2 | 1.2 | 2.0 | 1.4 | 3.9 | 2.6 | 3.8 | 2.1 | 2.4 | 2.0 | 3.5 |
| 16 – 17 | 2.4 | 2.4 | 1.3 | 1.8 | 1.0 | 5.1 | 2.8 | 3.7 | 1.8 | 2.5 | 1.6 | 2.7 |
| 17 – 18 | 2.0 | 2.9 | 1.4 | 1.6 | 0.9 | 4.8 | 1.8 | 4.1 | 2.5 | 2.3 | 1.2 | 3.2 |
| 18 – 19 | 2.1 | 2.3 | 2.6 | 1.9 | 1.1 | 3.5 | 2.7 | 4.3 | 2.6 | 2.2 | 1.0 | 3.1 |
| 19 – 20 | 2.0 | 3.2 | 3.9 | 1.5 | 1.1 | 2.7 | 1.0 | 2.1 | 2.6 | 3.5 | 1.0 | 2.7 |
| 20 – 21 | 2.7 | 3.8 | 2.2 | 1.6 | 1.4 | 1.7 | 0.9 | 1.7 | 2.8 | 5.7 | 1.3 | 3.1 |
| 21 – 22 | 3.9 | 4.0 | 1.8 | 2.3 | 1.4 | 0.4 | 0.4 | 0.9 | 3.0 | 5.9 | 2.0 | 3.5 |
| 22 – 23 | 4.4 | 4.2 | 1.4 | 1.9 | 1.4 | 0.2 | | 0.9 | 3.8 | 6.6 | 2.4 | 3.3 |
| 23 – 24 | 3.7 | 3.7 | 2.1 | 2.6 | 1.2 | | | 0.3 | 1.6 | 4.5 | 3.9 | 3.3 |
| 24 – 25 | 2.5 | 2.9 | 2.9 | 1.9 | 1.5 | | | 0.2 | 1.6 | 3.9 | 6.6 | 3.1 |
| 25 – 26 | 3.2 | 1.2 | 1.8 | 0.8 | 1.4 | | | | 1.7 | 2.2 | 3.2 | 3.8 |
| 26 – 27 | 3.1 | 0.4 | 0.5 | 0.2 | 0.7 | | | | 1.6 | 2.2 | 1.7 | 3.9 |
| 27 – 28 | 1.6 | 0.8 | 0.9 | 0.1 | 0.1 | | | 0.1 | 0.4 | 2.5 | 0.6 | 2.2 |
| 28 – 29 | 0.4 | 1.3 | 0.6 | 0.1 | 0.1 | | | | 0.5 | 2.4 | 0.6 | 0.8 |
| 29 – 30 | 0.1 | 1.0 | 0.3 | | | | | | 0.7 | 1.6 | 0.5 | 1.0 |
| 30 – 31 | | 0.5 | 0.5 | | | | | | 0.6 | 0.8 | 0.6 | 0.4 |
| 31 – 32 | | 0.3 | 0.2 | | | | | | 1.5 | 0.5 | 0.5 | 0.2 |
| 32 – 33 | | | | | | | | | 1.0 | 0.5 | | |
| 33 – 34 | | | | | | | | | 0.5 | 0.1 | | 0.3 |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 4583 | 4455 | 4560 | 4029 | 4662 | 4060 | 3752 | 3602 | 3831 | 4083 | 4209 | 4382 |

Tabel C.162: Hyppighedsfordeling af saltholdigheden for station Flinten i 7.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | 0.1 | | | | | | | | | | |
| 6 – 7 | 4.0 | 3.2 | | | 0.7 | | | | | | 0.8 | |
| 7 – 8 | 4.0 | 7.6 | 12.2 | 28.1 | 28.5 | 15.8 | 33.6 | 17.4 | 22.4 | 8.0 | 11.7 | 6.8 |
| 8 – 9 | 18.5 | 7.9 | 23.4 | 22.2 | 36.2 | 28.5 | 25.5 | 28.1 | 18.4 | 13.5 | 15.4 | 16.3 |
| 9 – 10 | 10.6 | 11.6 | 18.1 | 15.2 | 6.8 | 9.8 | 8.5 | 9.1 | 11.5 | 7.5 | 19.2 | 8.9 |
| 10 – 11 | 4.9 | 12.3 | 6.3 | 3.7 | 3.7 | 5.7 | 5.3 | 3.5 | 3.6 | 5.1 | 7.5 | 4.0 |
| 11 – 12 | 8.1 | 7.3 | 6.1 | 3.2 | 1.7 | 4.2 | 3.8 | 3.9 | 2.2 | 4.0 | 5.0 | 6.0 |
| 12 – 13 | 5.3 | 4.9 | 2.5 | 2.0 | 2.4 | 3.7 | 3.2 | 3.9 | 1.6 | 1.8 | 1.8 | 5.6 |
| 13 – 14 | 3.2 | 3.4 | 1.7 | 3.0 | 2.1 | 3.8 | 4.0 | 4.4 | 1.4 | 2.1 | 2.5 | 3.4 |
| 14 – 15 | 2.5 | 3.1 | 1.5 | 1.4 | 1.7 | 4.0 | 2.4 | 4.1 | 1.9 | 2.5 | 1.7 | 2.8 |
| 15 – 16 | 1.6 | 2.0 | 0.7 | 2.4 | 1.2 | 3.5 | 3.0 | 3.9 | 2.0 | 2.2 | 1.8 | 2.5 |
| 16 – 17 | 1.9 | 2.6 | 1.1 | 1.4 | 0.7 | 4.2 | 3.0 | 4.6 | 2.1 | 3.1 | 1.9 | 2.8 |
| 17 – 18 | 2.1 | 2.5 | 1.3 | 1.3 | 1.6 | 5.8 | 2.2 | 4.4 | 2.3 | 2.3 | 1.4 | 4.0 |
| 18 – 19 | 1.9 | 2.6 | 2.8 | 1.4 | 0.9 | 4.2 | 2.5 | 3.6 | 2.3 | 2.5 | 1.4 | 2.9 |
| 19 – 20 | 1.7 | 3.2 | 4.3 | 1.3 | 0.9 | 2.8 | 1.2 | 2.3 | 2.1 | 3.2 | 0.8 | 2.9 |
| 20 – 21 | 2.1 | 4.2 | 2.2 | 2.2 | 0.8 | 1.8 | 1.1 | 1.8 | 3.3 | 6.1 | 1.3 | 3.2 |
| 21 – 22 | 3.8 | 4.3 | 1.8 | 2.9 | 2.0 | 1.2 | 0.6 | 1.8 | 3.4 | 6.1 | 1.8 | 3.3 |
| 22 – 23 | 4.6 | 4.3 | 1.9 | 1.4 | 1.4 | 0.7 | 0.1 | 1.1 | 3.8 | 6.4 | 2.5 | 3.4 |
| 23 – 24 | 4.4 | 3.3 | 2.1 | 2.4 | 1.4 | | | 0.8 | 2.3 | 5.4 | 4.4 | 3.7 |
| 24 – 25 | 3.2 | 3.5 | 3.4 | 2.8 | 1.1 | | | 0.3 | 2.1 | 3.9 | 6.5 | 3.3 |
| 25 – 26 | 2.7 | 1.0 | 2.5 | 0.8 | 0.9 | 0.1 | | 0.4 | 1.6 | 1.4 | 3.7 | 3.7 |
| 26 – 27 | 4.1 | 0.8 | 1.0 | 0.3 | 1.8 | | | 0.3 | 1.7 | 1.7 | 1.9 | 4.3 |
| 27 – 28 | 2.1 | 0.5 | 1.1 | 0.3 | 1.4 | | | 0.1 | 1.7 | 2.5 | 0.7 | 2.6 |
| 28 – 29 | 1.7 | 0.7 | 0.6 | 0.1 | 0.1 | | | | 1.3 | 2.8 | 0.6 | 1.2 |
| 29 – 30 | 1.0 | 1.3 | 0.3 | 0.2 | 0.1 | | | | 0.7 | 3.1 | 1.2 | 1.4 |
| 30 – 31 | | 1.1 | 0.4 | | | | | | 1.0 | 1.5 | 1.0 | 0.6 |
| 31 – 32 | | 0.4 | 0.5 | | | | | | 1.6 | 0.7 | 1.0 | 0.2 |
| 32 – 33 | | 0.2 | | | | | | | 1.3 | 0.7 | 0.2 | 0.1 |
| 33 – 34 | | | | | | | | | 0.1 | | | 0.3 |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 4579 | 4441 | 4560 | 3927 | 4662 | 4054 | 3891 | 3537 | 3835 | 3968 | 4162 | 4383 |

Tabel C.163: Hyppighedsfordeling af saltholdigheden for station Flinten i 9.1 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | 3.8 | 4.0 | | | | | | 0.2 | 0.1 | | 1.6 | 0.2 |
| 7 – 8 | 4.0 | 3.5 | 8.6 | 16.7 | 24.6 | 15.0 | 24.9 | 15.2 | 16.4 | 7.8 | 6.2 | 5.8 |
| 8 – 9 | 15.9 | 7.0 | 20.4 | 25.0 | 36.3 | 34.1 | 33.7 | 29.2 | 15.5 | 6.1 | 14.5 | 13.4 |
| 9 – 10 | 8.3 | 13.0 | 21.1 | 12.0 | 10.9 | 10.0 | 8.8 | 7.2 | 12.2 | 7.7 | 15.7 | 11.7 |
| 10 – 11 | 11.1 | 9.9 | 7.3 | 8.6 | 3.8 | 5.3 | 5.5 | 4.2 | 4.2 | 5.6 | 5.1 | 4.8 |
| 11 – 12 | 7.2 | 8.0 | 4.7 | 6.3 | 2.8 | 4.0 | 3.7 | 3.4 | 1.8 | 7.1 | 7.6 | 8.1 |
| 12 – 13 | 4.7 | 5.2 | 2.7 | 2.3 | 2.0 | 4.0 | 2.8 | 3.7 | 1.7 | 2.5 | 7.2 | 4.5 |
| 13 – 14 | 2.6 | 5.0 | 1.7 | 3.2 | 2.8 | 4.1 | 3.9 | 4.7 | 3.3 | 2.7 | 4.7 | 2.8 |
| 14 – 15 | 2.3 | 4.6 | 3.7 | 1.4 | 1.8 | 3.9 | 2.4 | 4.1 | 5.8 | 2.2 | 2.0 | 2.8 |
| 15 – 16 | 1.7 | 2.3 | 1.5 | 1.7 | 1.1 | 2.5 | 3.2 | 5.1 | 2.4 | 3.2 | 1.6 | 2.3 |
| 16 – 17 | 1.5 | 2.5 | 1.3 | 2.5 | 0.5 | 3.2 | 3.0 | 4.2 | 1.9 | 2.5 | 1.7 | 2.6 |
| 17 – 18 | 2.1 | 2.6 | 1.1 | 1.0 | 1.6 | 3.9 | 1.9 | 5.5 | 2.0 | 2.6 | 1.4 | 2.9 |
| 18 – 19 | 1.9 | 3.1 | 1.7 | 1.6 | 1.0 | 4.2 | 2.9 | 3.2 | 2.6 | 2.4 | 0.9 | 2.7 |
| 19 – 20 | 1.7 | 3.3 | 3.4 | 1.0 | 0.7 | 1.8 | 1.4 | 2.4 | 2.2 | 3.3 | 1.4 | 2.6 |
| 20 – 21 | 1.6 | 3.8 | 3.6 | 1.8 | 0.9 | 1.3 | 1.2 | 2.0 | 2.4 | 5.2 | 1.4 | 3.2 |
| 21 – 22 | 3.1 | 4.4 | 2.1 | 3.8 | 1.5 | 1.7 | 0.6 | 2.0 | 3.3 | 5.9 | 1.8 | 4.4 |
| 22 – 23 | 4.9 | 3.9 | 2.1 | 0.9 | 1.7 | 0.7 | | 1.7 | 3.7 | 6.5 | 2.3 | 2.8 |
| 23 – 24 | 4.4 | 3.2 | 1.4 | 2.9 | 1.6 | 0.1 | | 0.4 | 3.4 | 5.2 | 3.8 | 3.6 |
| 24 – 25 | 4.1 | 3.6 | 3.4 | 3.6 | 1.0 | | | 0.6 | 2.3 | 4.3 | 5.2 | 3.2 |
| 25 – 26 | 3.5 | 2.1 | 2.8 | 2.1 | 1.1 | 0.1 | | 0.3 | 2.3 | 1.5 | 4.3 | 3.7 |
| 26 – 27 | 3.4 | 1.0 | 2.1 | 0.9 | 1.5 | | | 0.3 | 1.6 | 1.6 | 1.6 | 2.6 |
| 27 – 28 | 3.0 | 0.5 | 1.2 | 0.1 | 0.7 | | | 0.4 | 1.9 | 2.9 | 0.8 | 2.1 |
| 28 – 29 | 1.7 | 0.7 | 0.7 | 0.2 | 0.1 | | | 0.1 | 1.3 | 2.3 | 1.1 | 2.4 |
| 29 – 30 | 1.3 | 1.3 | 0.4 | 0.1 | 0.1 | | | | 0.9 | 2.6 | 2.1 | 1.8 |
| 30 – 31 | | 1.1 | 0.4 | 0.1 | | | | | 0.7 | 1.9 | 1.3 | 1.2 |
| 31 – 32 | | 0.4 | 0.5 | | | | | | 0.3 | 0.6 | 1.2 | 0.4 |
| 32 – 33 | | 0.2 | 0.1 | | | | | | 0.1 | 0.3 | 1.2 | 0.4 |
| 33 – 34 | | | | | | | | | | 0.5 | 0.5 | 0.7 |
| 34 – 35 | | | | | | | | | 0.1 | 0.7 | | 0.1 |
| 35 – 36 | | | | | | | | | 0.3 | 0.6 | | 0.1 |
| 36 – 37 | 0.1 | | | | | | | | 0.3 | 0.4 | | 0.1 |
| 37 – 38 | | | | | | | | | 1.5 | 0.7 | | 0.1 |
| 38 – 39 | | | | | | | | | 1.6 | 0.4 | | 0.1 |
| 39 – 40 | 0.1 | | | | | | | | | | | 0.1 |
| > 40 | | | | | | | | | | | | |
| antal | 4579 | 4423 | 4539 | 4016 | 3921 | 3632 | 3872 | 3635 | 4047 | 4086 | 4211 | 3908 |

Tabel C.164: Hyppighedsfordeling af saltholdigheden for station Gamle Bro i 5.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | 0.3 | | | |
| 9 – 10 | | | | | | | 0.4 | 1.8 | | | 4.2 | |
| 10 – 11 | | | | | | | 1.3 | 3.2 | | | 1.6 | |
| 11 – 12 | | | | 14.0 | 2.6 | | 2.2 | 1.4 | | | | |
| 12 – 13 | | | 3.9 | 7.3 | 8.0 | | 3.0 | 2.5 | | 1.6 | | |
| 13 – 14 | | | 1.5 | 11.0 | 7.0 | 1.1 | 2.5 | 3.2 | 0.1 | 4.5 | | |
| 14 – 15 | | 2.3 | 1.5 | 9.1 | 12.5 | 5.2 | 3.8 | 3.8 | 4.3 | 1.3 | | |
| 15 – 16 | | 2.4 | 2.0 | 9.8 | 9.6 | 8.8 | 4.3 | 3.8 | 11.1 | 4.7 | | |
| 16 – 17 | | 2.3 | 7.2 | 5.9 | 8.4 | 8.8 | 5.4 | 4.9 | 6.5 | 9.0 | | 6.8 |
| 17 – 18 | | 4.3 | 17.3 | 10.1 | 8.8 | 6.1 | 8.9 | 7.9 | 8.2 | 8.3 | 0.8 | 11.7 |
| 18 – 19 | 22.4 | 2.2 | 16.8 | 14.8 | 10.1 | 5.1 | 20.3 | 14.1 | 8.6 | 11.9 | 6.8 | 15.1 |
| 19 – 20 | 14.5 | 12.5 | 21.3 | 7.3 | 9.8 | 9.8 | 14.4 | 9.2 | 11.6 | 11.9 | 11.4 | 4.2 |
| 20 – 21 | 24.3 | 24.6 | 10.3 | 6.4 | 7.2 | 9.5 | 10.4 | 10.9 | 11.5 | 8.4 | 11.1 | 6.8 |
| 21 – 22 | 15.0 | 21.7 | 9.6 | 2.8 | 7.0 | 10.1 | 6.6 | 11.9 | 15.3 | 7.6 | 21.6 | 7.1 |
| 22 – 23 | 5.2 | 14.1 | 5.5 | 1.5 | 3.6 | 12.7 | 7.2 | 11.2 | 14.9 | 8.5 | 17.1 | 8.4 |
| 23 – 24 | 10.3 | 9.4 | 2.9 | 0.1 | 2.9 | 7.4 | 3.8 | 8.1 | 5.2 | 8.5 | 11.7 | 26.0 |
| 24 – 25 | 5.5 | 2.9 | 0.2 | | 2.0 | 5.7 | 5.3 | 1.6 | 2.1 | 8.3 | 11.7 | 10.5 |
| 25 – 26 | 2.5 | 1.3 | | | 0.4 | 4.6 | | 0.3 | 0.5 | 3.0 | 1.2 | 3.4 |
| 26 – 27 | 0.4 | | | | 0.1 | 2.0 | | | | 1.2 | 0.4 | |
| 27 – 28 | 0.1 | | | | | 2.7 | | | | 1.2 | 0.5 | |
| 28 – 29 | | | | | | 0.4 | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2751 | 2671 | 2628 | 2117 | 3493 | 2666 | 2789 | 2816 | 2865 | 2965 | 3119 | 3700 |

Tabel C.165: Hyppighedsfordeling af saltholdigheden for station Gamle Bro i 10.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | 2.7 | | | |
| 5 – 6 | | | | | | | 0.1 | 1.4 | 2.9 | | | |
| 6 – 7 | | | | | | | 0.9 | 3.2 | 3.3 | | | |
| 7 – 8 | | | | | | | 1.4 | 1.4 | 4.2 | 0.6 | | |
| 8 – 9 | | | | | | | 2.4 | 1.9 | 4.4 | 5.2 | | |
| 9 – 10 | | | | | | | 3.6 | 4.8 | 1.7 | 5.0 | | |
| 10 – 11 | | | | | | | 4.9 | 1.1 | 2.3 | 5.3 | | |
| 11 – 12 | | | | 14.2 | 2.0 | | 1.3 | | 1.9 | 7.1 | 8.9 | 2.0 |
| 12 – 13 | | | 3.6 | 6.7 | 6.7 | | 2.0 | | 0.7 | 1.6 | 11.6 | 9.1 |
| 13 – 14 | | | 1.6 | 8.2 | 7.0 | 0.7 | 2.4 | 1.0 | 0.4 | 0.3 | 3.9 | 8.9 |
| 14 – 15 | | 1.5 | 1.1 | 9.4 | 11.4 | 2.8 | 2.9 | 2.8 | 0.6 | | | |
| 15 – 16 | | 2.2 | 1.7 | 10.1 | 8.0 | 2.1 | 1.9 | 5.0 | 8.4 | 3.9 | | |
| 16 – 17 | | 2.8 | 9.2 | 6.8 | 8.7 | 3.3 | 7.3 | 4.6 | 4.1 | 7.5 | | 5.8 |
| 17 – 18 | | 4.4 | 14.3 | 9.8 | 6.4 | 3.6 | 11.6 | 9.6 | 6.2 | 6.3 | 0.9 | 12.5 |
| 18 – 19 | 21.0 | 2.4 | 17.2 | 13.6 | 8.4 | 4.5 | 10.3 | 15.1 | 5.7 | 6.8 | 7.1 | 15.1 |
| 19 – 20 | 16.7 | 12.2 | 20.3 | 8.1 | 8.7 | 8.1 | 10.4 | 10.2 | 8.7 | 10.6 | 11.4 | 4.5 |
| 20 – 21 | 27.1 | 23.7 | 11.6 | 7.4 | 9.0 | 10.3 | 9.9 | 9.8 | 8.6 | 10.8 | 11.0 | 8.2 |
| 21 – 22 | 12.2 | 23.2 | 10.6 | 3.4 | 9.1 | 9.9 | 7.1 | 8.0 | 14.6 | 6.3 | 12.1 | 6.3 |
| 22 – 23 | 6.8 | 13.4 | 5.8 | 1.9 | 5.4 | 11.7 | 6.9 | 10.2 | 13.0 | 6.1 | 11.1 | 7.0 |
| 23 – 24 | 7.6 | 9.6 | 2.7 | 0.2 | 4.3 | 12.7 | 5.4 | 7.3 | 3.9 | 4.2 | 13.6 | 13.7 |
| 24 – 25 | 5.5 | 3.3 | 0.1 | | 3.1 | 10.8 | 7.1 | 1.9 | 1.4 | 6.5 | 6.2 | 4.7 |
| 25 – 26 | 2.3 | 1.2 | | | 1.4 | 7.3 | 0.2 | 0.9 | 0.2 | 3.1 | 1.0 | 2.1 |
| 26 – 27 | 0.4 | | | | 0.5 | 5.5 | | | | 1.6 | 0.6 | |
| 27 – 28 | 0.2 | | | | | 6.0 | | | | 1.3 | 0.6 | |
| 28 – 29 | | | | | | 0.7 | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2752 | 2679 | 2635 | 2122 | 3131 | 1946 | 2048 | 2569 | 2869 | 2968 | 2939 | 3704 |

Tabel C.166: Hyppighedsfordeling af saltholdigheden for station Gamle Bro i 15.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | 2.6 | | | |
| 6 – 7 | | | | | | | | | 5.6 | | | |
| 7 – 8 | | | | | | | | | 4.1 | 2.7 | | |
| 8 – 9 | | | | | | | | 1.3 | 1.2 | 6.3 | | |
| 9 – 10 | | | | | | | | 2.0 | 3.2 | 6.8 | 2.8 | |
| 10 – 11 | | | | | | | 0.1 | 2.2 | 4.5 | 7.3 | 3.1 | |
| 11 – 12 | | | | 17.2 | 0.9 | | 0.3 | 3.5 | 1.8 | 0.8 | | |
| 12 – 13 | | | 3.4 | 8.1 | 1.9 | | 0.3 | 3.8 | 0.5 | | | |
| 13 – 14 | | | 1.2 | 3.1 | 2.6 | 0.3 | 1.8 | 0.9 | 0.8 | | | |
| 14 – 15 | | 0.7 | 0.4 | 4.4 | 7.8 | 0.6 | 3.7 | 0.1 | 1.1 | | | |
| 15 – 16 | | 1.5 | 1.1 | 8.0 | 5.7 | 0.5 | 4.8 | 0.6 | 10.1 | 3.7 | | |
| 16 – 17 | | 2.5 | 7.8 | 5.3 | 7.1 | 0.5 | 5.3 | 3.7 | 4.8 | 5.8 | | 7.3 |
| 17 – 18 | | 3.6 | 12.3 | 9.6 | 5.4 | 1.1 | 6.9 | 6.4 | 7.2 | 6.2 | 1.6 | 11.1 |
| 18 – 19 | 20.8 | 2.8 | 14.2 | 14.4 | 6.2 | 2.7 | 12.6 | 11.0 | 5.5 | 10.2 | 6.3 | 15.2 |
| 19 – 20 | 17.9 | 10.1 | 19.9 | 9.6 | 8.5 | 6.2 | 11.0 | 12.2 | 7.4 | 9.6 | 11.6 | 4.8 |
| 20 – 21 | 19.9 | 19.4 | 15.0 | 8.3 | 7.7 | 6.7 | 11.6 | 13.3 | 6.6 | 6.4 | 18.7 | 7.2 |
| 21 – 22 | 13.8 | 24.7 | 15.6 | 6.7 | 9.4 | 7.0 | 10.2 | 11.9 | 10.5 | 5.7 | 18.5 | 11.3 |
| 22 – 23 | 10.8 | 21.0 | 6.3 | 4.3 | 8.5 | 7.7 | 9.7 | 13.0 | 13.4 | 8.4 | 11.0 | 23.7 |
| 23 – 24 | 9.2 | 10.2 | 2.6 | 1.0 | 6.9 | 12.3 | 9.7 | 8.4 | 6.1 | 6.7 | 17.0 | 12.1 |
| 24 – 25 | 4.9 | 2.6 | 0.2 | 0.2 | 6.2 | 20.0 | 6.8 | 4.0 | 2.3 | 7.3 | 5.9 | 4.4 |
| 25 – 26 | 2.1 | 1.0 | | | 6.9 | 13.8 | 2.7 | 1.4 | 0.6 | 2.8 | 2.0 | 2.9 |
| 26 – 27 | 0.4 | | | | 6.7 | 9.4 | 1.9 | 0.1 | | 1.7 | 1.1 | |
| 27 – 28 | 0.2 | | | | 1.6 | 8.3 | 0.4 | | | 1.6 | 0.6 | |
| 28 – 29 | | | | | | 2.8 | | | | 0.2 | | |
| 29 – 30 | | | | | | 0.2 | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 3052 | 3371 | 2966 | 1747 | 3095 | 2477 | 2045 | 2570 | 2653 | 2967 | 3123 | 3704 |

Tabel C.167: Hyppighedsfordeling af saltholdigheden for station Gamle Bro i 20.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | 1.2 | | | | |
| 7 – 8 | | | | | | | | 3.8 | | | | |
| 8 – 9 | | | | | | | | 5.8 | | | | 0.2 |
| 9 – 10 | | | | | | | | 6.1 | | | 3.4 | 0.1 |
| 10 – 11 | | | | | | | | 1.3 | | | 4.1 | 0.5 |
| 11 – 12 | | | | 16.2 | 0.8 | | 0.2 | 0.5 | | | | 0.5 |
| 12 – 13 | | | 3.6 | 8.5 | 1.7 | | 0.9 | | 2.6 | 2.5 | | 0.9 |
| 13 – 14 | | | 1.6 | 2.2 | 2.0 | 0.1 | 1.3 | | 3.3 | 11.5 | 0.7 | 0.6 |
| 14 – 15 | | 0.3 | 0.3 | 3.1 | 8.1 | 0.3 | 1.7 | 1.1 | 2.8 | 9.7 | | 1.1 |
| 15 – 16 | | 1.5 | 0.7 | 7.7 | 6.3 | 0.2 | 3.5 | 2.4 | 5.1 | 10.9 | | 1.0 |
| 16 – 17 | | 2.7 | 5.4 | 4.8 | 5.2 | 0.2 | 4.1 | 4.3 | 3.6 | 7.3 | | 4.5 |
| 17 – 18 | 0.1 | 4.4 | 15.2 | 7.7 | 6.2 | 0.3 | 10.0 | 7.3 | 10.1 | 6.9 | 1.2 | 9.9 |
| 18 – 19 | 19.2 | 3.5 | 15.6 | 13.4 | 5.3 | 0.6 | 13.5 | 10.4 | 7.4 | 8.2 | 8.6 | 17.1 |
| 19 – 20 | 15.1 | 11.2 | 21.1 | 9.8 | 6.7 | 3.5 | 13.3 | 11.3 | 10.0 | 7.8 | 6.3 | 9.9 |
| 20 – 21 | 22.5 | 22.5 | 11.3 | 7.6 | 6.5 | 3.2 | 10.5 | 8.9 | 8.3 | 7.5 | 20.8 | 12.3 |
| 21 – 22 | 16.4 | 22.0 | 11.8 | 8.0 | 8.3 | 4.6 | 10.3 | 5.2 | 12.1 | 10.0 | 20.4 | 18.3 |
| 22 – 23 | 6.2 | 15.2 | 8.7 | 5.3 | 6.8 | 5.3 | 7.9 | 7.1 | 18.8 | 7.7 | 11.7 | 9.0 |
| 23 – 24 | 10.7 | 10.6 | 4.1 | 4.6 | 8.5 | 8.0 | 10.6 | 11.5 | 8.3 | 5.3 | 18.0 | 12.8 |
| 24 – 25 | 6.7 | 4.9 | 0.6 | 1.1 | 8.9 | 15.5 | 9.2 | 4.9 | 5.7 | 2.6 | 4.4 | 0.6 |
| 25 – 26 | 2.1 | 1.3 | 0.1 | 0.1 | 9.5 | 18.3 | 1.6 | 5.1 | 1.6 | 1.5 | 0.4 | 0.8 |
| 26 – 27 | 0.7 | | | | 6.0 | 18.8 | 1.3 | 2.0 | 0.3 | 0.1 | | |
| 27 – 28 | 0.3 | | | | 2.9 | 13.4 | 0.3 | | | 0.3 | | |
| 28 – 29 | | | | | 0.3 | 7.3 | | | | | | |
| 29 – 30 | | | | | | 0.4 | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2756 | 2677 | 2636 | 1748 | 2751 | 1831 | 1818 | 1909 | 1897 | 2074 | 2434 | 3299 |

Tabel C.168: Hyppighedsfordeling af saltholdigheden for station Gamle Bro i 22.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | 3.9 | |
| 10 – 11 | | | | | | | | | | | 6.6 | |
| 11 – 12 | | | | 10.5 | 0.1 | | | | | | | |
| 12 – 13 | | | 3.0 | 8.9 | 5.0 | | | | | | | |
| 13 – 14 | | | 1.5 | 5.8 | 3.1 | | | | | | | |
| 14 – 15 | | 0.1 | 0.4 | 6.6 | 3.1 | | | | | | | |
| 15 – 16 | | 1.0 | 0.3 | 9.3 | 3.3 | | | 1.6 | | | | |
| 16 – 17 | | 2.0 | 4.6 | 6.2 | 2.9 | | 1.5 | 3.1 | | 2.2 | | 5.4 |
| 17 – 18 | | 3.7 | 12.5 | 8.0 | 6.1 | 0.1 | 6.9 | 2.7 | | 11.3 | 1.3 | 14.4 |
| 18 – 19 | 15.5 | 2.7 | 13.4 | 12.7 | 5.1 | 0.3 | 15.5 | 15.6 | 1.0 | 3.9 | 11.5 | 15.5 |
| 19 – 20 | 14.0 | 8.0 | 18.4 | 7.8 | 7.5 | 3.6 | 16.2 | 15.6 | 15.0 | 8.8 | 8.2 | 6.0 |
| 20 – 21 | 19.6 | 15.9 | 11.9 | 6.3 | 7.3 | 3.8 | 10.4 | 19.7 | 17.9 | 16.7 | 11.1 | 2.2 |
| 21 – 22 | 17.6 | 23.9 | 18.0 | 6.7 | 7.6 | 6.0 | 13.9 | 18.4 | 25.8 | 11.7 | 29.1 | 7.2 |
| 22 – 23 | 13.6 | 21.2 | 10.8 | 4.8 | 6.6 | 8.4 | 14.2 | 12.6 | 18.3 | 5.1 | 16.6 | 17.9 |
| 23 – 24 | 9.1 | 15.2 | 4.2 | 3.6 | 6.7 | 14.3 | 6.6 | 9.9 | 7.5 | 5.0 | 3.9 | 26.8 |
| 24 – 25 | 7.1 | 4.9 | 0.8 | 2.4 | 9.6 | 19.9 | 12.3 | 0.8 | 9.8 | 11.7 | 5.6 | 3.8 |
| 25 – 26 | 2.4 | 1.5 | 0.3 | 0.2 | 11.0 | 13.1 | 2.5 | | 3.9 | 18.0 | 2.1 | 0.8 |
| 26 – 27 | 0.8 | | | | 10.0 | 13.1 | | | 0.6 | 5.5 | | |
| 27 – 28 | 0.3 | | | | 4.4 | 10.2 | | | 0.1 | 0.1 | | |
| 28 – 29 | | | | | 0.6 | 7.2 | | | | | | |
| 29 – 30 | | | | | | 0.1 | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 3056 | 3376 | 2977 | 2124 | 2840 | 1949 | 1582 | 1459 | 968 | 1335 | 1724 | 2964 |

Tabel C.169: Hyppighedsfordeling af saltholdigheden for station Hjelm Bugt i 6.7 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | 5.6 | 8.8 | | |
| 6 – 7 | | | | | | | 1.9 | 8.2 | 40.9 | 8.0 | | |
| 7 – 8 | 0.9 | 5.2 | 14.8 | 33.2 | 61.9 | 59.9 | 72.1 | 67.8 | 39.0 | 10.1 | | 7.4 |
| 8 – 9 | 47.1 | 44.7 | 64.6 | 66.1 | 34.0 | 29.2 | 22.8 | 20.2 | 13.7 | 56.4 | 24.1 | 49.1 |
| 9 – 10 | 34.9 | 21.6 | 12.5 | 0.7 | 3.2 | 7.0 | 2.7 | 3.7 | 0.7 | 7.3 | 29.3 | 23.0 |
| 10 – 11 | 2.8 | 10.3 | 5.3 | | 0.8 | 1.5 | 0.3 | 0.1 | 0.2 | 2.2 | 20.2 | 9.1 |
| 11 – 12 | 2.8 | 7.2 | 1.4 | | 0.1 | 1.1 | 0.2 | | | 3.2 | 4.1 | 3.3 |
| 12 – 13 | 2.5 | 4.7 | 0.9 | | | 1.3 | | | | 3.3 | 4.3 | 2.3 |
| 13 – 14 | 3.0 | 3.7 | 0.5 | | | | | | | 0.3 | 2.0 | 4.0 |
| 14 – 15 | 3.0 | 1.5 | | | | | | | | 0.5 | 5.4 | 1.2 |
| 15 – 16 | 0.1 | 1.1 | | | | | | | | | 5.0 | 0.3 |
| 16 – 17 | 0.3 | 0.1 | | | | | | | | | 5.5 | 0.3 |
| 17 – 18 | 0.5 | | | | | | | | | | 0.1 | |
| 18 – 19 | 2.1 | | | | | | | | | | | |
| 19 – 20 | 0.1 | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2905 | 2680 | 2919 | 2345 | 2194 | 2116 | 2224 | 2132 | 2115 | 2174 | 1838 | 2468 |

Tabel C.170: Hyppighedsfordeling af saltholdigheden for station Hjelm Bugt i 10.2 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | 4.7 | | | |
| 6 – 7 | | | | | | | 1.3 | 10.9 | 31.5 | 0.3 | | |
| 7 – 8 | 3.5 | 11.4 | 29.7 | 50.5 | 73.5 | 48.9 | 62.1 | 47.1 | 34.3 | 28.3 | 10.5 | 11.5 |
| 8 – 9 | 31.7 | 35.8 | 43.6 | 46.1 | 15.3 | 24.4 | 22.3 | 24.1 | 13.8 | 41.3 | 11.8 | 41.3 |
| 9 – 10 | 27.2 | 15.5 | 11.8 | 2.8 | 6.0 | 12.0 | 8.3 | 9.1 | 8.7 | 8.8 | 19.0 | 14.0 |
| 10 – 11 | 11.2 | 9.1 | 9.5 | 0.6 | 2.7 | 5.5 | 2.6 | 3.1 | 4.8 | 5.6 | 10.9 | 8.9 |
| 11 – 12 | 4.9 | 5.7 | 2.0 | | 2.4 | 3.3 | 2.2 | 3.0 | 2.2 | 5.2 | 10.5 | 5.5 |
| 12 – 13 | 5.1 | 7.7 | 2.6 | | 0.1 | 4.4 | 1.1 | 0.7 | | 4.7 | 9.7 | 5.0 |
| 13 – 14 | 4.8 | 9.8 | 0.8 | | | 0.6 | 0.1 | 0.8 | | 2.0 | 2.1 | 4.5 |
| 14 – 15 | 4.4 | 3.4 | | | | 0.1 | | 0.6 | | 1.0 | 3.6 | 4.6 |
| 15 – 16 | 0.7 | 1.6 | | | | 0.9 | | 0.3 | | 0.4 | 8.1 | 2.3 |
| 16 – 17 | 0.7 | | | | | | | 0.2 | | 1.9 | 12.0 | 2.3 |
| 17 – 18 | 1.4 | | | | | | | | | 0.3 | 1.6 | |
| 18 – 19 | 3.3 | | | | | | | | | 0.2 | 0.2 | |
| 19 – 20 | 1.2 | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2161 | 2008 | 2175 | 2309 | 2194 | 2116 | 2224 | 2132 | 2115 | 2174 | 1838 | 2173 |

Tabel C.171: Hyppighedsfordeling af saltholdigheden for station Hjelm Bugt i 15.4 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | 2.1 | 8.0 | 29.6 | 29.7 | 14.6 | 10.2 | 23.0 | 22.8 | 6.0 | 0.1 | 1.1 |
| 8 – 9 | 20.6 | 22.3 | 41.2 | 43.9 | 41.9 | 16.4 | 43.3 | 20.5 | 12.7 | 40.2 | 12.9 | 29.1 |
| 9 – 10 | 19.9 | 15.4 | 14.9 | 13.9 | 6.4 | 12.5 | 15.1 | 12.0 | 10.4 | 8.1 | 7.3 | 5.6 |
| 10 – 11 | 12.2 | 13.4 | 11.9 | 5.3 | 6.1 | 13.4 | 11.8 | 7.8 | 10.4 | 5.7 | 9.2 | 10.1 |
| 11 – 12 | 12.7 | 6.4 | 7.4 | 1.9 | 6.7 | 13.8 | 6.1 | 4.0 | 8.8 | 4.4 | 21.2 | 17.5 |
| 12 – 13 | 6.9 | 3.6 | 5.3 | 0.6 | 2.2 | 5.0 | 4.3 | 3.4 | 7.4 | 2.5 | 6.5 | 10.0 |
| 13 – 14 | 5.9 | 8.3 | 2.7 | 0.4 | 1.1 | 4.9 | 0.9 | 2.4 | 6.3 | 3.8 | 3.5 | 5.0 |
| 14 – 15 | 5.8 | 11.5 | 0.7 | 0.2 | 1.0 | 4.2 | 2.4 | 2.2 | 2.7 | 4.7 | 3.8 | 8.5 |
| 15 – 16 | 4.3 | 6.4 | 1.0 | 2.3 | 0.8 | 4.1 | 2.9 | 1.9 | 1.5 | 8.7 | 8.3 | 6.2 |
| 16 – 17 | 2.4 | 1.5 | 0.9 | 0.4 | 0.5 | 5.1 | 1.7 | 5.0 | 1.5 | 5.1 | 15.0 | 5.9 |
| 17 – 18 | 0.8 | 3.5 | 0.3 | 0.8 | 2.9 | 1.7 | 0.4 | 5.6 | 2.8 | 7.2 | 9.6 | 1.0 |
| 18 – 19 | 2.6 | 4.5 | 0.6 | 0.5 | 0.7 | 0.8 | | 3.9 | 2.3 | 3.4 | 2.3 | |
| 19 – 20 | 3.0 | 0.1 | 0.8 | 0.3 | | 0.9 | | 4.5 | 3.9 | 0.2 | 0.2 | |
| 20 – 21 | 2.7 | 1.0 | 0.9 | | | 2.0 | 0.4 | 1.0 | 5.5 | | | |
| 21 – 22 | 0.3 | | 2.8 | | | 0.7 | 0.3 | 0.1 | 0.8 | | | |
| 22 – 23 | | | 0.7 | | | | 0.2 | 2.6 | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2905 | 2680 | 2919 | 2344 | 2194 | 2116 | 2224 | 2132 | 2115 | 2174 | 1838 | 2468 |

Tabel C.172: Hyppighedsfordeling af saltholdigheden for station Hjelm Bugt i 21.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | 11.4 | 2.3 | 1.3 | | 0.2 | 7.8 | 1.8 | | |
| 8 – 9 | 6.9 | 1.6 | 18.7 | 13.8 | 0.3 | 0.2 | | 0.1 | 2.8 | 11.9 | 9.7 | 12.6 |
| 9 – 10 | 7.5 | 1.2 | 10.6 | 0.9 | | | 0.3 | 0.2 | 2.0 | 1.8 | 4.4 | 6.4 |
| 10 – 11 | 2.8 | 5.1 | 4.3 | 1.4 | 0.2 | | 2.5 | 0.6 | 1.9 | 0.8 | 0.2 | 0.7 |
| 11 – 12 | 3.4 | 1.8 | 3.7 | 0.2 | 0.4 | 0.1 | 2.3 | 0.3 | 0.8 | 0.7 | 0.5 | 1.7 |
| 12 – 13 | 7.0 | 0.9 | 2.6 | 0.3 | 0.2 | 0.3 | 1.9 | 0.6 | 0.2 | 1.1 | 0.8 | 1.7 |
| 13 – 14 | 20.3 | 2.2 | 3.8 | 0.3 | 0.2 | 0.3 | 1.1 | 1.5 | 0.3 | 0.8 | 11.6 | 12.2 |
| 14 – 15 | 10.0 | 6.3 | 5.9 | 1.1 | 0.5 | 3.8 | 2.8 | 1.0 | 0.6 | 0.8 | 7.6 | 15.8 |
| 15 – 16 | 7.9 | 8.7 | 8.2 | 18.4 | 10.1 | 21.8 | 26.0 | 0.7 | 0.7 | 0.7 | 1.5 | 10.4 |
| 16 – 17 | 10.1 | 8.7 | 12.9 | 17.8 | 8.0 | 14.4 | 2.8 | 0.4 | 0.5 | 1.8 | 7.7 | 19.5 |
| 17 – 18 | 5.9 | 18.1 | 5.7 | 10.1 | 22.2 | 14.7 | 2.6 | 0.1 | 0.9 | 16.3 | 35.3 | 18.1 |
| 18 – 19 | 2.0 | 23.2 | | 1.0 | 23.2 | 3.3 | 7.0 | 0.5 | 3.5 | 33.0 | 16.6 | 1.2 |
| 19 – 20 | 4.4 | 10.5 | 0.5 | 5.2 | 3.4 | 8.3 | 9.5 | 2.3 | 24.0 | 20.2 | 3.9 | |
| 20 – 21 | 3.8 | 3.7 | 1.6 | 3.7 | 11.9 | 7.1 | 18.8 | 26.1 | 26.1 | 8.1 | 0.3 | |
| 21 – 22 | 7.1 | 6.5 | 7.5 | 11.8 | 13.6 | 11.7 | 12.1 | 40.8 | 26.6 | | | |
| 22 – 23 | 0.9 | 1.5 | 13.9 | 2.5 | 3.5 | 12.6 | 10.3 | 9.0 | 1.2 | | | |
| 23 – 24 | | | | | | | | 8.3 | | | | |
| 24 – 25 | | | | | | | | 7.4 | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2905 | 2680 | 2919 | 2344 | 2173 | 2116 | 2214 | 2132 | 2115 | 2184 | 1838 | 2467 |

Tabel C.173: Hyppighedsfordeling af saltholdigheden for station Kiel i 8.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | 0.2 | 0.1 | 0.7 | | | | | | | |
| 7 – 8 | 2.1 | 0.4 | 1.3 | 1.0 | 2.8 | | | | | | | 3.6 |
| 8 – 9 | 2.4 | 1.8 | 0.5 | 1.7 | 2.8 | 0.1 | | 0.1 | 0.1 | | | 7.8 |
| 9 – 10 | 0.7 | 3.5 | 2.0 | 4.6 | 1.8 | 2.8 | 0.4 | 2.3 | 1.0 | | | 4.4 |
| 10 – 11 | 0.5 | 3.2 | 2.3 | 13.0 | 16.5 | 7.7 | 4.8 | 2.5 | 1.8 | 0.4 | 1.3 | 5.3 |
| 11 – 12 | 0.7 | 3.9 | 2.4 | 4.6 | 16.9 | 16.4 | 9.5 | 8.5 | 11.1 | 1.3 | 6.5 | 5.7 |
| 12 – 13 | 2.4 | 2.2 | 0.7 | 6.9 | 14.4 | 27.7 | 22.1 | 16.9 | 17.0 | 5.6 | 4.2 | 6.2 |
| 13 – 14 | 4.9 | 2.1 | 1.2 | 11.2 | 5.5 | 21.3 | 19.1 | 19.3 | 14.7 | 14.4 | 12.6 | 9.7 |
| 14 – 15 | 12.4 | 1.7 | 0.8 | 8.6 | 11.1 | 13.9 | 17.9 | 14.2 | 13.9 | 25.5 | 19.1 | 18.7 |
| 15 – 16 | 17.8 | 3.1 | 5.2 | 11.9 | 12.0 | 4.2 | 9.6 | 16.5 | 15.7 | 12.5 | 16.2 | 15.9 |
| 16 – 17 | 10.5 | 5.9 | 3.7 | 12.0 | 5.6 | 1.8 | 4.4 | 14.8 | 9.0 | 3.8 | 7.3 | 9.5 |
| 17 – 18 | 13.0 | 14.6 | 15.1 | 21.4 | 7.6 | 2.1 | 4.4 | 4.2 | 6.7 | 7.6 | 10.9 | 5.8 |
| 18 – 19 | 20.3 | 32.8 | 18.6 | 1.6 | 2.3 | 1.9 | 3.8 | 0.7 | 3.6 | 10.6 | 13.8 | 6.6 |
| 19 – 20 | 6.3 | 11.4 | 9.9 | 1.1 | | 0.1 | 3.4 | | 2.6 | 14.0 | 6.4 | 0.8 |
| 20 – 21 | 1.0 | 8.1 | 31.7 | 0.3 | | | 0.6 | | 2.6 | 3.7 | 1.7 | |
| 21 – 22 | 3.5 | 5.3 | 4.3 | | | | | | 0.2 | 0.7 | | |
| 22 – 23 | 1.3 | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 3359 | 3179 | 2881 | 2970 | 3322 | 2715 | 3470 | 2907 | 2422 | 2380 | 3213 | 3274 |

Tabel C.174: Hyppighedsfordeling af saltholdigheden for station Kiel i 13.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | 1.8 | 0.8 | | | | | | | |
| 12 – 13 | | | | 2.1 | 9.2 | 0.6 | 3.9 | 0.4 | 0.1 | | | |
| 13 – 14 | | | | 3.7 | 23.3 | 5.1 | 6.3 | 2.7 | 1.1 | 0.5 | | 0.6 |
| 14 – 15 | | | | 4.2 | 11.0 | 10.9 | 0.7 | 3.8 | 6.7 | 6.5 | | 1.9 |
| 15 – 16 | 0.6 | 0.3 | 2.3 | 11.9 | 14.6 | 17.8 | 5.3 | 6.7 | 12.5 | 25.7 | 0.5 | 6.1 |
| 16 – 17 | 25.3 | 20.8 | 27.9 | 42.9 | 29.3 | 16.1 | 8.9 | 12.8 | 21.7 | 17.2 | 14.8 | 15.4 |
| 17 – 18 | 21.3 | 8.3 | 5.5 | 12.0 | 3.8 | 21.9 | 15.8 | 16.1 | 22.5 | 5.7 | 13.5 | 16.3 |
| 18 – 19 | 9.8 | 16.0 | 10.6 | 14.1 | 5.7 | 9.3 | 24.7 | 17.0 | 11.2 | 5.7 | 9.3 | 6.4 |
| 19 – 20 | 1.2 | 24.2 | 12.2 | 4.0 | 2.1 | 8.9 | 19.5 | 19.5 | 5.6 | 10.8 | 11.0 | 7.3 |
| 20 – 21 | 17.7 | 9.5 | 13.6 | 1.7 | 0.2 | 7.3 | 11.5 | 14.6 | 8.5 | 10.4 | 24.8 | 31.0 |
| 21 – 22 | 10.6 | 20.9 | 22.7 | 1.2 | | 2.1 | 3.4 | 3.8 | 10.0 | 2.6 | 11.3 | 13.7 |
| 22 – 23 | 13.5 | | 5.3 | 0.5 | | | | 2.4 | 0.1 | 2.3 | 11.8 | 1.1 |
| 23 – 24 | | | | | | | | | | 9.5 | 2.9 | |
| 24 – 25 | | | | | | | | | | 3.0 | | |
| 25 – 26 | | | | | | | | | | 0.1 | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 3069 | 3167 | 2653 | 2665 | 2541 | 2645 | 3361 | 2910 | 2440 | 2565 | 3320 | 3501 |

Tabel C.175: Hyppighedsfordeling af saltholdigheden for station Læsø Rende i 6.2 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | 1.3 | | | | | | | | |
| 12 – 13 | | | | 0.5 | 0.4 | | | | | | | |
| 13 – 14 | | | | 0.7 | 0.9 | | | | | | | |
| 14 – 15 | | | | 0.9 | 3.4 | | | | | | | |
| 15 – 16 | | | | 0.4 | 6.5 | | | | | | | |
| 16 – 17 | | | | 0.6 | 6.3 | | | | | | | |
| 17 – 18 | | | | 0.5 | 6.0 | | | | | | | |
| 18 – 19 | | | | 2.8 | 5.5 | | 0.1 | 3.4 | | 0.8 | | |
| 19 – 20 | | | | 4.3 | 7.3 | | 1.7 | 5.2 | 0.9 | 7.5 | | |
| 20 – 21 | | 2.3 | 1.3 | 13.5 | 12.8 | 2.0 | 4.4 | 10.4 | 12.9 | 13.1 | | 0.8 |
| 21 – 22 | 11.7 | 3.6 | 12.3 | 15.2 | 13.5 | 9.6 | 10.8 | 13.6 | 28.7 | 11.0 | | 0.3 |
| 22 – 23 | 15.7 | 6.5 | 12.0 | 16.7 | 6.5 | 6.8 | 14.6 | 14.5 | 11.6 | 18.1 | | |
| 23 – 24 | 8.0 | 19.6 | 12.2 | 12.6 | 5.5 | 5.1 | 11.9 | 14.3 | 15.8 | 16.3 | 0.6 | 15.1 |
| 24 – 25 | 9.8 | 22.2 | 13.1 | 10.7 | 3.9 | 12.7 | 32.2 | 14.1 | 13.4 | 8.7 | 0.3 | 42.1 |
| 25 – 26 | 10.2 | 13.3 | 22.4 | 9.3 | 2.6 | 15.8 | 11.1 | 4.9 | 11.4 | 6.1 | | 36.6 |
| 26 – 27 | 16.1 | 6.4 | 16.2 | 7.5 | 1.4 | 16.1 | 3.1 | 3.8 | 3.1 | 10.2 | 0.3 | 2.2 |
| 27 – 28 | 19.6 | 5.5 | 6.5 | 1.5 | 1.3 | 7.7 | 3.1 | 3.5 | 1.2 | 3.8 | 1.4 | 1.7 |
| 28 – 29 | 7.4 | 3.8 | 1.8 | 0.5 | 1.9 | 15.0 | 1.3 | 8.8 | 0.1 | 2.9 | 33.1 | 0.1 |
| 29 – 30 | 0.8 | 4.2 | 1.1 | 0.4 | 1.9 | 7.5 | 0.7 | 2.2 | 0.5 | 1.3 | 28.5 | 0.4 |
| 30 – 31 | 0.5 | 5.1 | 0.4 | 0.1 | 6.1 | 1.7 | 0.7 | 0.7 | | 0.2 | 9.8 | 0.3 |
| 31 – 32 | 0.3 | 3.2 | 0.5 | 0.1 | 4.7 | | 4.2 | 0.6 | 0.3 | | 26.0 | 0.4 |
| 32 – 33 | | 3.5 | 0.1 | | 0.9 | | | | | | | |
| 33 – 34 | | 0.8 | | | 0.7 | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 664 | 1299 | 1397 | 2116 | 2215 | 1420 | 1339 | 1298 | 1382 | 1091 | 712 | 743 |

Tabel C.176: Hyppighedsfordeling af saltholdigheden for station Læsø Rende i 10.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | 0.2 | | | | | | |
| 18 – 19 | | | | | | 0.1 | | | | | | |
| 19 – 20 | | | | | | 0.4 | | 0.2 | | | | |
| 20 – 21 | | 0.2 | | | | 0.4 | | 0.9 | 1.0 | 0.6 | | |
| 21 – 22 | | 2.5 | 0.1 | 1.2 | 2.3 | 0.2 | | 1.1 | 11.4 | 1.5 | | |
| 22 – 23 | | 3.2 | 0.7 | 4.3 | 2.0 | 0.8 | | 2.2 | 8.2 | 0.9 | | |
| 23 – 24 | | 5.3 | 3.7 | 7.4 | 2.0 | 0.2 | 0.4 | 2.2 | 6.6 | 3.2 | | 2.0 |
| 24 – 25 | 0.5 | 2.8 | 3.7 | 4.8 | 2.1 | 0.7 | 3.5 | 3.2 | 7.0 | 7.2 | | 21.5 |
| 25 – 26 | 0.5 | 4.6 | 8.3 | 2.8 | 3.3 | 8.5 | 6.3 | 2.9 | 7.9 | 5.6 | | 34.2 |
| 26 – 27 | 1.4 | 6.8 | 14.5 | 7.8 | 4.2 | 17.0 | 5.5 | 4.1 | 7.8 | 5.3 | | 13.2 |
| 27 – 28 | 9.9 | 11.5 | 19.8 | 10.0 | 4.7 | 15.6 | 9.0 | 10.2 | 8.7 | 4.0 | 0.4 | 7.0 |
| 28 – 29 | 21.4 | 16.8 | 13.2 | 5.4 | 6.9 | 21.3 | 12.1 | 12.7 | 6.2 | 5.0 | 22.6 | 6.1 |
| 29 – 30 | 17.8 | 8.5 | 6.2 | 6.0 | 8.4 | 15.0 | 13.7 | 13.7 | 4.5 | 7.2 | 34.3 | 4.3 |
| 30 – 31 | 11.1 | 2.2 | 6.3 | 6.6 | 12.4 | 12.3 | 20.6 | 28.8 | 4.6 | 14.2 | 20.2 | 5.8 |
| 31 – 32 | 35.4 | 10.5 | 12.2 | 8.3 | 16.9 | 8.5 | 23.5 | 17.8 | 11.4 | 16.5 | 22.5 | 4.7 |
| 32 – 33 | 2.1 | 11.8 | 9.2 | 16.8 | 13.2 | | 5.4 | | 13.2 | 15.6 | | 1.2 |
| 33 – 34 | | 13.2 | 2.1 | 18.5 | 20.2 | | | | 1.5 | 13.2 | | |
| 34 – 35 | | | | 0.1 | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 664 | 1299 | 1397 | 2116 | 2215 | 1420 | 1327 | 1295 | 1380 | 1090 | 712 | 743 |

Tabel C.177: Hyppighedsfordeling af saltholdigheden for station Læsø Rende i 15.8 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | 0.1 | | | | |
| 19 – 20 | | | | | | | | 0.1 | | | | |
| 20 – 21 | | | | | | | | 0.2 | | | | |
| 21 – 22 | | 0.1 | | | | | | | | | | |
| 22 – 23 | | 0.7 | | | | | | 0.3 | 1.1 | | | |
| 23 – 24 | | 1.8 | | | | | | 1.1 | 0.9 | 0.4 | | 1.5 |
| 24 – 25 | | 1.2 | 1.1 | | | | | 3.0 | 2.4 | 0.6 | | 2.2 |
| 25 – 26 | | 2.2 | 0.9 | 0.1 | | 0.1 | | 5.5 | 3.8 | 1.1 | | 14.8 |
| 26 – 27 | | 5.0 | 4.9 | 0.1 | | 2.6 | | 5.1 | 3.4 | 1.5 | | 9.8 |
| 27 – 28 | 2.1 | 3.8 | 4.6 | 0.7 | 0.4 | 3.9 | 0.1 | 13.2 | 5.6 | 0.5 | 0.3 | 6.9 |
| 28 – 29 | 5.1 | 4.1 | 5.7 | 2.6 | 0.9 | 13.7 | 2.5 | 15.6 | 7.0 | 1.0 | 3.1 | 3.9 |
| 29 – 30 | 11.6 | 7.5 | 13.4 | 2.6 | 3.8 | 22.0 | 9.7 | 11.9 | 3.6 | 1.5 | 4.5 | 8.0 |
| 30 – 31 | 16.5 | 18.5 | 13.8 | 2.1 | 6.9 | 22.1 | 31.2 | 12.6 | 6.2 | 5.2 | 34.0 | 25.2 |
| 31 – 32 | 14.0 | 20.9 | 23.3 | 9.0 | 19.1 | 32.7 | 45.0 | 31.2 | 17.4 | 16.9 | 58.1 | 20.6 |
| 32 – 33 | 49.1 | 12.7 | 21.0 | 31.3 | 31.7 | 2.8 | 11.6 | 0.2 | 38.4 | 48.5 | | 7.1 |
| 33 – 34 | 1.6 | 21.6 | 11.2 | 47.6 | 37.3 | | | | 10.3 | 14.5 | | |
| 34 – 35 | | | | 4.0 | | | | | | 8.4 | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 680 | 1299 | 1397 | 2115 | 2214 | 1420 | 1338 | 1298 | 1382 | 1091 | 712 | 742 |

Tabel C.178: Hyppighedsfordeling af saltholdigheden for station Læsø Rende i 21.1 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | 1.0 | | | | | | | | | |
| 22 – 23 | | 1.8 | 0.1 | | | | | | | 0.1 | 0.1 | |
| 23 – 24 | | 3.1 | 0.5 | | | | | | 0.1 | 0.4 | 9.7 | 1.3 |
| 24 – 25 | 1.8 | 6.7 | 1.2 | | | | | | 0.4 | 0.5 | 5.2 | 4.0 |
| 25 – 26 | 7.7 | 20.4 | 12.4 | | | | | | | 0.5 | 30.1 | 5.9 |
| 26 – 27 | 2.0 | 10.5 | 11.3 | | | | | 0.1 | 0.3 | 0.8 | 0.3 | 8.5 |
| 27 – 28 | 16.4 | 3.8 | 10.0 | 0.4 | | | | 0.9 | 2.5 | 0.2 | 0.4 | 4.8 |
| 28 – 29 | 3.6 | 3.6 | 0.8 | 0.5 | 0.1 | 4.0 | | 8.7 | 10.6 | 1.1 | 3.2 | 6.1 |
| 29 – 30 | 5.6 | 3.8 | 0.8 | 1.7 | 0.9 | 33.8 | 6.6 | 22.7 | 3.2 | 20.5 | 3.7 | 25.6 |
| 30 – 31 | 18.8 | 1.0 | 1.6 | 1.7 | 9.1 | 27.3 | 13.3 | 25.7 | 8.4 | 25.4 | 10.4 | 35.4 |
| 31 – 32 | 41.9 | 1.8 | 13.5 | 9.2 | 24.7 | 30.6 | 70.5 | 41.7 | 33.1 | 35.2 | 36.9 | 8.1 |
| 32 – 33 | 0.6 | 19.7 | 22.6 | 36.4 | 35.3 | 4.4 | 9.6 | | 41.3 | 15.3 | | 0.3 |
| 33 – 34 | 1.7 | 23.8 | 24.2 | 50.1 | 30.0 | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 664 | 1299 | 1362 | 1405 | 1480 | 707 | 593 | 743 | 680 | 1091 | 712 | 743 |

Tabel C.179: Hyppighedsfordeling af saltholdigheden for station Ndr. Røse i 2.9 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | 0.7 | | |
| 7 – 8 | 0.6 | 1.6 | 2.2 | 2.1 | 7.1 | 2.3 | 2.4 | 3.9 | 5.5 | 7.8 | 1.5 | 0.1 |
| 8 – 9 | 5.6 | 7.1 | 16.2 | 27.6 | 35.1 | 21.6 | 35.7 | 31.8 | 28.1 | 7.0 | 12.9 | 11.4 |
| 9 – 10 | 15.3 | 8.1 | 23.6 | 32.5 | 28.2 | 18.6 | 22.1 | 24.3 | 15.4 | 9.1 | 23.4 | 11.9 |
| 10 – 11 | 13.5 | 11.0 | 12.8 | 12.7 | 7.5 | 14.1 | 9.1 | 12.8 | 14.1 | 11.7 | 17.9 | 11.5 |
| 11 – 12 | 9.3 | 12.1 | 6.4 | 6.6 | 3.8 | 7.6 | 4.9 | 5.7 | 7.7 | 6.0 | 7.2 | 7.9 |
| 12 – 13 | 7.8 | 7.8 | 4.4 | 3.2 | 2.2 | 6.1 | 5.2 | 3.7 | 5.5 | 5.4 | 6.2 | 4.9 |
| 13 – 14 | 5.9 | 7.7 | 2.5 | 1.9 | 2.7 | 3.1 | 4.0 | 3.2 | 3.3 | 5.3 | 5.1 | 4.8 |
| 14 – 15 | 5.3 | 6.4 | 3.0 | 1.8 | 5.1 | 5.8 | 3.8 | 2.7 | 1.9 | 4.7 | 3.0 | 5.7 |
| 15 – 16 | 5.5 | 3.9 | 2.1 | 2.7 | 4.2 | 6.5 | 4.9 | 3.2 | 2.1 | 3.3 | 2.6 | 4.9 |
| 16 – 17 | 4.1 | 3.9 | 1.6 | 1.6 | 2.0 | 3.8 | 3.1 | 4.2 | 2.7 | 3.1 | 3.1 | 3.8 |
| 17 – 18 | 4.7 | 3.5 | 1.7 | 0.8 | 1.0 | 6.5 | 3.8 | 3.7 | 0.8 | 3.9 | 5.6 | 3.7 |
| 18 – 19 | 5.3 | 3.2 | 4.0 | 0.2 | 0.8 | 3.6 | 1.2 | 0.8 | 1.4 | 6.1 | 1.9 | 3.6 |
| 19 – 20 | 3.5 | 2.4 | 3.1 | 3.5 | 0.4 | 0.5 | | | 1.1 | 6.4 | 1.1 | 3.6 |
| 20 – 21 | 2.7 | 3.5 | 2.9 | 1.5 | | | | | 3.2 | 7.5 | 1.1 | 5.2 |
| 21 – 22 | 2.4 | 3.3 | 3.6 | 1.2 | | | | | 3.3 | 4.9 | 1.2 | 1.7 |
| 22 – 23 | 2.6 | 4.8 | 2.5 | | | | | | 2.6 | 4.5 | 2.1 | 1.5 |
| 23 – 24 | 1.6 | 6.2 | 3.1 | | | | | | 0.6 | 1.5 | 3.5 | 2.4 |
| 24 – 25 | 1.9 | 3.4 | 1.3 | | | | | | 0.5 | 0.4 | 0.7 | 3.5 |
| 25 – 26 | 1.4 | | 2.9 | | | | | | 0.1 | 0.2 | | 3.3 |
| 26 – 27 | 1.2 | | 0.1 | | | | | | 0.1 | 0.2 | | 3.4 |
| 27 – 28 | | | | | | | | | | 0.1 | | 1.0 |
| 28 – 29 | | | | | | | | | | | | 0.3 |
| 29 – 30 | | | | | | | | | | | | 0.1 |
| 30 – 31 | | | | | | | | | | | | 0.1 |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 5109 | 4095 | 4800 | 4343 | 4604 | 4566 | 4194 | 3236 | 3535 | 5137 | 4905 | 4616 |

Tabel C.180: Hyppighedsfordeling af saltholdigheden for station Ndr. Røse i 4.4 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | 0.8 | 1.5 | 2.2 | 1.2 | 5.5 | 1.2 | 2.0 | 2.6 | 3.8 | 4.1 | 1.2 | |
| 8 – 9 | 5.4 | 5.8 | 14.0 | 23.0 | 29.7 | 18.9 | 29.9 | 25.2 | 24.3 | 7.2 | 10.6 | 8.8 |
| 9 – 10 | 14.1 | 7.6 | 21.8 | 26.4 | 28.9 | 16.8 | 22.7 | 22.6 | 14.0 | 8.3 | 18.6 | 11.7 |
| 10 – 11 | 11.3 | 8.3 | 13.6 | 13.9 | 7.9 | 13.2 | 11.0 | 13.1 | 13.6 | 11.0 | 20.4 | 10.7 |
| 11 – 12 | 8.5 | 11.9 | 6.3 | 8.7 | 5.3 | 8.0 | 4.7 | 7.3 | 7.4 | 6.0 | 7.2 | 7.1 |
| 12 – 13 | 7.0 | 7.9 | 4.9 | 5.5 | 3.2 | 7.5 | 4.4 | 5.3 | 6.5 | 4.9 | 6.5 | 5.0 |
| 13 – 14 | 5.9 | 6.3 | 2.1 | 3.1 | 2.8 | 4.9 | 4.5 | 3.2 | 4.0 | 5.0 | 5.9 | 4.5 |
| 14 – 15 | 4.5 | 6.2 | 2.6 | 2.5 | 5.1 | 4.9 | 3.2 | 4.3 | 4.3 | 3.7 | 2.5 | 5.3 |
| 15 – 16 | 3.9 | 5.2 | 2.6 | 3.4 | 5.2 | 6.3 | 6.3 | 2.8 | 2.7 | 4.6 | 2.9 | 4.9 |
| 16 – 17 | 4.3 | 4.5 | 2.3 | 1.9 | 1.8 | 4.8 | 4.3 | 6.4 | 2.8 | 3.5 | 2.5 | 3.8 |
| 17 – 18 | 4.4 | 3.4 | 1.9 | 1.7 | 2.2 | 8.0 | 4.2 | 4.4 | 2.4 | 3.8 | 2.3 | 4.1 |
| 18 – 19 | 5.6 | 3.8 | 3.5 | 1.0 | 1.4 | 4.7 | 2.6 | 2.6 | 1.2 | 4.4 | 1.9 | 3.9 |
| 19 – 20 | 4.9 | 3.2 | 3.2 | 3.6 | 0.7 | 0.8 | 0.2 | 0.2 | 1.3 | 5.2 | 1.5 | 4.3 |
| 20 – 21 | 5.3 | 3.5 | 3.0 | 1.5 | 0.2 | 0.1 | | | 2.6 | 7.8 | 2.0 | 5.7 |
| 21 – 22 | 3.5 | 4.2 | 3.4 | 2.5 | 0.1 | | | | 3.9 | 9.3 | 2.0 | 2.7 |
| 22 – 23 | 2.9 | 5.4 | 3.0 | 0.2 | | | | | 3.2 | 6.0 | 2.0 | 1.7 |
| 23 – 24 | 2.0 | 7.4 | 3.3 | | | | | | 0.8 | 3.3 | 6.0 | 2.8 |
| 24 – 25 | 2.4 | 3.0 | 3.5 | | | | | | 0.6 | 0.8 | 1.7 | 4.3 |
| 25 – 26 | 1.8 | 0.9 | 2.4 | | | | | | 0.3 | 0.6 | 1.9 | 2.7 |
| 26 – 27 | 1.5 | 0.1 | 0.2 | | | | | | 0.3 | 0.3 | 0.2 | 3.6 |
| 27 – 28 | 0.1 | 0.1 | | | | | | | 0.1 | 0.1 | 0.1 | 1.3 |
| 28 – 29 | | | | | | | | | | 0.1 | | 0.6 |
| 29 – 30 | | | | | | | | | | | | 0.3 |
| 30 – 31 | | | | | | | | | | | | 0.1 |
| 31 – 32 | | | | | | | | | | | 0.1 | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 5110 | 4095 | 4800 | 4342 | 4603 | 4221 | 3877 | 3236 | 3540 | 5132 | 4904 | 4616 |

Tabel C.181: Hyppighedsfordeling af saltholdigheden for station Ndr. Røse i 5.9 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | 0.2 | | | | | |
| 7 – 8 | | 1.5 | 0.9 | 0.9 | 4.6 | 0.7 | 1.3 | 1.7 | 3.2 | 2.9 | 1.1 | |
| 8 – 9 | 5.3 | 5.3 | 13.8 | 20.5 | 24.2 | 14.2 | 19.8 | 18.2 | 19.8 | 8.2 | 8.2 | 6.5 |
| 9 – 10 | 10.5 | 7.4 | 23.3 | 20.6 | 25.5 | 11.5 | 20.2 | 17.4 | 10.6 | 6.1 | 15.6 | 8.3 |
| 10 – 11 | 10.5 | 9.3 | 9.7 | 9.8 | 8.2 | 11.4 | 14.3 | 11.0 | 10.8 | 8.0 | 17.4 | 8.8 |
| 11 – 12 | 7.6 | 9.3 | 5.6 | 6.4 | 5.1 | 8.5 | 6.7 | 7.8 | 6.8 | 4.0 | 6.8 | 6.4 |
| 12 – 13 | 6.6 | 6.4 | 3.9 | 5.4 | 3.5 | 6.9 | 4.9 | 5.6 | 4.6 | 4.4 | 6.9 | 4.7 |
| 13 – 14 | 5.3 | 4.9 | 2.4 | 4.8 | 2.4 | 6.4 | 5.1 | 5.8 | 3.1 | 3.8 | 6.3 | 3.8 |
| 14 – 15 | 3.6 | 4.3 | 2.8 | 4.5 | 4.4 | 8.3 | 5.1 | 5.8 | 5.0 | 3.3 | 3.5 | 4.7 |
| 15 – 16 | 2.7 | 5.0 | 2.6 | 5.1 | 5.0 | 8.6 | 7.1 | 5.0 | 4.8 | 3.7 | 2.4 | 4.5 |
| 16 – 17 | 2.9 | 4.6 | 2.6 | 3.6 | 3.6 | 7.0 | 6.4 | 6.7 | 4.2 | 3.8 | 2.6 | 3.3 |
| 17 – 18 | 3.5 | 4.2 | 2.4 | 2.3 | 3.2 | 5.2 | 4.6 | 7.2 | 3.5 | 4.1 | 2.8 | 3.7 |
| 18 – 19 | 4.1 | 3.8 | 4.2 | 1.5 | 3.0 | 8.4 | 3.2 | 4.8 | 3.1 | 4.1 | 2.1 | 3.6 |
| 19 – 20 | 4.8 | 4.1 | 3.1 | 4.9 | 2.3 | 1.8 | 0.8 | 1.2 | 2.7 | 7.0 | 2.5 | 6.0 |
| 20 – 21 | 5.5 | 4.8 | 2.7 | 2.4 | 1.6 | 0.7 | 0.4 | 0.8 | 3.1 | 8.8 | 2.0 | 7.3 |
| 21 – 22 | 5.7 | 6.1 | 2.6 | 3.2 | 0.9 | 0.2 | 0.1 | 0.2 | 4.9 | 9.7 | 2.4 | 4.1 |
| 22 – 23 | 5.0 | 6.4 | 4.3 | 1.8 | 0.7 | | | 0.2 | 3.5 | 8.2 | 3.2 | 2.7 |
| 23 – 24 | 4.6 | 7.7 | 3.9 | 1.1 | 0.4 | 0.1 | | 0.2 | 1.1 | 4.1 | 7.0 | 3.6 |
| 24 – 25 | 3.3 | 3.6 | 5.9 | 0.7 | 0.2 | | | 0.2 | 0.8 | 1.9 | 2.9 | 4.4 |
| 25 – 26 | 3.0 | 0.4 | 1.9 | 0.2 | 0.2 | | | 0.1 | 0.9 | 1.6 | 1.7 | 3.6 |
| 26 – 27 | 2.3 | 0.3 | 0.4 | 0.2 | 0.3 | | | 0.1 | 1.0 | 1.1 | 0.5 | 2.3 |
| 27 – 28 | 1.3 | 0.4 | 0.3 | | 0.2 | 0.1 | | | 1.0 | 0.8 | 0.3 | 3.4 |
| 28 – 29 | 0.6 | 0.2 | 0.1 | | 0.2 | | | | 0.8 | 0.3 | 0.2 | 1.9 |
| 29 – 30 | 0.6 | 0.1 | 0.2 | | 0.2 | | | | 0.6 | 0.1 | 0.2 | 1.2 |
| 30 – 31 | 0.5 | | 0.4 | | 0.1 | | | | 0.1 | 0.2 | 0.4 | 0.7 |
| 31 – 32 | 0.3 | | | | | | | | | | 0.3 | 0.2 |
| 32 – 33 | | | | | | | | | | | 0.3 | 0.1 |
| 33 – 34 | | | | | | | | | | | 0.2 | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 5110 | 4095 | 4800 | 4343 | 4604 | 4566 | 4191 | 3234 | 3538 | 5138 | 4903 | 4612 |

Tabel C.182: Hyppighedsfordeling af saltholdigheden for station Ndr. Røse i 7.4 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | 0.2 | 1.0 | 0.7 | 0.9 | 3.9 | 0.4 | 1.1 | 3.3 | 2.5 | 2.6 | 0.2 | |
| 8 – 9 | 3.9 | 3.7 | 10.5 | 18.7 | 16.5 | 11.7 | 12.7 | 10.7 | 17.1 | 7.4 | 7.1 | 5.3 |
| 9 – 10 | 9.0 | 7.0 | 20.4 | 15.3 | 23.1 | 8.2 | 10.5 | 10.8 | 6.5 | 4.9 | 12.5 | 7.4 |
| 10 – 11 | 7.9 | 7.0 | 10.6 | 9.4 | 6.7 | 6.7 | 10.1 | 7.6 | 8.2 | 6.1 | 14.4 | 7.1 |
| 11 – 12 | 6.5 | 9.6 | 5.2 | 3.5 | 6.3 | 5.9 | 8.7 | 5.6 | 4.8 | 3.1 | 4.6 | 4.8 |
| 12 – 13 | 5.1 | 6.0 | 3.6 | 2.6 | 4.7 | 5.0 | 7.3 | 4.0 | 3.6 | 2.8 | 5.5 | 2.9 |
| 13 – 14 | 4.4 | 4.0 | 1.6 | 2.9 | 3.4 | 6.3 | 7.0 | 5.4 | 2.9 | 2.7 | 5.4 | 2.7 |
| 14 – 15 | 3.2 | 2.5 | 1.9 | 2.8 | 5.2 | 8.0 | 7.3 | 5.9 | 3.0 | 2.2 | 4.2 | 4.1 |
| 15 – 16 | 2.3 | 3.4 | 2.1 | 3.9 | 4.0 | 9.8 | 7.1 | 6.6 | 3.7 | 2.5 | 3.3 | 3.8 |
| 16 – 17 | 2.3 | 3.3 | 2.6 | 3.9 | 3.1 | 11.3 | 10.3 | 9.5 | 4.6 | 3.3 | 2.2 | 2.9 |
| 17 – 18 | 2.5 | 3.6 | 2.4 | 4.5 | 4.0 | 7.9 | 8.4 | 9.8 | 5.3 | 4.1 | 3.5 | 2.7 |
| 18 – 19 | 3.6 | 4.0 | 4.1 | 3.5 | 3.7 | 9.9 | 5.1 | 6.8 | 4.8 | 4.1 | 4.1 | 3.2 |
| 19 – 20 | 4.3 | 5.4 | 3.6 | 4.7 | 2.9 | 4.6 | 1.9 | 4.8 | 3.7 | 7.6 | 3.7 | 4.9 |
| 20 – 21 | 4.5 | 6.1 | 3.4 | 4.8 | 2.4 | 2.2 | 1.4 | 3.0 | 5.3 | 9.1 | 3.1 | 6.5 |
| 21 – 22 | 5.9 | 7.6 | 3.6 | 4.2 | 2.6 | 0.7 | 0.9 | 2.4 | 7.0 | 8.7 | 3.3 | 6.7 |
| 22 – 23 | 5.0 | 7.4 | 4.5 | 3.2 | 1.5 | 0.5 | 0.1 | 1.2 | 3.9 | 10.4 | 3.7 | 5.4 |
| 23 – 24 | 6.5 | 8.7 | 3.7 | 3.1 | 1.3 | 0.2 | | 0.7 | 1.5 | 5.1 | 8.0 | 5.0 |
| 24 – 25 | 4.8 | 5.5 | 5.9 | 2.2 | 0.7 | 0.1 | | 0.6 | 1.3 | 2.0 | 3.5 | 5.2 |
| 25 – 26 | 4.7 | 2.1 | 5.6 | 1.9 | 1.0 | | | 0.2 | 1.5 | 1.9 | 2.1 | 3.7 |
| 26 – 27 | 4.1 | 0.6 | 1.2 | 1.3 | 0.6 | | | 0.2 | 1.2 | 2.2 | 1.4 | 2.9 |
| 27 – 28 | 3.2 | 0.6 | 0.8 | 0.9 | 0.6 | | | 0.2 | 1.4 | 2.1 | 0.5 | 5.1 |
| 28 – 29 | 2.0 | 0.5 | 0.6 | 1.0 | 0.9 | | | 0.6 | 1.6 | 2.1 | 0.7 | 2.2 |
| 29 – 30 | 1.2 | 0.1 | 0.4 | 0.5 | 0.5 | 0.1 | | 0.1 | 2.2 | 1.2 | 0.6 | 2.4 |
| 30 – 31 | 1.6 | 0.3 | 0.5 | 0.2 | 0.4 | | | | 2.1 | 1.0 | 0.4 | 1.8 |
| 31 – 32 | 1.3 | | 0.6 | 0.1 | 0.3 | 0.2 | | | 0.3 | 0.3 | 0.4 | 0.7 |
| 32 – 33 | | | | | 0.1 | | | | | 0.3 | 0.8 | 0.4 |
| 33 – 34 | | | | | | | | | | | 1.0 | 0.3 |
| 34 – 35 | | | | | | | | | | | | 0.2 |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 5110 | 4095 | 4800 | 3635 | 3862 | 3825 | 4165 | 3251 | 3539 | 5136 | 4899 | 4616 |

Tabel C.183: Hyppighedsfordeling af saltholdigheden for station Ndr. Røse i 9.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | 0.1 | 0.1 | | | | |
| 7 – 8 | | 0.3 | | 0.2 | 2.4 | 0.4 | 0.4 | 2.6 | 1.6 | 2.0 | 0.7 | |
| 8 – 9 | 3.8 | 4.1 | 10.4 | 13.9 | 12.2 | 7.1 | 9.3 | 9.1 | 15.6 | 7.9 | 5.1 | 3.8 |
| 9 – 10 | 8.1 | 6.8 | 20.9 | 16.6 | 16.4 | 5.7 | 7.0 | 7.4 | 5.5 | 3.7 | 10.6 | 6.7 |
| 10 – 11 | 6.1 | 6.8 | 8.7 | 6.0 | 4.8 | 5.6 | 5.9 | 4.1 | 6.4 | 5.5 | 13.1 | 6.6 |
| 11 – 12 | 6.0 | 8.7 | 4.5 | 3.0 | 4.4 | 4.3 | 4.6 | 4.2 | 3.4 | 2.9 | 3.7 | 4.3 |
| 12 – 13 | 4.5 | 5.3 | 2.8 | 3.0 | 4.4 | 4.1 | 5.5 | 4.7 | 3.1 | 1.7 | 4.2 | 2.8 |
| 13 – 14 | 4.0 | 3.8 | 1.4 | 2.4 | 3.6 | 4.7 | 6.5 | 4.3 | 1.9 | 2.3 | 4.5 | 2.4 |
| 14 – 15 | 3.1 | 2.1 | 1.8 | 3.2 | 5.8 | 7.5 | 6.3 | 5.8 | 2.5 | 1.5 | 2.9 | 2.9 |
| 15 – 16 | 2.5 | 2.6 | 2.0 | 5.0 | 6.6 | 8.4 | 8.5 | 6.1 | 2.6 | 1.8 | 3.2 | 2.7 |
| 16 – 17 | 1.6 | 2.9 | 2.1 | 4.3 | 3.6 | 11.6 | 11.2 | 7.7 | 3.2 | 2.6 | 2.7 | 2.5 |
| 17 – 18 | 2.2 | 3.1 | 2.6 | 6.1 | 3.1 | 12.1 | 14.2 | 9.0 | 4.0 | 3.7 | 2.9 | 2.5 |
| 18 – 19 | 2.5 | 3.1 | 3.8 | 4.2 | 3.1 | 11.3 | 8.7 | 8.8 | 4.4 | 4.1 | 3.6 | 2.4 |
| 19 – 20 | 3.4 | 5.4 | 3.9 | 4.9 | 3.5 | 6.4 | 4.2 | 6.6 | 5.0 | 7.3 | 4.2 | 4.7 |
| 20 – 21 | 4.1 | 6.3 | 3.8 | 3.2 | 3.5 | 4.0 | 2.7 | 4.9 | 6.0 | 9.4 | 3.9 | 5.2 |
| 21 – 22 | 5.0 | 8.0 | 3.7 | 2.6 | 3.4 | 2.1 | 2.9 | 3.4 | 7.1 | 9.3 | 4.4 | 6.7 |
| 22 – 23 | 6.3 | 10.7 | 4.7 | 2.6 | 2.2 | 1.6 | 0.9 | 2.9 | 7.1 | 9.6 | 5.1 | 7.1 |
| 23 – 24 | 6.4 | 10.2 | 4.3 | 3.1 | 2.3 | 1.0 | 0.4 | 2.8 | 2.4 | 6.4 | 9.3 | 5.9 |
| 24 – 25 | 6.0 | 6.0 | 5.9 | 3.4 | 2.0 | 0.7 | 0.4 | 1.1 | 1.9 | 2.8 | 5.3 | 7.1 |
| 25 – 26 | 6.3 | 1.3 | 5.3 | 3.2 | 1.8 | 0.4 | 0.3 | 0.8 | 1.7 | 2.7 | 2.1 | 5.1 |
| 26 – 27 | 5.4 | 1.1 | 2.1 | 2.0 | 1.8 | 0.1 | 0.1 | 0.7 | 1.7 | 2.9 | 1.4 | 5.8 |
| 27 – 28 | 3.1 | 0.3 | 1.3 | 2.7 | 1.7 | 0.2 | | 0.6 | 1.8 | 2.6 | 1.2 | 3.0 |
| 28 – 29 | 2.3 | 0.3 | 0.9 | 2.1 | 2.0 | 0.1 | | 0.8 | 1.8 | 3.1 | 1.0 | 2.6 |
| 29 – 30 | 1.4 | 0.3 | 0.9 | 1.2 | 1.5 | 0.1 | | 0.7 | 3.4 | 1.6 | 0.8 | 2.6 |
| 30 – 31 | 3.1 | 0.1 | 1.1 | 0.4 | 1.9 | 0.2 | | 0.5 | 3.2 | 2.0 | 0.8 | 2.4 |
| 31 – 32 | 2.7 | 0.3 | 1.3 | 0.6 | 1.8 | 0.1 | | | 2.3 | 0.4 | 1.5 | 1.0 |
| 32 – 33 | | | | | 0.3 | | | | | 0.1 | 1.7 | 0.7 |
| 33 – 34 | | | | | | | | | | | 0.3 | 0.7 |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 5110 | 4095 | 4799 | 4343 | 4603 | 4550 | 4017 | 3235 | 3540 | 5137 | 4905 | 4617 |

Tabel C.184: Hyppighedsfordeling af saltholdigheden for station Ndr. Røse i 10.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | 0.4 | | 0.2 | 0.1 | | | | | | | | |
| 7 – 8 | 3.0 | | 3.4 | 1.1 | 2.6 | 2.4 | 3.3 | 4.5 | 2.7 | 5.7 | 0.5 | |
| 8 – 9 | 1.7 | 5.7 | 7.9 | 13.2 | 12.2 | 3.5 | 3.6 | 5.4 | 13.6 | 3.1 | 4.6 | 6.9 |
| 9 – 10 | 6.7 | 5.9 | 18.4 | 14.4 | 11.6 | 4.7 | 5.5 | 4.8 | 4.4 | 4.3 | 14.0 | 6.2 |
| 10 – 11 | 5.5 | 7.2 | 7.4 | 5.4 | 3.2 | 3.6 | 3.4 | 3.6 | 5.4 | 3.3 | 6.8 | 2.4 |
| 11 – 12 | 4.9 | 5.7 | 3.9 | 2.4 | 2.4 | 2.6 | 1.6 | 1.4 | 2.3 | 2.8 | 3.5 | 3.1 |
| 12 – 13 | 2.9 | 3.9 | 2.5 | 1.3 | 3.1 | 3.3 | 2.9 | 1.8 | 1.7 | 1.6 | 2.9 | 2.3 |
| 13 – 14 | 2.9 | 2.6 | 1.0 | 1.9 | 1.9 | 2.9 | 5.3 | 2.3 | 1.8 | 1.7 | 3.1 | 2.2 |
| 14 – 15 | 2.6 | 2.3 | 1.4 | 1.7 | 3.6 | 3.8 | 6.5 | 3.8 | 1.7 | 1.5 | 2.3 | 2.4 |
| 15 – 16 | 2.3 | 2.1 | 1.0 | 2.7 | 4.1 | 5.2 | 5.4 | 5.0 | 2.1 | 1.6 | 1.4 | 2.1 |
| 16 – 17 | 1.6 | 2.4 | 1.1 | 4.4 | 5.3 | 6.6 | 7.9 | 5.9 | 1.0 | 1.6 | 1.9 | 1.4 |
| 17 – 18 | 1.3 | 1.8 | 2.2 | 4.2 | 4.8 | 7.9 | 11.3 | 8.6 | 1.4 | 2.3 | 2.8 | 1.0 |
| 18 – 19 | 1.7 | 2.3 | 2.9 | 5.2 | 3.2 | 11.3 | 9.9 | 7.4 | 1.6 | 2.8 | 3.7 | 2.1 |
| 19 – 20 | 2.3 | 3.5 | 3.5 | 4.5 | 3.2 | 12.6 | 6.2 | 5.8 | 4.8 | 6.3 | 3.7 | 3.4 |
| 20 – 21 | 3.2 | 5.4 | 4.2 | 5.6 | 3.3 | 5.7 | 4.7 | 7.0 | 4.6 | 8.1 | 2.9 | 5.0 |
| 21 – 22 | 4.0 | 5.8 | 4.1 | 3.2 | 3.1 | 4.0 | 4.8 | 6.4 | 7.4 | 7.4 | 3.6 | 4.6 |
| 22 – 23 | 3.8 | 9.9 | 5.9 | 3.1 | 3.9 | 3.9 | 5.1 | 5.3 | 5.5 | 7.7 | 4.3 | 5.6 |
| 23 – 24 | 7.2 | 13.3 | 6.0 | 3.0 | 3.2 | 3.4 | 3.0 | 5.7 | 6.5 | 9.5 | 8.7 | 7.8 |
| 24 – 25 | 5.8 | 8.0 | 5.4 | 4.4 | 2.6 | 2.8 | 2.5 | 3.5 | 4.0 | 3.6 | 6.9 | 10.1 |
| 25 – 26 | 7.6 | 5.0 | 5.9 | 3.7 | 2.0 | 2.6 | 2.6 | 3.8 | 3.2 | 2.6 | 5.9 | 6.7 |
| 26 – 27 | 9.6 | 3.3 | 3.1 | 3.7 | 2.3 | 1.8 | 1.8 | 2.3 | 2.3 | 3.0 | 4.1 | 6.5 |
| 27 – 28 | 6.4 | 2.4 | 2.9 | 3.4 | 2.5 | 1.5 | 1.4 | 1.2 | 2.8 | 3.9 | 2.1 | 4.5 |
| 28 – 29 | 4.4 | 1.3 | 3.7 | 2.1 | 3.6 | 1.3 | 1.2 | 1.1 | 3.1 | 3.7 | 2.2 | 2.9 |
| 29 – 30 | 3.9 | 0.1 | 1.8 | 3.1 | 3.7 | 1.3 | 0.2 | 1.5 | 4.2 | 4.0 | 1.0 | 3.4 |
| 30 – 31 | 1.5 | | | 2.1 | 4.4 | 0.9 | | 1.4 | 3.6 | 5.6 | 1.5 | 2.6 |
| 31 – 32 | 1.6 | | 0.1 | | 2.6 | 0.3 | | 0.6 | 5.9 | 1.7 | 1.3 | 2.6 |
| 32 – 33 | 1.2 | | | | 1.5 | 0.1 | | | 2.6 | 0.6 | 3.3 | 1.4 |
| 33 – 34 | | | | | | | | | | | 1.1 | 0.9 |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 5132 | 4094 | 4800 | 4676 | 4899 | 4381 | 3463 | 3474 | 3668 | 5093 | 4897 | 4617 |

Tabel C.185: Hyppighedsfordeling af saltholdigheden for station Oder i 3.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | 0.3 | | | | | | | | | |
| 3 – 4 | | | 0.8 | 3.3 | 0.4 | | | 2.3 | | | | |
| 4 – 5 | | | 2.5 | 5.8 | 4.2 | 0.1 | 0.6 | 12.7 | | | | |
| 5 – 6 | 4.7 | | 6.8 | 22.5 | 21.3 | 4.2 | 5.8 | 13.6 | 8.8 | 0.7 | 1.4 | 3.9 |
| 6 – 7 | 27.3 | 15.6 | 21.7 | 57.9 | 52.3 | 56.7 | 47.8 | 50.5 | 55.4 | 23.8 | 23.8 | 22.0 |
| 7 – 8 | 67.7 | 56.6 | 37.6 | 9.4 | 21.2 | 37.6 | 40.2 | 20.9 | 35.9 | 62.2 | 69.6 | 72.7 |
| 8 – 9 | 0.3 | 27.9 | 28.5 | 1.0 | 0.5 | 1.4 | 5.6 | | | 13.3 | 5.1 | 1.4 |
| 9 – 10 | | | 1.8 | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1898 | 1747 | 1627 | 2194 | 2668 | 3154 | 2903 | 2075 | 2524 | 2255 | 1799 | 2190 |

Tabel C.186: Hyppighedsfordeling af saltholdigheden for station Oder i 12.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | 1.0 | | 4.8 | 0.6 | 0.8 | | | | | | | 0.1 |
| 6 – 7 | 21.9 | 13.8 | 20.4 | 51.8 | 58.9 | 48.6 | 34.1 | 41.6 | 29.5 | 19.1 | 7.9 | 3.7 |
| 7 – 8 | 73.3 | 86.2 | 74.8 | 44.3 | 24.4 | 46.0 | 52.4 | 52.9 | 66.4 | 67.9 | 83.5 | 91.8 |
| 8 – 9 | 2.7 | | | 3.3 | 16.0 | 5.4 | 13.5 | 5.5 | 2.4 | 13.0 | 8.6 | 4.1 |
| 9 – 10 | 1.1 | | | | | | | | 1.6 | | | 0.3 |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 20 – 21 | | | | | | | | | | | | |
| 21 – 22 | | | | | | | | | | | | |
| 22 – 23 | | | | | | | | | | | | |
| 23 – 24 | | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1328 | 1156 | 1017 | 1971 | 2635 | 3187 | 3092 | 1986 | 2749 | 2764 | 2188 | 2117 |

Tabel C.187: Hyppighedsfordeling af saltholdigheden for station Østerrenden Nord i 3.3 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | 8.8 | 6.8 | 4.3 | | 0.2 | | 3.9 | | | | 0.4 |
| 5 – 6 | | 17.5 | 6.6 | 14.9 | 3.2 | 8.1 | 9.3 | 18.1 | 0.9 | | | 20.7 |
| 6 – 7 | | 6.7 | 3.0 | 9.5 | 15.9 | 6.5 | 10.6 | 24.5 | 9.6 | 10.0 | 4.2 | 9.9 |
| 7 – 8 | 0.4 | 4.4 | 2.1 | 4.3 | 22.4 | 3.9 | 9.0 | 15.0 | 23.5 | 18.8 | 25.3 | 6.1 |
| 8 – 9 | 3.4 | 4.8 | 8.4 | 13.0 | 8.5 | 1.9 | 2.6 | 7.1 | 17.2 | 14.1 | 12.8 | 9.3 |
| 9 – 10 | 8.1 | 10.1 | 19.2 | 34.3 | 4.0 | 9.0 | 8.5 | 5.9 | 14.7 | 10.8 | 3.1 | 6.9 |
| 10 – 11 | 13.6 | 1.4 | 10.5 | 8.5 | 21.7 | 15.1 | 9.8 | 19.4 | 20.3 | 12.6 | 2.4 | |
| 11 – 12 | 24.1 | | 3.8 | 7.5 | 11.6 | 14.0 | 9.7 | 6.1 | 12.8 | 11.9 | 2.4 | |
| 12 – 13 | 0.4 | | 9.1 | 3.4 | 4.8 | 13.0 | 7.7 | 0.1 | 1.0 | 9.7 | 7.8 | |
| 13 – 14 | | | 3.9 | 0.4 | 5.4 | 1.3 | 4.7 | | | 5.3 | 6.7 | 5.2 |
| 14 – 15 | | | 2.6 | | 2.4 | 2.2 | 3.4 | | | 3.2 | 11.1 | 2.5 |
| 15 – 16 | 2.2 | | 0.6 | | 0.1 | 8.3 | 5.2 | | | 2.8 | 11.8 | 1.2 |
| 16 – 17 | 7.3 | | 0.6 | | | 8.8 | 5.0 | | | 0.7 | 4.6 | |
| 17 – 18 | 19.2 | 1.8 | 1.7 | | | 4.0 | 6.1 | | | | 5.0 | |
| 18 – 19 | 7.3 | 2.2 | 5.3 | | | 4.0 | 3.3 | | | | 2.9 | 0.2 |
| 19 – 20 | 2.6 | 10.5 | 9.0 | | | | 5.0 | | | | | 3.9 |
| 20 – 21 | 1.2 | 11.7 | 5.2 | | | | 0.1 | | | | | 5.2 |
| 21 – 22 | 1.9 | 9.8 | 1.4 | | | | | | | | | 4.7 |
| 22 – 23 | 5.6 | 6.4 | 0.1 | | | | | | | | | 14.8 |
| 23 – 24 | 1.3 | 3.4 | | | | | | | | | | 9.1 |
| 24 – 25 | 1.3 | 0.8 | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1488 | 1253 | 1483 | 1428 | 1488 | 1440 | 1488 | 1480 | 1437 | 1484 | 1437 | 1397 |

Tabel C.188: Hyppighedsfordeling af saltholdigheden for station Østerrenden Nord i 5.8 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | 0.3 | 0.9 | | | | |
| 8 – 9 | | 8.1 | 9.8 | 22.8 | | | 9.9 | 14.0 | 0.3 | | | 0.1 |
| 9 – 10 | | 12.9 | 3.4 | 35.3 | 1.1 | 4.0 | 5.6 | 18.2 | 1.5 | 4.3 | | 11.6 |
| 10 – 11 | | 7.9 | 8.2 | 7.6 | 21.2 | 11.4 | 3.6 | 11.7 | 4.7 | 8.6 | | 13.6 |
| 11 – 12 | | 3.1 | 6.0 | 7.8 | 16.2 | 8.7 | 13.2 | 14.6 | 9.2 | 9.2 | 0.1 | 3.8 |
| 12 – 13 | | 4.9 | 9.3 | 6.2 | 22.7 | 9.6 | 13.8 | 7.6 | 8.4 | 12.6 | 14.4 | 2.5 |
| 13 – 14 | | 0.7 | 5.3 | 2.6 | 17.3 | 6.8 | 7.4 | 4.3 | 5.8 | 8.5 | 19.0 | 7.9 |
| 14 – 15 | 0.3 | 3.1 | 9.3 | 0.4 | 13.2 | 6.1 | 9.5 | 0.9 | 11.4 | 5.7 | 19.3 | 7.6 |
| 15 – 16 | 4.9 | 1.5 | 11.9 | 1.2 | 5.7 | 11.6 | 12.8 | 0.6 | 15.4 | 8.0 | 15.3 | 8.1 |
| 16 – 17 | 24.1 | 3.9 | 9.0 | 1.8 | 2.2 | 13.1 | 10.3 | 6.6 | 22.3 | 18.5 | 12.5 | 3.2 |
| 17 – 18 | 16.3 | 8.9 | 5.4 | 4.3 | 0.4 | 11.2 | 5.2 | 13.9 | 16.8 | 12.5 | 7.8 | 3.1 |
| 18 – 19 | 9.6 | 9.4 | 5.5 | 5.5 | | 14.9 | 3.3 | 6.1 | 3.8 | 4.3 | 6.5 | 0.6 |
| 19 – 20 | 7.3 | 7.7 | 9.4 | 2.8 | | 2.4 | 4.8 | 0.7 | 0.3 | 2.3 | 1.4 | 3.4 |
| 20 – 21 | 10.6 | 11.5 | 5.7 | 2.0 | | 0.1 | 0.3 | | 0.1 | 1.1 | 2.1 | 5.9 |
| 21 – 22 | 19.6 | 9.7 | 1.8 | | | 0.1 | | | | 4.1 | 1.6 | 7.4 |
| 22 – 23 | 5.7 | 5.3 | | | | | | | | 0.3 | | 18.1 |
| 23 – 24 | 1.5 | 1.3 | | | | | | | | | | 2.9 |
| 24 – 25 | 0.1 | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1488 | 1253 | 1483 | 1428 | 1488 | 1440 | 1488 | 1480 | 1437 | 1485 | 1429 | 1399 |

Tabel C.189: Hyppighedsfordeling af saltholdigheden for station Østerrenden Nord i 9.8 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | 0.5 | 4.9 | | | | | | | | | |
| 5 – 6 | | 14.3 | 5.8 | | | | | | | | | 11.5 |
| 6 – 7 | | 12.8 | 1.4 | | | | | 0.3 | | | | 13.3 |
| 7 – 8 | | 7.3 | 2.3 | | | | | 3.8 | | | 3.0 | 5.7 |
| 8 – 9 | 1.3 | 6.4 | 2.8 | 4.4 | | | 0.1 | 4.1 | | | 6.8 | 5.8 |
| 9 – 10 | 3.8 | 3.8 | 2.2 | 31.0 | | | 2.5 | 5.2 | | 2.0 | 4.3 | 10.3 |
| 10 – 11 | 4.6 | 6.3 | 8.6 | 16.7 | 8.5 | 0.8 | 2.9 | 8.2 | 1.0 | 6.6 | 1.7 | 2.1 |
| 11 – 12 | 12.8 | 2.4 | 8.8 | 10.2 | 6.0 | 4.5 | 2.8 | 7.4 | 5.4 | 9.4 | 8.6 | 3.3 |
| 12 – 13 | 19.6 | | 15.0 | 10.1 | 6.4 | 4.5 | 6.8 | 7.6 | 3.2 | 10.4 | 13.8 | 1.1 |
| 13 – 14 | 7.1 | | 11.9 | 11.8 | 4.7 | 4.8 | 7.8 | 4.3 | 5.9 | 9.6 | 12.1 | 0.1 |
| 14 – 15 | 0.9 | | 10.2 | 7.4 | 9.3 | 2.7 | 11.0 | 5.5 | 7.0 | 6.5 | 8.9 | 5.1 |
| 15 – 16 | | | 2.8 | 2.9 | 12.1 | 2.6 | 9.3 | 4.0 | 6.9 | 5.3 | 8.8 | 2.2 |
| 16 – 17 | 1.8 | | 0.7 | 1.6 | 8.8 | 4.0 | 11.7 | 3.7 | 10.6 | 6.8 | 8.0 | 1.1 |
| 17 – 18 | 21.7 | 1.7 | 0.6 | 1.7 | 8.1 | 3.9 | 13.2 | 6.3 | 11.1 | 7.7 | 6.2 | 0.3 |
| 18 – 19 | 10.5 | 1.6 | 2.7 | 1.1 | 4.8 | 6.9 | 16.3 | 12.0 | 20.7 | 6.1 | 5.1 | 0.1 |
| 19 – 20 | 3.0 | 6.5 | 7.3 | 0.8 | 4.2 | 6.2 | 8.7 | 13.1 | 13.8 | 10.0 | 5.3 | 0.6 |
| 20 – 21 | 2.6 | 9.2 | 7.1 | 0.3 | 5.3 | 6.9 | 5.0 | 5.2 | 4.8 | 10.6 | 3.1 | 3.4 |
| 21 – 22 | 2.0 | 7.3 | 4.5 | 0.1 | 4.9 | 11.0 | 1.1 | 3.8 | 3.1 | 7.0 | 1.3 | 4.8 |
| 22 – 23 | 3.7 | 6.7 | 0.5 | | 5.0 | 10.3 | 0.7 | 3.9 | 2.6 | 1.5 | 1.0 | 5.8 |
| 23 – 24 | 2.4 | 9.4 | | | 3.8 | 9.7 | 0.1 | 1.4 | 1.7 | 0.5 | 1.3 | 16.8 |
| 24 – 25 | 1.7 | 3.8 | | | 3.2 | 7.7 | | 0.3 | 1.2 | | 0.6 | 6.5 |
| 25 – 26 | 0.3 | 0.1 | | | 2.6 | 5.7 | | 0.1 | 1.0 | | 0.1 | 0.1 |
| 26 – 27 | 0.2 | | | | 2.1 | 4.8 | | | | | | |
| 27 – 28 | | | | | 0.1 | 2.2 | | | | | | |
| 28 – 29 | | | | | | 1.0 | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1488 | 1253 | 1483 | 1428 | 1488 | 1440 | 1488 | 1480 | 1437 | 1485 | 1432 | 1402 |

Tabel C.190: Hyppighedsfordeling af saltholdigheden for station Østerrenden Nord i 14.9 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | 7.6 | | | | | | | | |
| 10 – 11 | | | 3.5 | 11.6 | 0.9 | | | 1.4 | | 2.0 | | 4.2 |
| 11 – 12 | | 0.7 | 6.5 | 4.4 | 1.9 | | | 1.4 | | 4.6 | | 4.6 |
| 12 – 13 | | 1.4 | 6.7 | 4.3 | 0.9 | | | 3.4 | 1.5 | 6.3 | 0.4 | 5.7 |
| 13 – 14 | | 5.0 | 5.6 | 3.4 | 0.6 | | 0.1 | 3.3 | 1.6 | 7.6 | 6.4 | 4.4 |
| 14 – 15 | | 5.2 | 4.7 | 5.0 | 0.7 | | 1.3 | 2.6 | 2.6 | 9.8 | 9.1 | 3.2 |
| 15 – 16 | | 4.4 | 2.8 | 4.6 | 1.1 | | 3.6 | 2.3 | 3.4 | 6.6 | 8.1 | 4.9 |
| 16 – 17 | 0.5 | 4.7 | 2.1 | 5.5 | 1.2 | | 3.5 | 2.4 | 4.1 | 5.8 | 6.0 | 8.4 |
| 17 – 18 | 11.1 | 7.3 | 2.7 | 6.7 | 1.3 | 0.4 | 3.4 | 5.5 | 8.6 | 7.1 | 6.4 | 8.2 |
| 18 – 19 | 18.1 | 10.1 | 3.4 | 9.6 | 1.2 | 0.9 | 4.4 | 8.2 | 10.2 | 10.6 | 10.6 | 3.6 |
| 19 – 20 | 5.1 | 9.3 | 5.8 | 8.6 | 1.5 | 0.8 | 7.6 | 16.0 | 8.0 | 8.6 | 9.5 | 2.6 |
| 20 – 21 | 7.9 | 16.1 | 7.5 | 6.4 | 2.3 | 0.5 | 6.5 | 15.4 | 7.1 | 7.4 | 8.2 | 5.0 |
| 21 – 22 | 7.9 | 10.9 | 8.5 | 5.3 | 2.6 | 1.0 | 6.1 | 6.3 | 7.0 | 7.5 | 7.0 | 5.5 |
| 22 – 23 | 15.1 | 8.7 | 7.8 | 5.7 | 3.2 | 4.0 | 10.2 | 3.6 | 5.7 | 5.1 | 4.7 | 8.8 |
| 23 – 24 | 19.3 | 12.4 | 2.5 | 4.1 | 3.7 | 5.9 | 9.3 | 2.3 | 6.0 | 5.9 | 4.0 | 18.7 |
| 24 – 25 | 10.7 | 3.1 | 10.9 | 3.4 | 5.0 | 5.0 | 14.9 | 6.2 | 5.9 | 1.2 | 3.7 | 9.6 |
| 25 – 26 | 2.4 | 0.6 | 15.2 | 1.4 | 6.3 | 5.1 | 11.0 | 8.4 | 6.9 | 1.4 | 3.4 | 0.9 |
| 26 – 27 | 1.5 | | 3.6 | 1.9 | 9.1 | 6.2 | 7.1 | 6.6 | 6.8 | 1.6 | 3.2 | 0.9 |
| 27 – 28 | 0.3 | | | 0.8 | 12.2 | 9.3 | 4.0 | 2.7 | 8.4 | 0.7 | 5.0 | 0.6 |
| 28 – 29 | 0.2 | | | 0.1 | 10.1 | 15.8 | 2.4 | 2.1 | 6.2 | | 3.2 | 0.1 |
| 29 – 30 | | | | | 10.0 | 18.9 | 2.0 | | | | 0.9 | |
| 30 – 31 | | | | | 14.2 | 20.4 | 1.8 | | | | | |
| 31 – 32 | | | | | 9.6 | 5.8 | 0.5 | | | | 0.1 | |
| 32 – 33 | | | | | 0.2 | | 0.1 | | | | 0.1 | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1488 | 1253 | 1483 | 1428 | 1488 | 1440 | 1485 | 1459 | 1377 | 1482 | 1393 | 1399 |

Tabel C.191: Hyppighedsfordeling af saltholdigheden for station Romsø Tue Fyr i 7.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | 0.4 | 0.3 | | | | |
| 9 – 10 | | | | | | | 0.8 | 4.8 | | | | |
| 10 – 11 | | | | 1.7 | | | 0.6 | 0.7 | | | | |
| 11 – 12 | | | | 8.5 | 3.5 | 0.6 | 1.6 | 1.4 | | | | |
| 12 – 13 | | | | 16.6 | 11.3 | 4.7 | 3.3 | 0.3 | | | | |
| 13 – 14 | 2.2 | | | 18.2 | 23.0 | 14.4 | 3.6 | 4.4 | 1.7 | | | |
| 14 – 15 | 5.9 | | | 23.0 | 24.0 | 20.1 | 5.1 | 8.2 | 5.6 | | | |
| 15 – 16 | 11.3 | | | 22.1 | 13.3 | 22.2 | 8.1 | 12.6 | 8.1 | | | |
| 16 – 17 | 11.5 | 2.3 | 2.9 | 8.4 | 18.9 | 14.5 | 24.7 | 5.3 | 15.2 | | 0.2 | |
| 17 – 18 | 3.7 | 7.8 | 6.7 | 1.2 | 5.0 | 7.6 | 4.6 | 22.1 | 20.1 | 1.5 | 3.6 | 2.5 |
| 18 – 19 | 5.5 | 18.3 | 14.2 | 0.1 | 0.5 | 11.5 | 3.2 | 20.4 | 14.2 | 1.8 | 15.8 | 6.0 |
| 19 – 20 | 6.5 | 25.5 | 8.9 | 0.1 | 0.1 | 3.0 | 13.6 | 12.6 | 12.7 | 8.4 | 29.8 | 19.5 |
| 20 – 21 | 5.4 | 10.4 | 7.3 | | 0.2 | 0.6 | 14.1 | 4.3 | 3.2 | 5.2 | 23.1 | 36.1 |
| 21 – 22 | 10.7 | 17.3 | 8.4 | | | 0.6 | 6.7 | 1.8 | 3.2 | 21.0 | 24.2 | 35.9 |
| 22 – 23 | 17.0 | 12.5 | 3.5 | | | 0.2 | 3.5 | 0.4 | 14.4 | 28.6 | 2.8 | |
| 23 – 24 | 14.3 | 1.2 | 0.1 | | 0.2 | | 2.4 | 0.4 | 1.7 | 15.2 | 0.4 | |
| 24 – 25 | 6.0 | 3.1 | 1.5 | | | | 1.4 | 0.1 | | 12.6 | | |
| 25 – 26 | | 1.7 | 25.1 | | | | 0.5 | | | 5.6 | | |
| 26 – 27 | | | 21.3 | | | | 0.9 | | | | | |
| 27 – 28 | | | | | | | 0.4 | | | | | |
| 28 – 29 | | | | | | | 0.1 | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 728 | 655 | 682 | 692 | 835 | 846 | 1112 | 1409 | 1296 | 998 | 467 | 635 |

Tabel C.192: Hyppighedsfordeling af saltholdigheden for station Romsø Tue Fyr i 10.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | 1.4 | | | | | |
| 10 – 11 | | | | | | | 1.9 | | | | | |
| 11 – 12 | | | | 3.0 | | | 1.3 | | | | | |
| 12 – 13 | | | | 5.8 | | | 2.4 | | | | | |
| 13 – 14 | | | | 8.7 | 1.1 | 0.4 | 2.7 | 1.1 | 0.4 | | 5.3 | |
| 14 – 15 | | | | 16.2 | 12.4 | 1.4 | 6.6 | 3.7 | 1.0 | | 8.8 | |
| 15 – 16 | | | 0.3 | 29.3 | 14.7 | 7.1 | 6.6 | 2.4 | 1.4 | 0.6 | 10.7 | |
| 16 – 17 | 2.1 | | 1.3 | 16.2 | 15.3 | 11.7 | 5.4 | 16.9 | 6.4 | 1.3 | 5.7 | |
| 17 – 18 | 4.8 | 1.4 | 5.0 | 11.7 | 16.3 | 24.7 | 3.9 | 4.9 | 8.6 | 2.5 | 0.6 | |
| 18 – 19 | 10.9 | 6.4 | 15.0 | 4.9 | 16.7 | 16.7 | 3.9 | 10.0 | 14.3 | 10.7 | 3.8 | |
| 19 – 20 | 8.5 | 14.7 | 10.0 | 3.2 | 9.9 | 7.1 | 9.7 | 15.6 | 21.6 | 9.6 | 20.6 | 2.5 |
| 20 – 21 | 6.9 | 22.0 | 7.3 | 0.6 | 5.7 | 5.8 | 15.8 | 15.4 | 17.9 | 30.3 | 9.7 | 10.4 |
| 21 – 22 | 7.4 | 24.3 | 10.1 | 0.4 | 2.5 | 6.6 | 3.8 | 9.6 | 21.9 | 26.5 | 22.5 | 56.9 |
| 22 – 23 | 14.7 | 25.2 | 3.1 | | 1.9 | 6.0 | 5.2 | 7.7 | 2.5 | 12.7 | 3.6 | 29.1 |
| 23 – 24 | 4.4 | 1.5 | 0.1 | | 1.0 | 4.7 | 5.7 | 6.0 | 1.9 | 5.6 | 7.6 | 0.5 |
| 24 – 25 | 18.1 | 2.9 | 1.6 | | 0.7 | 3.4 | 4.6 | 3.9 | 1.3 | 0.1 | 1.1 | 0.6 |
| 25 – 26 | 15.1 | 1.7 | 27.4 | | 0.7 | 2.5 | 3.5 | 1.3 | 0.4 | | 0.2 | |
| 26 – 27 | 6.9 | | 18.8 | | 0.5 | 0.6 | 4.2 | 1.1 | 0.4 | | | |
| 27 – 28 | 0.3 | | | | 0.5 | 1.1 | 2.3 | 0.3 | | | | |
| 28 – 29 | | | | | | 0.2 | 3.7 | 0.1 | | | | |
| 29 – 30 | | | | | | | 3.9 | | | | | |
| 30 – 31 | | | | | | | 1.6 | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 728 | 655 | 682 | 692 | 836 | 846 | 1038 | 1394 | 1297 | 999 | 476 | 635 |

Tabel C.193: Hyppighedsfordeling af saltholdigheden for station Romsø Tue Fyr i 12.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | 0.4 | | | | | |
| 11 – 12 | | | | 2.2 | | | 2.0 | | | | | |
| 12 – 13 | | | | 1.7 | | | 1.0 | | | | | |
| 13 – 14 | | | | 4.3 | | | 3.2 | 2.1 | | | | |
| 14 – 15 | | | | 4.5 | 0.5 | | 5.3 | 3.3 | 0.3 | | | |
| 15 – 16 | | | | 16.2 | 4.4 | | 7.8 | 2.1 | 0.5 | | | |
| 16 – 17 | | | 0.9 | 19.4 | 7.3 | 0.5 | 2.7 | 8.3 | 0.4 | | | |
| 17 – 18 | | | 3.8 | 17.2 | 7.5 | 2.6 | 2.3 | 6.5 | 3.0 | 0.2 | | |
| 18 – 19 | | | 12.0 | 10.7 | 11.4 | 4.5 | 1.1 | 1.6 | 9.7 | 1.1 | 2.1 | |
| 19 – 20 | | | 11.4 | 11.3 | 13.8 | 13.6 | 2.2 | 2.8 | 16.5 | 6.6 | 14.5 | 12.0 |
| 20 – 21 | | | 9.7 | 8.7 | 11.0 | 17.3 | 7.9 | 6.7 | 26.1 | 9.5 | 10.1 | 21.4 |
| 21 – 22 | 28.1 | 7.9 | 2.7 | 9.2 | 13.7 | 13.7 | 8.5 | 10.0 | 21.7 | 21.6 | 32.4 | 66.5 |
| 22 – 23 | 35.9 | 5.7 | 1.0 | 9.9 | 10.9 | 10.9 | 5.7 | 12.9 | 10.4 | 30.4 | 11.8 | |
| 23 – 24 | 10.9 | 0.7 | 0.1 | 7.5 | 8.9 | 8.9 | 5.3 | 11.0 | 4.4 | 16.8 | 17.2 | |
| 24 – 25 | 16.4 | 1.8 | | 6.1 | 6.9 | 6.9 | 4.9 | 9.2 | 1.8 | 8.1 | 9.7 | |
| 25 – 26 | 8.6 | 32.6 | | 3.6 | 6.9 | 6.9 | 3.2 | 10.5 | 2.2 | 4.3 | 1.9 | |
| 26 – 27 | | 13.5 | | 3.3 | 4.6 | 4.6 | 2.9 | 6.9 | 2.1 | 1.1 | 0.4 | |
| 27 – 28 | | | | 2.5 | 3.1 | 3.1 | 5.0 | 4.8 | 0.9 | 0.2 | | |
| 28 – 29 | | | | 1.7 | 3.9 | 3.9 | 6.4 | 0.6 | | | | |
| 29 – 30 | | | | 0.2 | 2.2 | 2.2 | 9.8 | 0.4 | | | | |
| 30 – 31 | | | | | 0.6 | 0.6 | 10.3 | | | | | |
| 31 – 32 | | | | | | | 2.1 | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 728 | 128 | 682 | 692 | 836 | 846 | 1092 | 1394 | 1297 | 999 | 476 | 415 |

Tabel C.194: Hyppighedsfordeling af saltholdigheden for station Romsø Tue Fyr i 14.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | 0.7 | | | | 0.1 | | | | |
| 12 – 13 | | | | 1.0 | | | | 2.1 | | 3.0 | | |
| 13 – 14 | | | | 2.3 | | | | 2.1 | 0.2 | 4.4 | | |
| 14 – 15 | | | | 1.6 | | | | 8.5 | 1.0 | 0.1 | | |
| 15 – 16 | | | | 3.6 | | | | 4.9 | 6.2 | | | |
| 16 – 17 | | | 0.1 | 11.1 | 0.6 | | 0.3 | 4.4 | 6.6 | 0.9 | | |
| 17 – 18 | 0.1 | 0.6 | 2.9 | 11.6 | 2.5 | | 1.6 | 1.9 | 11.6 | 1.4 | | |
| 18 – 19 | 0.8 | 5.6 | 7.2 | 11.4 | 2.2 | | 7.7 | 0.6 | 9.1 | 2.0 | 1.5 | 4.6 |
| 19 – 20 | 5.4 | 10.5 | 8.3 | 14.6 | 4.7 | 0.6 | 8.1 | 0.4 | 11.4 | 12.2 | 11.1 | 13.9 |
| 20 – 21 | 9.8 | 20.2 | 13.5 | 23.8 | 12.4 | 2.8 | 3.0 | 1.1 | 22.4 | 22.9 | 19.7 | 48.2 |
| 21 – 22 | 12.5 | 23.2 | 13.9 | 10.4 | 9.2 | 6.4 | 2.0 | 1.7 | 11.4 | 20.8 | 14.1 | 19.4 |
| 22 – 23 | 10.2 | 27.2 | 5.1 | 3.6 | 8.3 | 6.7 | 1.5 | 1.8 | 5.8 | 15.7 | 14.3 | 5.0 |
| 23 – 24 | 12.6 | 7.2 | 1.0 | 3.6 | 8.5 | 6.0 | 3.1 | 6.3 | 3.5 | 8.3 | 13.2 | 5.4 |
| 24 – 25 | 23.8 | 3.8 | 1.6 | 0.6 | 7.5 | 8.4 | 6.7 | 9.9 | 3.4 | 5.4 | 11.6 | 3.1 |
| 25 – 26 | 16.5 | 1.7 | 22.0 | | 8.4 | 14.3 | 8.7 | 13.3 | 1.4 | 2.5 | 8.2 | 0.5 |
| 26 – 27 | 4.8 | | 24.3 | | 10.8 | 15.1 | 8.8 | 12.4 | 2.9 | 0.3 | 4.4 | |
| 27 – 28 | 3.6 | | | | 11.7 | 16.5 | 4.0 | 16.7 | 2.7 | | 1.7 | |
| 28 – 29 | | | | | 9.9 | 10.2 | 4.5 | 9.5 | 0.5 | | 0.2 | |
| 29 – 30 | | | | | 3.3 | 7.4 | 7.1 | 2.3 | | | | |
| 30 – 31 | | | | | | 5.0 | 11.8 | | | | | |
| 31 – 32 | | | | | | 0.6 | 20.0 | | | | | |
| 32 – 33 | | | | | | | 1.0 | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 728 | 655 | 683 | 692 | 836 | 847 | 1058 | 1407 | 1297 | 999 | 476 | 635 |

Tabel C.195: Hyppighedsfordeling af saltholdigheden for station Romsø Tue Fyr i 16.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | 0.3 | | | | | | | | |
| 12 – 13 | | | | 0.6 | | | | | | | | |
| 13 – 14 | | | | 0.1 | | | | | | | | |
| 14 – 15 | | | | 0.3 | | | | | | | | |
| 15 – 16 | | | | 1.2 | | | | | | | | |
| 16 – 17 | | | | 2.7 | | | | | | | | |
| 17 – 18 | | | 1.2 | 6.9 | | | | | | 2.2 | | |
| 18 – 19 | | | 5.9 | 6.8 | | | | 0.9 | | 2.5 | 0.6 | |
| 19 – 20 | 0.5 | 2.0 | 6.7 | 12.7 | 0.1 | | 0.2 | 1.6 | 1.5 | 7.1 | 1.5 | |
| 20 – 21 | 4.1 | 5.2 | 7.8 | 23.4 | 0.4 | | 1.3 | 3.9 | 3.3 | 25.2 | 9.5 | 10.2 |
| 21 – 22 | 8.0 | 22.7 | 17.0 | 22.5 | 0.7 | | 5.0 | 5.4 | 19.1 | 19.0 | 9.9 | 29.4 |
| 22 – 23 | 6.9 | 28.2 | 9.5 | 9.7 | 8.0 | 0.7 | 4.9 | 3.9 | 10.9 | 12.5 | 18.3 | 34.8 |
| 23 – 24 | 19.1 | 31.0 | 4.0 | 7.8 | 11.5 | 0.7 | 2.5 | 4.4 | 15.7 | 5.2 | 1.7 | 4.9 |
| 24 – 25 | 25.7 | 9.2 | 1.6 | 3.6 | 10.6 | 3.8 | 2.3 | 6.1 | 12.6 | 4.3 | 5.9 | 6.8 |
| 25 – 26 | 18.1 | 1.7 | 19.3 | 1.2 | 9.5 | 6.4 | 4.8 | 7.8 | 17.4 | 8.2 | 18.7 | 7.4 |
| 26 – 27 | 11.3 | | 27.1 | 0.1 | 8.6 | 7.6 | 9.2 | 11.0 | 10.0 | 8.4 | 15.3 | 4.4 |
| 27 – 28 | 5.5 | | | | 8.4 | 22.1 | 10.7 | 16.6 | 5.3 | 4.3 | 13.0 | 2.0 |
| 28 – 29 | 0.8 | | | | 19.0 | 26.2 | 6.4 | 24.1 | 3.5 | 1.0 | 4.0 | |
| 29 – 30 | | | | | 19.6 | 16.2 | 6.4 | 9.6 | 0.6 | | 0.2 | |
| 30 – 31 | | | | | 3.7 | 14.4 | 12.2 | 4.7 | | | 1.1 | |
| 31 – 32 | | | | | | 2.0 | 25.9 | | | | 0.4 | |
| 32 – 33 | | | | | | | 8.2 | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 728 | 655 | 683 | 692 | 838 | 847 | 1038 | 1394 | 1297 | 999 | 476 | 635 |

Tabel C.196: Hyppighedsfordeling af saltholdigheden for station Romsø Tue Fyr i 19.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | 1.1 | | 0.1 | | | | | | 1.3 | | |
| 17 – 18 | | 6.1 | 0.4 | 0.7 | | | | | | 4.0 | | |
| 18 – 19 | 1.2 | 34.8 | 4.2 | 3.0 | | | | | | 6.4 | 0.5 | 2.4 |
| 19 – 20 | 9.1 | 27.5 | 5.1 | 6.8 | | | | | 0.4 | 1.5 | 3.8 | 20.6 |
| 20 – 21 | 14.7 | 11.1 | 4.0 | 12.6 | | | | | 1.1 | 13.6 | 12.0 | 24.7 |
| 21 – 22 | 33.7 | | 8.5 | 39.9 | | | 0.2 | | 2.9 | 15.3 | 18.7 | 29.4 |
| 22 – 23 | 15.8 | 4.0 | 20.4 | 4.8 | 0.2 | | 1.5 | 0.1 | 15.7 | 16.5 | 5.4 | 4.9 |
| 23 – 24 | 16.6 | 2.6 | 3.7 | 11.3 | 0.8 | | 2.0 | 0.2 | 8.5 | 7.5 | 3.2 | 5.8 |
| 24 – 25 | 8.8 | 7.8 | 7.0 | 10.7 | 4.4 | | 1.4 | 1.2 | 9.4 | 4.5 | 3.4 | 7.6 |
| 25 – 26 | 0.1 | 4.7 | 18.6 | 6.8 | 10.3 | | 2.1 | 3.8 | 11.4 | 2.5 | 4.7 | 4.4 |
| 26 – 27 | | 0.3 | 28.1 | 2.7 | 8.7 | 0.4 | 4.8 | 6.0 | 12.5 | 8.4 | 11.5 | 0.2 |
| 27 – 28 | | | | 0.6 | 9.5 | 3.4 | 8.5 | 10.5 | 18.4 | 10.3 | 15.3 | |
| 28 – 29 | | | | | 14.6 | 16.2 | 14.4 | 20.2 | 13.0 | 7.4 | 12.2 | |
| 29 – 30 | | | | | 22.7 | 37.3 | 14.0 | 37.0 | 6.6 | 0.7 | 5.6 | |
| 30 – 31 | | | | | 23.5 | 20.5 | 10.1 | 18.7 | 0.3 | | 2.0 | |
| 31 – 32 | | | | | 5.0 | 20.9 | 25.4 | 2.3 | | | 1.6 | |
| 32 – 33 | | | | | 0.2 | 1.3 | 15.8 | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 728 | 655 | 683 | 692 | 838 | 847 | 1110 | 1410 | 1297 | 999 | 443 | 635 |

Tabel C.197: Hyppighedsfordeling af saltholdigheden for station Vesterrenden i 6.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | 2.3 | | | 0.3 | |
| 7 – 8 | | | | | | | | 2.5 | | | 1.0 | |
| 8 – 9 | | | | | | | 0.5 | 1.2 | | 0.7 | 3.3 | |
| 9 – 10 | | | | 0.5 | 0.1 | 0.1 | 1.8 | 0.9 | 1.1 | 3.9 | 2.4 | |
| 10 – 11 | | 3.8 | | 14.5 | 5.7 | 2.2 | 2.6 | 2.0 | 3.4 | 3.0 | 5.3 | |
| 11 – 12 | | 5.3 | 11.7 | 10.1 | 11.1 | 6.5 | 5.5 | 1.5 | 8.6 | 5.8 | 4.4 | 0.7 |
| 12 – 13 | 0.1 | 3.2 | 8.0 | 16.2 | 19.6 | 6.7 | 11.0 | 1.0 | 11.0 | 5.4 | 1.0 | 0.4 |
| 13 – 14 | 3.3 | 2.8 | 6.4 | 14.3 | 19.2 | 8.9 | 9.1 | 3.3 | 7.1 | 5.2 | 3.9 | 2.1 |
| 14 – 15 | 5.3 | 7.0 | 5.6 | 12.9 | 11.8 | 12.2 | 8.6 | 6.5 | 11.1 | 8.6 | 7.7 | 5.7 |
| 15 – 16 | 6.9 | 6.8 | 7.5 | 5.5 | 9.5 | 14.1 | 8.2 | 8.2 | 11.4 | 7.0 | 6.9 | 6.7 |
| 16 – 17 | 6.4 | 11.7 | 6.9 | 5.1 | 5.9 | 9.0 | 10.6 | 22.4 | 11.0 | 3.9 | 11.0 | 12.5 |
| 17 – 18 | 8.1 | 19.7 | 7.4 | 6.5 | 5.9 | 13.8 | 6.9 | 16.9 | 6.8 | 9.0 | 12.3 | 6.2 |
| 18 – 19 | 5.5 | 13.4 | 9.7 | 3.2 | 4.6 | 8.8 | 7.5 | 14.1 | 7.6 | 15.8 | 9.2 | 7.4 |
| 19 – 20 | 3.5 | 6.9 | 7.2 | 3.2 | 4.4 | 10.1 | 5.4 | 8.7 | 7.7 | 6.7 | 7.7 | 5.7 |
| 20 – 21 | 3.0 | 9.5 | 6.9 | 2.7 | 1.9 | 3.9 | 11.8 | 5.7 | 6.7 | 7.2 | 3.5 | 7.4 |
| 21 – 22 | 6.6 | 3.6 | 3.7 | 2.7 | 0.1 | 2.8 | 7.7 | 2.4 | 5.2 | 7.9 | 3.5 | 15.7 |
| 22 – 23 | 7.2 | 4.0 | 4.9 | 1.4 | 0.1 | 0.7 | 1.2 | 0.4 | 1.1 | 6.4 | 5.7 | 7.7 |
| 23 – 24 | 11.5 | 1.7 | 4.3 | 0.3 | 0.1 | 0.2 | 0.7 | | 0.2 | 2.8 | 5.6 | 7.4 |
| 24 – 25 | 8.8 | 0.4 | 3.6 | 0.4 | | | 0.4 | | | 0.6 | 4.5 | 7.3 |
| 25 – 26 | 9.5 | | 5.9 | 0.2 | | 0.1 | 0.1 | | | | 0.7 | 6.9 |
| 26 – 27 | 9.9 | | 0.1 | 0.1 | | | 0.1 | | | | | 0.1 |
| 27 – 28 | 4.4 | | | 0.2 | | | 0.1 | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2946 | 2795 | 3653 | 3483 | 3618 | 3838 | 3056 | 2920 | 3891 | 4396 | 4152 | 3586 |

Tabel C.198: Hyppighedsfordeling af saltholdigheden for station Vesterrenden i 9.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | 0.3 | | | |
| 8 – 9 | | | | | | | | 0.1 | 2.7 | | | |
| 9 – 10 | | | | 3.5 | | | | 1.6 | 2.1 | 0.7 | | |
| 10 – 11 | | 8.5 | | 1.5 | 1.2 | 0.9 | | 1.6 | 2.8 | 0.9 | | |
| 11 – 12 | 1.1 | 7.8 | 6.7 | 8.5 | 3.3 | 2.6 | 1.4 | 1.7 | 4.5 | 2.5 | | |
| 12 – 13 | 1.4 | 3.7 | 7.6 | 11.8 | 6.2 | 5.0 | 3.0 | 1.9 | 6.3 | 3.1 | 0.9 | |
| 13 – 14 | 2.3 | 1.8 | 6.4 | 11.0 | 9.8 | 5.6 | 3.9 | 1.5 | 4.5 | 3.8 | 1.4 | 0.6 |
| 14 – 15 | 3.9 | 4.2 | 5.0 | 16.3 | 10.8 | 8.5 | 4.9 | 3.2 | 4.5 | 7.8 | 1.4 | 2.2 |
| 15 – 16 | 5.0 | 6.8 | 6.2 | 11.0 | 11.8 | 8.0 | 6.3 | 3.1 | 11.5 | 8.1 | 4.2 | 7.4 |
| 16 – 17 | 3.9 | 9.9 | 5.7 | 5.5 | 14.3 | 10.3 | 10.3 | 9.5 | 17.8 | 5.2 | 7.8 | 14.9 |
| 17 – 18 | 5.3 | 15.0 | 10.9 | 6.3 | 12.0 | 11.2 | 11.9 | 12.3 | 7.4 | 13.7 | 10.6 | 5.9 |
| 18 – 19 | 9.5 | 15.1 | 10.3 | 4.8 | 11.7 | 16.2 | 12.5 | 23.1 | 8.2 | 12.0 | 14.5 | 9.5 |
| 19 – 20 | 5.9 | 8.0 | 9.6 | 3.1 | 10.1 | 11.2 | 9.6 | 20.7 | 13.4 | 10.9 | 14.9 | 11.0 |
| 20 – 21 | 5.4 | 9.4 | 10.0 | 2.4 | 2.8 | 7.2 | 11.5 | 10.1 | 6.0 | 9.0 | 13.3 | 9.4 |
| 21 – 22 | 9.1 | 4.0 | 4.0 | 2.6 | 2.1 | 3.4 | 11.4 | 5.0 | 5.1 | 8.7 | 8.3 | 5.4 |
| 22 – 23 | 12.8 | 3.1 | 3.0 | 1.6 | 1.1 | 2.3 | 3.7 | 2.1 | 2.1 | 8.1 | 9.9 | 5.9 |
| 23 – 24 | 13.5 | 2.3 | 1.1 | 1.7 | 1.5 | 2.0 | 2.6 | 1.2 | 0.8 | 3.1 | 7.8 | 7.1 |
| 24 – 25 | 13.1 | 0.3 | 4.5 | 1.5 | 0.4 | 1.7 | 1.6 | 0.7 | 0.1 | 1.1 | 4.5 | 7.4 |
| 25 – 26 | 2.2 | | 7.5 | 1.4 | 0.4 | 1.4 | 1.2 | 0.4 | | 0.6 | 0.2 | 1.7 |
| 26 – 27 | 5.1 | | 0.8 | 1.9 | 0.2 | 1.2 | 1.7 | 0.1 | | 0.4 | 0.1 | 2.6 |
| 27 – 28 | 0.4 | | 0.5 | 1.3 | 0.2 | 0.5 | 1.2 | | | 0.2 | | 5.5 |
| 28 – 29 | | | 0.2 | 1.6 | 0.2 | 0.5 | 0.6 | | | 0.2 | | 3.3 |
| 29 – 30 | | | 0.2 | 0.7 | | 0.2 | 0.6 | | | 0.1 | | 0.2 |
| 30 – 31 | | | | 0.2 | | | 0.1 | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 3689 | 3190 | 2909 | 2821 | 2788 | 3183 | 3090 | 2409 | 3176 | 3653 | 3439 | 3604 |

Tabel C.199: Hyppighedsfordeling af saltholdigheden for station Vesterrenden i 11.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | 5.3 | | | | | | | | | | |
| 7 – 8 | | 3.5 | | | | | | | | | | |
| 8 – 9 | 0.7 | 2.4 | | | | | | | | | | |
| 9 – 10 | 0.5 | 1.3 | | 0.1 | | | | | | | | |
| 10 – 11 | 2.4 | 2.7 | | 1.1 | 0.1 | 0.2 | | | 1.1 | | | |
| 11 – 12 | 0.3 | 4.0 | 0.7 | 6.3 | 0.5 | 0.2 | 0.2 | 0.4 | 1.8 | 0.6 | 0.9 | |
| 12 – 13 | 3.4 | 2.9 | 5.6 | 9.5 | 1.9 | 1.0 | 0.9 | 1.6 | 3.6 | 3.0 | 0.9 | 3.9 |
| 13 – 14 | 7.5 | 1.9 | 6.9 | 8.1 | 4.7 | 3.0 | 1.4 | 1.3 | 2.8 | 3.1 | 0.7 | 3.0 |
| 14 – 15 | 9.6 | 3.8 | 6.1 | 10.9 | 8.1 | 3.2 | 3.2 | 1.5 | 4.0 | 4.1 | 2.8 | 8.1 |
| 15 – 16 | 12.7 | 5.1 | 6.6 | 10.5 | 5.8 | 4.9 | 3.2 | 2.3 | 7.3 | 6.4 | 5.3 | 8.2 |
| 16 – 17 | 7.4 | 9.2 | 7.2 | 7.7 | 6.2 | 5.4 | 4.2 | 8.7 | 12.6 | 6.2 | 6.7 | 7.8 |
| 17 – 18 | 4.5 | 12.3 | 5.8 | 8.3 | 8.5 | 6.2 | 6.9 | 5.6 | 9.2 | 9.5 | 6.1 | 5.6 |
| 18 – 19 | 4.9 | 12.4 | 10.2 | 6.6 | 13.2 | 9.4 | 6.8 | 12.8 | 11.4 | 10.2 | 8.9 | 5.8 |
| 19 – 20 | 5.1 | 8.5 | 10.3 | 5.8 | 12.4 | 11.7 | 11.9 | 15.9 | 9.6 | 11.7 | 12.9 | 10.7 |
| 20 – 21 | 2.8 | 10.3 | 9.8 | 5.0 | 13.6 | 9.9 | 12.6 | 12.6 | 8.8 | 10.6 | 12.2 | 12.0 |
| 21 – 22 | 3.6 | 6.8 | 4.6 | 2.8 | 5.3 | 7.3 | 13.5 | 9.7 | 8.8 | 11.4 | 10.2 | 10.4 |
| 22 – 23 | 6.0 | 6.0 | 3.4 | 2.7 | 5.1 | 6.5 | 6.7 | 8.3 | 7.1 | 9.7 | 10.6 | 10.4 |
| 23 – 24 | 6.6 | 1.1 | 3.1 | 1.8 | 4.0 | 6.1 | 5.0 | 7.6 | 5.3 | 5.1 | 11.3 | 6.3 |
| 24 – 25 | 4.3 | 0.6 | 10.2 | 1.1 | 3.5 | 5.8 | 5.2 | 6.1 | 3.4 | 3.2 | 8.6 | 4.3 |
| 25 – 26 | 6.0 | 0.1 | 2.8 | 1.5 | 2.9 | 4.7 | 5.2 | 3.5 | 1.6 | 1.9 | 1.3 | 3.3 |
| 26 – 27 | 8.9 | | 1.8 | 1.4 | 1.5 | 3.8 | 3.2 | 1.5 | 1.0 | 1.4 | 0.4 | 0.2 |
| 27 – 28 | 2.8 | | 1.4 | 1.7 | 1.0 | 4.1 | 2.5 | 0.5 | 0.5 | 1.0 | 0.1 | |
| 28 – 29 | 0.1 | | 1.9 | 2.7 | 1.0 | 4.0 | 2.7 | 0.1 | 0.2 | 0.7 | | |
| 29 – 30 | | | 0.9 | 2.8 | 0.6 | 2.1 | 3.0 | | | 0.1 | | |
| 30 – 31 | | | 0.8 | 1.0 | 0.2 | 0.4 | 1.1 | | | | | |
| 31 – 32 | | | | 0.6 | | | 0.5 | | | | | |
| 32 – 33 | | | | 0.1 | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 3689 | 3190 | 2909 | 2818 | 2885 | 3102 | 3154 | 2602 | 2937 | 3396 | 3439 | 3529 |

Tabel C.200: Hyppighedsfordeling af saltholdigheden for station Vesterrenden i 13.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | 0.4 | | | | | | | | | | |
| 7 – 8 | | 4.7 | | | | | | | | | | |
| 8 – 9 | | 2.6 | | | | | | | | | | |
| 9 – 10 | | 4.0 | | | | | | | | 1.1 | 0.1 | |
| 10 – 11 | | 6.1 | | 0.2 | | | | 1.4 | 1.6 | 1.0 | | |
| 11 – 12 | | 4.7 | | 4.3 | | | | 2.4 | 1.5 | 0.4 | | |
| 12 – 13 | 1.0 | 3.4 | 2.5 | 6.6 | 0.1 | | | 4.2 | 3.0 | 0.3 | | |
| 13 – 14 | 3.0 | 2.5 | 7.0 | 7.1 | 0.3 | | 0.1 | 5.7 | 8.1 | 0.4 | 1.7 | |
| 14 – 15 | 4.6 | 2.6 | 4.5 | 4.7 | 1.9 | 0.3 | 0.6 | 5.0 | 3.9 | 1.1 | 5.4 | |
| 15 – 16 | 6.6 | 5.5 | 7.4 | 5.4 | 4.6 | 0.5 | 1.3 | 4.3 | 6.2 | 3.0 | 6.4 | |
| 16 – 17 | 16.7 | 11.2 | 6.0 | 5.6 | 3.5 | 1.3 | 3.1 | 0.5 | 5.8 | 5.8 | 5.8 | 7.3 |
| 17 – 18 | 8.0 | 12.8 | 6.5 | 7.3 | 7.4 | 1.8 | 4.3 | 2.4 | 11.9 | 8.5 | 5.5 | 6.4 |
| 18 – 19 | 9.8 | 13.6 | 9.9 | 6.5 | 13.0 | 6.4 | 5.0 | 6.9 | 11.8 | 8.5 | 8.0 | 6.7 |
| 19 – 20 | 13.1 | 5.9 | 9.5 | 7.2 | 8.2 | 8.4 | 5.9 | 8.7 | 7.7 | 6.3 | 10.8 | 15.4 |
| 20 – 21 | 3.2 | 5.7 | 11.8 | 8.3 | 9.1 | 8.2 | 8.2 | 6.5 | 6.4 | 8.9 | 10.5 | 10.6 |
| 21 – 22 | 3.6 | 5.7 | 7.2 | 6.2 | 10.4 | 7.6 | 12.6 | 9.3 | 9.6 | 10.1 | 10.1 | 8.7 |
| 22 – 23 | 4.7 | 4.8 | 3.2 | 5.6 | 7.8 | 7.8 | 10.9 | 11.1 | 7.1 | 6.0 | 9.3 | 11.9 |
| 23 – 24 | 4.4 | 3.2 | 4.5 | 3.6 | 6.5 | 9.3 | 8.9 | 13.1 | 5.3 | 4.5 | 12.2 | 7.4 |
| 24 – 25 | 7.2 | 0.6 | 2.2 | 3.1 | 5.0 | 7.8 | 6.4 | 14.3 | 5.8 | 4.1 | 11.7 | 6.2 |
| 25 – 26 | 7.5 | 0.2 | 2.3 | 2.6 | 5.0 | 7.6 | 4.6 | 10.3 | 3.5 | 3.9 | 5.8 | 3.8 |
| 26 – 27 | 5.9 | | 2.3 | 2.2 | 5.8 | 7.6 | 6.2 | 8.3 | 1.7 | 2.9 | 3.2 | 1.8 |
| 27 – 28 | 0.5 | | 3.4 | 3.3 | 5.0 | 6.3 | 4.7 | 5.3 | 0.4 | 2.4 | 0.8 | 0.2 |
| 28 – 29 | 0.1 | | 4.8 | 5.3 | 3.5 | 7.4 | 5.7 | 2.5 | | 1.7 | 0.1 | |
| 29 – 30 | | | 3.1 | 3.2 | 1.6 | 6.8 | 5.7 | 0.5 | | 1.1 | | |
| 30 – 31 | | | 1.8 | 1.5 | 1.4 | 4.5 | 4.7 | 0.2 | | | | |
| 31 – 32 | | | 0.1 | 0.3 | 0.2 | 0.3 | 1.1 | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2956 | 2540 | 2187 | 2358 | 2885 | 3182 | 3158 | 2844 | 3180 | 3653 | 3439 | 3235 |

Tabel C.201: Hyppighedsfordeling af saltholdigheden for station Vesterrenden i 15.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | 1.1 | | | | | | | | | 0.4 | |
| 10 – 11 | | 4.5 | | | | | | | | 0.7 | 0.7 | |
| 11 – 12 | | 3.0 | | 1.5 | | | | | | 1.5 | 0.3 | |
| 12 – 13 | 0.4 | 1.8 | 1.3 | 4.3 | | | | | 0.4 | 1.3 | 0.3 | 0.1 |
| 13 – 14 | 0.7 | 2.6 | 3.1 | 6.5 | | | | | 1.2 | 1.5 | 0.9 | 2.3 |
| 14 – 15 | 1.5 | 4.1 | 2.4 | 6.0 | 0.1 | | | | 3.0 | 6.8 | 1.5 | 4.3 |
| 15 – 16 | 2.2 | 4.1 | 3.2 | 5.1 | 0.7 | | 0.2 | | 2.9 | 4.7 | 2.9 | 7.5 |
| 16 – 17 | 3.4 | 11.0 | 5.4 | 5.8 | 1.2 | 0.1 | 0.7 | 0.1 | 4.3 | 3.8 | 5.2 | 4.2 |
| 17 – 18 | 5.3 | 10.8 | 6.6 | 5.0 | 1.2 | 0.1 | 1.5 | 0.8 | 4.4 | 7.0 | 6.6 | 6.1 |
| 18 – 19 | 11.6 | 12.0 | 7.5 | 6.8 | 5.8 | 0.6 | 3.0 | 1.0 | 6.4 | 7.7 | 4.5 | 15.0 |
| 19 – 20 | 10.0 | 7.0 | 9.7 | 4.5 | 3.8 | 2.0 | 2.7 | 4.8 | 9.7 | 7.5 | 5.9 | 10.4 |
| 20 – 21 | 7.0 | 8.5 | 12.7 | 6.8 | 5.5 | 2.8 | 3.2 | 7.5 | 13.0 | 10.0 | 9.9 | 12.0 |
| 21 – 22 | 12.0 | 11.4 | 11.0 | 9.4 | 4.6 | 2.6 | 7.3 | 4.1 | 11.9 | 12.1 | 8.9 | 7.4 |
| 22 – 23 | 17.4 | 10.1 | 3.9 | 7.6 | 7.9 | 2.8 | 8.4 | 5.7 | 6.7 | 9.6 | 13.3 | 5.5 |
| 23 – 24 | 9.4 | 6.4 | 5.3 | 3.9 | 7.4 | 3.9 | 7.7 | 8.5 | 7.0 | 4.2 | 9.7 | 6.1 |
| 24 – 25 | 6.9 | 1.3 | 12.1 | 5.2 | 9.3 | 4.8 | 8.2 | 11.8 | 8.2 | 4.4 | 7.5 | 6.1 |
| 25 – 26 | 3.2 | 0.1 | 2.4 | 4.0 | 8.3 | 8.0 | 8.5 | 14.0 | 8.0 | 4.7 | 7.1 | 7.9 |
| 26 – 27 | 6.3 | | 2.7 | 4.2 | 10.0 | 12.5 | 10.7 | 16.4 | 6.7 | 4.4 | 7.2 | 2.2 |
| 27 – 28 | 2.2 | | 4.4 | 7.2 | 9.7 | 20.6 | 10.8 | 15.1 | 4.6 | 3.3 | 5.2 | 2.3 |
| 28 – 29 | 0.3 | | 3.6 | 3.2 | 11.5 | 17.0 | 7.1 | 6.2 | 1.5 | 2.8 | 1.6 | 0.5 |
| 29 – 30 | 0.1 | | 2.4 | 2.4 | 8.4 | 11.5 | 8.4 | 3.1 | 0.2 | 2.2 | 0.2 | |
| 30 – 31 | | | 0.4 | 0.8 | 3.8 | 8.5 | 7.6 | 1.0 | | 0.1 | 0.1 | |
| 31 – 32 | | | | | 0.8 | 2.1 | 4.0 | 0.1 | | | | |
| 32 – 33 | | | | | | | 0.1 | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 3689 | 3190 | 2909 | 2821 | 2712 | 3101 | 3153 | 2828 | 3204 | 3653 | 3439 | 3604 |

Tabel C.202: Hyppighedsfordeling af saltholdigheden for station Vesterrenden i 18.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | 0.2 | |
| 7 – 8 | | | | | | | | | | 0.4 | 1.1 | |
| 8 – 9 | | | | | | | | | | 1.1 | 1.4 | |
| 9 – 10 | | | | | | | | | | 2.5 | 8.2 | 0.6 |
| 10 – 11 | | 3.3 | | | | | | | | 1.3 | 2.4 | 0.1 |
| 11 – 12 | | 3.8 | | 0.1 | | | | | | 1.6 | 3.5 | 0.1 |
| 12 – 13 | | 1.1 | 0.1 | 1.7 | | | | | | 1.9 | 1.8 | |
| 13 – 14 | | 1.6 | 0.9 | 3.7 | | | | 0.1 | | 4.9 | 0.4 | |
| 14 – 15 | 0.1 | 1.9 | 2.3 | 5.2 | | | | 1.8 | 0.5 | 2.5 | 0.3 | 0.1 |
| 15 – 16 | 0.3 | 3.1 | 1.7 | 4.3 | | | | 2.5 | 2.9 | 3.5 | | 0.5 |
| 16 – 17 | 0.9 | 8.0 | 2.6 | 3.9 | | | 0.6 | 1.5 | 3.1 | 2.3 | 0.2 | 2.3 |
| 17 – 18 | 1.6 | 12.3 | 4.3 | 5.4 | 0.4 | | 1.9 | 0.5 | 4.5 | 4.0 | 0.8 | 4.7 |
| 18 – 19 | 3.7 | 12.8 | 7.2 | 7.4 | 0.7 | | 3.5 | 0.7 | 2.4 | 7.6 | 1.5 | 5.1 |
| 19 – 20 | 5.7 | 6.7 | 6.9 | 5.7 | 0.4 | 0.6 | 1.0 | 0.7 | 3.4 | 4.4 | 3.3 | 7.1 |
| 20 – 21 | 7.8 | 7.0 | 11.7 | 6.7 | 0.7 | 1.6 | 2.8 | 2.8 | 6.2 | 5.1 | 7.7 | 11.2 |
| 21 – 22 | 6.5 | 9.3 | 14.1 | 12.7 | 0.5 | 0.8 | 3.5 | 2.7 | 10.9 | 9.7 | 7.9 | 16.1 |
| 22 – 23 | 20.0 | 15.2 | 7.7 | 10.0 | 0.7 | 1.0 | 4.8 | 2.8 | 10.8 | 10.0 | 9.8 | 12.8 |
| 23 – 24 | 18.0 | 5.5 | 5.6 | 10.0 | 2.0 | 2.3 | 6.0 | 3.4 | 8.5 | 9.3 | 10.3 | 12.2 |
| 24 – 25 | 7.7 | 6.6 | 10.2 | 8.4 | 5.8 | 2.9 | 6.1 | 6.1 | 9.8 | 6.5 | 7.9 | 7.8 |
| 25 – 26 | 9.1 | 1.7 | 13.8 | 3.7 | 8.9 | 5.7 | 6.9 | 11.5 | 12.7 | 4.7 | 5.4 | 8.7 |
| 26 – 27 | 11.7 | | 2.7 | 2.8 | 12.3 | 12.3 | 7.3 | 13.9 | 11.8 | 4.4 | 6.3 | 5.6 |
| 27 – 28 | 4.1 | | 2.0 | 3.0 | 14.6 | 10.7 | 10.4 | 19.0 | 7.8 | 3.3 | 8.7 | 3.3 |
| 28 – 29 | 2.3 | | 2.8 | 3.6 | 17.7 | 10.1 | 11.9 | 20.0 | 3.9 | 4.3 | 9.3 | 1.4 |
| 29 – 30 | 0.4 | | 2.5 | 1.4 | 20.4 | 17.9 | 14.1 | 7.4 | 0.7 | 3.7 | 0.9 | 0.2 |
| 30 – 31 | | | 0.9 | 0.3 | 12.5 | 23.4 | 11.2 | 2.5 | | 1.2 | 0.7 | |
| 31 – 32 | | | | | 2.5 | 10.7 | 7.7 | | | | | |
| 32 – 33 | | | | | | | 0.2 | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 2951 | 2998 | 2909 | 2803 | 2914 | 3842 | 3665 | 3500 | 3902 | 4396 | 3934 | 2886 |

Tabel C.203: Hyppighedsfordeling af saltholdigheden for station Østerrenden i 7.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | 0.5 | | | | | | |
| 10 – 11 | | | | | 36.0 | 13.3 | 0.6 | | | 5.0 | | |
| 11 – 12 | 6.6 | 5.5 | | | 31.0 | 13.8 | 11.3 | 3.3 | 6.6 | 5.7 | | |
| 12 – 13 | 4.5 | 5.0 | | | 10.3 | 21.2 | 18.1 | 7.5 | 15.1 | 4.8 | 3.5 | |
| 13 – 14 | 3.1 | 5.7 | | | 4.4 | 29.0 | 5.4 | 7.2 | 15.1 | 7.5 | 7.4 | 2.8 |
| 14 – 15 | 2.9 | 0.7 | | | 2.0 | 17.0 | 4.1 | 10.4 | 15.9 | 3.3 | 13.1 | 10.7 |
| 15 – 16 | 2.7 | 10.9 | | | | 1.5 | 6.1 | 17.4 | 6.4 | 2.1 | 21.9 | 17.7 |
| 16 – 17 | 8.7 | 17.9 | | | 6.9 | 1.7 | 2.2 | 9.2 | 7.3 | 7.9 | 4.8 | 11.7 |
| 17 – 18 | 17.9 | 17.4 | | | 9.4 | 1.9 | 5.1 | 17.8 | 10.7 | 14.3 | 9.4 | 11.6 |
| 18 – 19 | 6.1 | 19.6 | | | | | 13.3 | 16.3 | 14.0 | 13.7 | 14.3 | 18.7 |
| 19 – 20 | 4.9 | 16.6 | | | | | 7.5 | 10.6 | 4.5 | 15.1 | 12.7 | 20.7 |
| 20 – 21 | 9.2 | 0.7 | | | | | 19.5 | 0.2 | 4.5 | 14.2 | 10.0 | 3.9 |
| 21 – 22 | 10.3 | | | | | | 4.0 | | | 6.2 | 2.9 | 1.1 |
| 22 – 23 | 3.1 | | | | | | 2.3 | | | | | 1.1 |
| 23 – 24 | 3.8 | | | | | | 0.5 | | | | | |
| 24 – 25 | 4.5 | | | | | | | | | | | |
| 25 – 26 | 5.6 | | | | | | | | | | | |
| 26 – 27 | 6.0 | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1475 | 403 | 2909 | 2803 | 203 | 1099 | 1196 | 1418 | 1343 | 1447 | 1357 | 1304 |

Tabel C.204: Hyppighedsfordeling af saltholdigheden for station Østerrenden i 10.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|-----|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | 0.4 | | | | | |
| 9 – 10 | | | | | | | 7.1 | | | | | |
| 10 – 11 | | 14.1 | 0.3 | | 5.1 | 1.3 | 3.9 | 4.5 | 1.6 | 1.0 | | |
| 11 – 12 | | 10.2 | 28.8 | 5.1 | 8.7 | 14.6 | 3.8 | 3.9 | 7.3 | 3.6 | | |
| 12 – 13 | 0.1 | 5.0 | 12.1 | 7.6 | 8.9 | 12.1 | 11.2 | 12.3 | 8.3 | 3.2 | 0.4 | |
| 13 – 14 | 7.3 | 4.0 | 10.1 | 6.4 | 7.1 | 12.7 | 5.6 | 21.2 | 10.2 | 8.6 | 0.9 | 3.1 |
| 14 – 15 | 4.5 | 4.2 | 6.3 | 7.4 | 4.1 | 12.2 | 3.7 | 18.4 | 3.9 | 4.0 | 8.2 | 8.8 |
| 15 – 16 | 5.4 | 4.6 | 5.5 | 8.2 | 5.0 | 11.8 | 3.7 | 8.9 | 5.3 | 2.3 | 24.0 | 17.2 |
| 16 – 17 | 7.1 | 10.3 | 4.0 | 7.9 | 4.8 | 9.2 | 10.2 | 4.3 | 7.4 | 3.7 | 10.2 | 9.6 |
| 17 – 18 | 13.1 | 9.6 | 5.6 | 5.1 | 9.8 | 9.6 | 5.9 | 3.7 | 11.5 | 4.1 | 6.3 | 6.2 |
| 18 – 19 | 3.5 | 11.5 | 5.0 | 6.5 | 14.5 | 7.2 | 4.8 | 5.9 | 13.4 | 9.1 | 11.9 | 10.1 |
| 19 – 20 | 4.4 | 10.3 | 4.3 | 6.8 | 12.3 | 3.7 | 2.4 | 7.0 | 9.2 | 16.2 | 10.7 | 14.9 |
| 20 – 21 | 6.9 | 7.5 | 3.9 | 7.9 | 15.7 | 1.7 | 13.5 | 5.1 | 10.4 | 14.0 | 14.1 | 19.6 |
| 21 – 22 | 3.6 | 4.7 | 3.1 | 6.9 | 3.1 | 1.2 | 5.0 | 2.8 | 9.2 | 17.0 | 10.2 | 9.6 |
| 22 – 23 | 5.4 | 4.0 | 3.0 | 4.9 | 0.7 | 0.9 | 3.6 | 1.7 | 2.2 | 11.5 | 2.4 | 1.0 |
| 23 – 24 | 11.1 | | 3.0 | 5.3 | 0.2 | 0.9 | 4.1 | | 0.1 | 1.7 | 0.6 | |
| 24 – 25 | 15.5 | | 2.3 | 3.5 | | 0.3 | 3.4 | 0.1 | | 0.1 | | |
| 25 – 26 | 10.0 | | 1.7 | 2.4 | | 0.5 | 3.0 | | | | | |
| 26 – 27 | 2.0 | | 0.8 | 3.2 | | 0.2 | 1.6 | | | | | |
| 27 – 28 | | | 0.3 | 2.6 | | | 2.3 | 0.1 | | | | |
| 28 – 29 | | | | 1.5 | | | 0.6 | | | | | |
| 29 – 30 | | | | 0.7 | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1475 | 1005 | 744 | 720 | 807 | 1099 | 1233 | 1419 | 1343 | 1448 | 1357 | 1370 |

Tabel C.205: Hyppighedsfordeling af saltholdigheden for station Østerrenden i 12.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|-----|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | 13.4 | | 0.3 | 0.5 | 0.1 | 4.5 | | | 3.4 | | |
| 11 – 12 | | 8.5 | 21.0 | 4.2 | 8.3 | 7.0 | 5.5 | 1.4 | 4.7 | 6.9 | | |
| 12 – 13 | 3.3 | 5.2 | 10.1 | 5.8 | 5.9 | 9.0 | 4.9 | 9.0 | 10.1 | 6.9 | | |
| 13 – 14 | 4.7 | 4.6 | 7.5 | 3.9 | 3.6 | 7.7 | 7.9 | 13.8 | 7.3 | 6.6 | 0.8 | 3.1 |
| 14 – 15 | 3.7 | 3.8 | 8.1 | 6.5 | 3.0 | 9.9 | 4.5 | 18.5 | 3.9 | 3.3 | 3.0 | 6.8 |
| 15 – 16 | 3.9 | 5.2 | 5.4 | 8.3 | 4.1 | 7.6 | 4.4 | 8.1 | 3.0 | 4.9 | 17.2 | 15.4 |
| 16 – 17 | 6.9 | 6.7 | 3.0 | 6.5 | 7.2 | 7.2 | 3.1 | 9.0 | 4.9 | 5.4 | 13.9 | 12.1 |
| 17 – 18 | 10.8 | 14.0 | 3.0 | 6.5 | 17.0 | 8.0 | 9.2 | 6.5 | 19.1 | 9.0 | 6.1 | 8.6 |
| 18 – 19 | 7.4 | 13.3 | 3.5 | 4.4 | 21.3 | 6.2 | 5.4 | 5.6 | 12.8 | 9.5 | 11.6 | 8.5 |
| 19 – 20 | 6.6 | 11.0 | 3.9 | 4.4 | 11.2 | 4.6 | 2.9 | 6.9 | 9.9 | 11.4 | 11.8 | 17.0 |
| 20 – 21 | 5.5 | 7.9 | 4.6 | 4.2 | 5.5 | 5.7 | 5.3 | 5.5 | 6.9 | 9.5 | 14.7 | 24.1 |
| 21 – 22 | 5.0 | 6.1 | 4.8 | 3.8 | 5.5 | 6.1 | 10.1 | 4.1 | 6.5 | 13.5 | 10.9 | 3.1 |
| 22 – 23 | 7.9 | 0.4 | 3.6 | 3.2 | 5.6 | 5.6 | 6.0 | 4.2 | 4.7 | 7.5 | 5.6 | 1.2 |
| 23 – 24 | 16.5 | | 2.6 | 5.6 | 1.1 | 4.8 | 4.5 | 4.8 | 3.0 | 1.2 | 3.0 | 0.1 |
| 24 – 25 | 6.6 | | 4.4 | 6.4 | 0.4 | 2.9 | 5.0 | 1.9 | 2.1 | 0.6 | 1.3 | |
| 25 – 26 | 8.4 | | 3.8 | 5.4 | | 2.6 | 2.7 | 0.6 | 1.1 | 0.4 | 0.1 | |
| 26 – 27 | 2.8 | | 3.2 | 4.2 | | 3.0 | 3.0 | | | | | |
| 27 – 28 | | | 3.8 | 6.2 | | 1.6 | 3.2 | 0.1 | | | | |
| 28 – 29 | | | 3.1 | 7.2 | | 0.3 | 5.1 | 0.1 | | | | |
| 29 – 30 | | | 0.8 | 2.9 | | | 2.5 | | | | | |
| 30 – 31 | | | | | | | 0.2 | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1475 | 1005 | 744 | 720 | 807 | 1099 | 1233 | 1417 | 1343 | 1448 | 1357 | 1370 |

Tabel C.206: Hyppighedsfordeling af saltholdigheden for station Østerrenden i 14.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | 0.1 | 0.1 | | | |
| 8 – 9 | | | | | | | | 0.5 | 0.3 | | | |
| 9 – 10 | | | | | | | | 0.3 | 1.0 | | | |
| 10 – 11 | | 11.9 | 0.5 | 1.5 | | 0.2 | 0.4 | 2.2 | 3.8 | 0.1 | | |
| 11 – 12 | | 7.4 | 17.2 | 4.6 | 7.1 | 4.5 | 2.2 | 3.8 | 6.3 | 4.2 | | |
| 12 – 13 | | 5.1 | 6.3 | 4.2 | 2.2 | 4.3 | 5.0 | 9.0 | 2.6 | 6.4 | | |
| 13 – 14 | 1.6 | 3.7 | 4.4 | 3.9 | 0.6 | 3.3 | 3.3 | 9.3 | 5.3 | 10.0 | | 3.3 |
| 14 – 15 | 5.1 | 4.9 | 4.4 | 4.3 | 2.5 | 2.7 | 6.2 | 9.3 | 4.0 | 8.5 | 2.1 | 6.6 |
| 15 – 16 | 5.5 | 6.5 | 4.3 | 4.4 | 3.3 | 6.0 | 3.9 | 12.2 | 2.7 | 3.0 | 11.1 | 14.4 |
| 16 – 17 | 6.7 | 5.6 | 3.8 | 4.3 | 5.3 | 5.2 | 2.4 | 7.8 | 7.4 | 3.6 | 11.1 | 9.1 |
| 17 – 18 | 8.9 | 7.9 | 1.5 | 8.2 | 20.2 | 6.5 | 10.2 | 4.6 | 8.7 | 8.3 | 7.5 | 7.4 |
| 18 – 19 | 6.8 | 8.8 | 3.4 | 5.8 | 21.2 | 7.2 | 4.9 | 2.7 | 19.1 | 3.9 | 7.0 | 7.7 |
| 19 – 20 | 3.2 | 10.0 | 2.7 | 4.6 | 12.3 | 4.0 | 2.3 | 3.8 | 12.9 | 11.6 | 13.0 | 13.6 |
| 20 – 21 | 6.6 | 10.2 | 2.7 | 2.8 | 11.6 | 5.4 | 3.6 | 5.5 | 6.7 | 12.4 | 15.1 | 17.3 |
| 21 – 22 | 5.5 | 9.2 | 3.6 | 2.2 | 7.9 | 6.2 | 7.6 | 5.3 | 6.2 | 12.2 | 13.2 | 17.4 |
| 22 – 23 | 6.9 | 7.6 | 7.5 | 2.9 | 3.1 | 4.6 | 6.8 | 5.1 | 6.0 | 9.3 | 8.6 | 3.1 |
| 23 – 24 | 8.3 | 1.6 | 5.2 | 6.2 | 2.2 | 6.8 | 8.1 | 5.9 | 2.9 | 2.7 | 6.6 | 0.1 |
| 24 – 25 | 17.6 | | 3.4 | 4.9 | 0.4 | 7.5 | 7.0 | 6.8 | 2.1 | 1.9 | 4.1 | |
| 25 – 26 | 15.7 | | 4.6 | 4.3 | | 8.2 | 4.5 | 3.9 | 1.3 | 0.8 | 0.6 | |
| 26 – 27 | 1.6 | | 6.6 | 8.8 | | 7.5 | 2.1 | 1.8 | 0.5 | 0.8 | | |
| 27 – 28 | | | 5.8 | 11.9 | | 4.5 | 2.6 | | | 0.2 | | |
| 28 – 29 | | | 8.3 | 9.6 | | 3.8 | 6.7 | 0.1 | | | | |
| 29 – 30 | | | 3.4 | 0.6 | | 1.7 | 7.1 | 0.1 | | | | |
| 30 – 31 | | | 0.4 | | | | 3.0 | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1475 | 1004 | 744 | 720 | 807 | 1100 | 1233 | 1360 | 1156 | 1179 | 1357 | 1370 |

Tabel C.207: Hyppighedsfordeling af saltholdigheden for station Østerrenden i 16.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | 9.9 | | | | | | | | 1.6 | | |
| 12 – 13 | | 6.0 | 9.0 | | | 0.3 | 0.5 | 0.1 | 3.4 | 4.5 | | |
| 13 – 14 | | 4.8 | 8.2 | 0.1 | 0.4 | 0.8 | 0.8 | 3.0 | 5.3 | 7.7 | | |
| 14 – 15 | 1.5 | 3.9 | 5.2 | 0.8 | 2.9 | 2.0 | 2.4 | 4.7 | 5.7 | 9.9 | 2.4 | 3.8 |
| 15 – 16 | 2.0 | 2.4 | 3.6 | 1.4 | 1.7 | 0.9 | 4.3 | 6.6 | 1.6 | 4.6 | 3.5 | 12.0 |
| 16 – 17 | 5.4 | 4.2 | 3.8 | 1.8 | 2.2 | 2.5 | 3.9 | 12.1 | 5.7 | 6.6 | 7.0 | 10.5 |
| 17 – 18 | 5.2 | 7.8 | 1.3 | 1.4 | 1.6 | 2.6 | 3.6 | 8.0 | 14.9 | 10.6 | 6.7 | 9.1 |
| 18 – 19 | 4.9 | 7.5 | 0.4 | 3.5 | 3.0 | 2.4 | 3.8 | 5.6 | 10.1 | 7.8 | 6.0 | 12.1 |
| 19 – 20 | 7.1 | 12.1 | 0.3 | 3.5 | 3.3 | 2.7 | 5.0 | 6.5 | 2.6 | 5.9 | 7.7 | 10.0 |
| 20 – 21 | 7.3 | 12.9 | 0.1 | 5.1 | 9.5 | 1.8 | 5.9 | 6.1 | 4.7 | 8.1 | 11.4 | 8.5 |
| 21 – 22 | 6.2 | 8.3 | 0.5 | 6.2 | 12.8 | 1.8 | 1.6 | 7.5 | 6.4 | 8.0 | 18.4 | 21.0 |
| 22 – 23 | 6.5 | 10.1 | 0.9 | 5.8 | 9.4 | 2.0 | 3.0 | 8.2 | 6.7 | 9.7 | 13.0 | 9.7 |
| 23 – 24 | 6.5 | 4.6 | 0.9 | 5.7 | 12.4 | 3.4 | 3.9 | 9.6 | 7.1 | 8.3 | 9.8 | 1.6 |
| 24 – 25 | 8.9 | 3.2 | 2.6 | 4.6 | 12.6 | 4.5 | 6.3 | 9.4 | 9.6 | 2.7 | 7.6 | 0.7 |
| 25 – 26 | 15.7 | 2.4 | 5.4 | 3.8 | 11.2 | 8.1 | 7.0 | 8.3 | 10.1 | 1.4 | 2.8 | 1.0 |
| 26 – 27 | 9.2 | 0.1 | 6.9 | 2.9 | 8.7 | 11.5 | 5.8 | 3.7 | 5.2 | 1.1 | 1.5 | |
| 27 – 28 | 7.4 | | 8.7 | 5.1 | 5.1 | 21.0 | 7.9 | 0.6 | 1.0 | 1.2 | 1.4 | |
| 28 – 29 | 6.1 | | 4.6 | 5.7 | 2.7 | 20.0 | 13.9 | 0.1 | | 0.2 | 0.6 | |
| 29 – 30 | 0.1 | | 8.6 | 7.9 | 0.5 | 9.9 | 11.0 | | | | 0.1 | |
| 30 – 31 | | | 6.5 | 8.5 | | 1.7 | 9.1 | | | | | |
| 31 – 32 | | | 11.3 | 15.7 | | | 0.2 | | | | | |
| 32 – 33 | | | 7.7 | 9.0 | | | | | | | | |
| 33 – 34 | | | 3.4 | 1.4 | | | | | | | | |
| 34 – 35 | | | 0.1 | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1475 | 1005 | 744 | 720 | 807 | 1099 | 1233 | 1419 | 1343 | 1448 | 1357 | 1370 |

Tabel C.208: Hyppighedsfordeling af saltholdigheden for station Østerrenden i 19.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | 4.3 | | | | | | | | | | |
| 11 – 12 | | 11.2 | 1.2 | | | | | | | 1.0 | | |
| 12 – 13 | | 2.4 | 3.0 | | | | | | 1.1 | 1.7 | | |
| 13 – 14 | | 4.5 | 5.4 | | | | | | 1.3 | 6.2 | | 0.1 |
| 14 – 15 | 0.7 | 3.2 | 4.6 | | | | 0.2 | | 3.3 | 10.2 | | 4.2 |
| 15 – 16 | 1.2 | 1.3 | 5.2 | | | | 0.8 | 0.5 | 1.2 | 9.7 | 1.1 | 7.9 |
| 16 – 17 | 3.0 | 4.6 | 3.2 | | 0.2 | | 2.8 | 1.9 | 4.5 | 6.8 | 3.0 | 9.2 |
| 17 – 18 | 5.8 | 8.5 | 1.1 | 0.4 | 0.5 | 0.5 | 3.6 | 1.1 | 10.6 | 9.6 | 4.5 | 9.6 |
| 18 – 19 | 6.6 | 7.8 | 0.8 | 0.7 | 0.2 | 0.7 | 3.6 | 2.4 | 7.8 | 6.1 | 4.4 | 9.6 |
| 19 – 20 | 7.5 | 12.3 | 0.3 | 1.0 | 2.5 | 0.5 | 4.4 | 3.5 | 7.0 | 5.5 | 7.4 | 9.6 |
| 20 – 21 | 7.7 | 11.9 | 0.8 | 3.1 | 7.4 | 0.3 | 5.4 | 5.6 | 3.0 | 9.3 | 10.5 | 17.5 |
| 21 – 22 | 5.2 | 9.7 | 2.0 | 9.0 | 9.8 | 1.0 | 3.6 | 5.9 | 3.7 | 11.9 | 11.3 | 21.8 |
| 22 – 23 | 6.2 | 8.1 | 0.9 | 5.8 | 7.8 | 0.5 | 2.8 | 6.1 | 5.4 | 11.9 | 8.6 | 6.0 |
| 23 – 24 | 7.5 | 8.3 | 1.7 | 7.2 | 12.6 | 0.8 | 2.0 | 6.2 | 5.7 | 4.0 | 9.7 | 2.8 |
| 24 – 25 | 15.7 | 1.0 | 1.9 | 6.9 | 26.6 | 1.2 | 3.4 | 8.7 | 9.7 | 2.1 | 9.9 | 1.3 |
| 25 – 26 | 14.6 | 1.2 | 3.1 | 6.1 | 14.4 | 1.5 | 3.4 | 17.4 | 14.2 | 1.9 | 12.7 | 0.4 |
| 26 – 27 | 16.7 | | 6.0 | 3.2 | 3.7 | 4.0 | 3.1 | 17.6 | 14.8 | 1.5 | 9.4 | |
| 27 – 28 | 1.4 | | 6.7 | 5.7 | 4.7 | 13.6 | 14.4 | 15.8 | 5.9 | 0.3 | 4.4 | |
| 28 – 29 | 0.1 | | 9.7 | 11.1 | 5.8 | 35.9 | 18.2 | 7.4 | 0.8 | | 2.4 | |
| 29 – 30 | | | 13.4 | 13.1 | 3.1 | 27.6 | 9.9 | 0.1 | | | 0.5 | |
| 30 – 31 | | | 17.9 | 21.0 | 0.5 | 11.5 | 13.9 | | | | 0.1 | |
| 31 – 32 | | | 8.2 | 5.6 | | 0.4 | 4.5 | | | | | |
| 32 – 33 | | | 2.8 | 0.1 | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1475 | 1003 | 744 | 720 | 807 | 1099 | 1233 | 1418 | 1322 | 1448 | 1356 | 1370 |

Tabel C.209: Hyppighedsfordeling af saltholdigheden for station Langelandsbælt i 7.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | 0.3 | | | | | |
| 9 – 10 | | | | 0.6 | 0.4 | | 4.9 | | | | | |
| 10 – 11 | | | | 23.1 | 5.9 | 3.5 | 3.4 | 4.6 | 1.3 | 1.2 | | |
| 11 – 12 | | | | 20.7 | 13.3 | 9.5 | 1.5 | 5.2 | 4.2 | 5.0 | | |
| 12 – 13 | | | | 25.9 | 24.0 | 8.5 | 6.4 | 9.7 | 7.0 | 4.6 | 1.0 | |
| 13 – 14 | | | 2.3 | 14.3 | 18.3 | 17.7 | 11.3 | 7.0 | 9.3 | 4.6 | 1.3 | |
| 14 – 15 | 1.5 | | 8.4 | 12.1 | 10.4 | 30.0 | 7.1 | 7.8 | 9.6 | 8.0 | 4.4 | |
| 15 – 16 | 2.3 | | 15.5 | 3.3 | 8.1 | 17.9 | 4.7 | 13.1 | 10.5 | 17.3 | 30.0 | 16.0 |
| 16 – 17 | 5.0 | 19.4 | 7.7 | | 9.3 | 5.8 | 7.1 | 19.4 | 15.1 | 2.5 | 22.7 | 8.9 |
| 17 – 18 | 3.3 | 30.5 | 7.8 | | 4.9 | 5.4 | 5.3 | 14.6 | 11.7 | 11.9 | 17.2 | 22.7 |
| 18 – 19 | 14.5 | 11.0 | 14.6 | | 5.0 | 1.3 | 3.0 | 7.8 | 10.5 | 9.5 | 18.0 | 19.6 |
| 19 – 20 | 12.6 | 27.1 | 6.8 | | 0.3 | 0.3 | 3.4 | 8.9 | 2.9 | 10.6 | 5.2 | 30.7 |
| 20 – 21 | 7.8 | 6.1 | | | | 0.1 | 21.0 | 1.8 | 7.9 | 11.0 | | 2.1 |
| 21 – 22 | 8.4 | 2.3 | | | | | 11.6 | 0.1 | 10.0 | 12.3 | | |
| 22 – 23 | 28.9 | 3.5 | 1.2 | | | | 3.3 | | | 1.6 | | |
| 23 – 24 | 15.7 | 0.2 | 17.8 | | | | 3.3 | | | | | |
| 24 – 25 | | | 17.8 | | | | 2.2 | | | | | |
| 25 – 26 | | | | | | | 0.1 | | | | | |
| 26 – 27 | | | | | | | 0.2 | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 523 | 656 | 561 | 692 | 901 | 1084 | 1014 | 1258 | 1321 | 747 | 383 | 326 |

Tabel C.210: Hyppighedsfordeling af saltholdigheden for station Langelandsbælt i 10.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | 3.1 | | | | | |
| 9 – 10 | | | | | | | 5.4 | 4.4 | | | | |
| 10 – 11 | | | | 20.7 | 0.4 | | 3.2 | 5.2 | 0.5 | | | |
| 11 – 12 | | | | 10.5 | 4.3 | 3.0 | 1.2 | 3.7 | 2.3 | | | |
| 12 – 13 | | | | 27.6 | 17.5 | 5.3 | 0.9 | 4.6 | 5.8 | | | |
| 13 – 14 | | | 1.6 | 12.9 | 15.6 | 4.5 | 4.6 | 4.8 | 3.1 | | 1.3 | |
| 14 – 15 | 1.3 | | 8.2 | 19.9 | 11.3 | 8.8 | 11.5 | 3.6 | 6.8 | | 0.5 | 3.3 |
| 15 – 16 | 5.7 | 6.6 | 16.2 | 6.9 | 13.3 | 15.1 | 10.0 | 3.1 | 11.2 | | 5.7 | 14.0 |
| 16 – 17 | 4.2 | 22.0 | 8.6 | 1.4 | 12.0 | 19.9 | 9.2 | 5.3 | 9.7 | | 24.8 | 14.3 |
| 17 – 18 | 17.6 | 22.1 | 7.5 | | 10.4 | 13.6 | 4.5 | 12.6 | 12.3 | 6.4 | 25.8 | 19.8 |
| 18 – 19 | 9.2 | 15.2 | 13.5 | | 7.7 | 11.6 | 5.5 | 17.6 | 15.4 | 19.9 | 25.6 | 23.7 |
| 19 – 20 | 11.5 | 23.9 | 7.5 | | 5.1 | 6.0 | 5.7 | 12.4 | 7.3 | 24.6 | 14.5 | 24.9 |
| 20 – 21 | 6.9 | 4.3 | | | 1.8 | 4.4 | 8.8 | 11.2 | 15.4 | 31.3 | 1.0 | |
| 21 – 22 | 35.6 | 1.1 | | | 0.2 | 3.9 | 11.6 | 6.4 | 9.5 | 15.3 | 0.8 | |
| 22 – 23 | 8.0 | 3.2 | 4.3 | | | 1.7 | 8.9 | 3.0 | 0.6 | 2.4 | | |
| 23 – 24 | | 1.7 | 23.0 | | 0.1 | 1.4 | 2.4 | 1.0 | 0.1 | | | |
| 24 – 25 | | | 9.6 | | 0.1 | 0.6 | 0.7 | 0.6 | | | | |
| 25 – 26 | | | | | | 0.1 | 1.2 | 0.2 | | | | |
| 26 – 27 | | | | | | 0.1 | 1.6 | 0.1 | | | | |
| 27 – 28 | | | | | | 0.2 | | 0.1 | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 523 | 656 | 561 | 692 | 901 | 1084 | 741 | 1258 | 1321 | 747 | 387 | 329 |

Tabel C.211: Hyppighedsfordeling af saltholdigheden for station Langelandsbælt i 12.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | 17.8 | | | 4.2 | | 0.7 | | | |
| 11 – 12 | | | | 9.7 | 0.8 | | 2.8 | 0.7 | 3.1 | | | |
| 12 – 13 | | | | 23.6 | 4.9 | 2.5 | 1.7 | 15.3 | 4.5 | | | |
| 13 – 14 | | | 0.6 | 11.8 | 13.0 | 3.3 | 1.2 | 5.2 | 1.6 | | | |
| 14 – 15 | | | 12.3 | 18.8 | 10.2 | 3.8 | 2.8 | 4.0 | 4.5 | 2.9 | 1.8 | 1.9 |
| 15 – 16 | 2.9 | 4.6 | 5.5 | 13.2 | 13.7 | 5.3 | 5.3 | 2.2 | 10.3 | 6.6 | 1.8 | 15.5 |
| 16 – 17 | 5.5 | 12.5 | 2.6 | 4.2 | 13.3 | 8.0 | 5.1 | 3.0 | 13.9 | 8.0 | 11.1 | 14.0 |
| 17 – 18 | 10.3 | 25.4 | 1.9 | 0.9 | 12.4 | 12.7 | 6.3 | 5.7 | 21.1 | 24.9 | 20.2 | 17.1 |
| 18 – 19 | 10.3 | 13.0 | 3.2 | 0.1 | 8.8 | 10.2 | 2.5 | 12.8 | 16.4 | 19.0 | 33.9 | 20.5 |
| 19 – 20 | 12.0 | 20.7 | 6.5 | | 12.2 | 10.0 | 3.7 | 12.9 | 7.5 | 18.5 | 21.2 | 31.1 |
| 20 – 21 | 10.5 | 16.9 | | | 3.0 | 9.7 | 6.0 | 13.0 | 7.0 | 19.4 | 6.2 | |
| 21 – 22 | 40.7 | 0.8 | | | 4.6 | 9.6 | 9.3 | 11.6 | 5.8 | 0.4 | 1.8 | |
| 22 – 23 | 6.9 | 3.3 | | | 1.8 | 8.3 | 5.7 | 6.5 | 2.1 | 0.1 | 1.0 | |
| 23 – 24 | 0.8 | 2.1 | 3.2 | | 1.0 | 5.5 | 8.5 | 3.1 | 0.8 | 0.1 | 0.3 | |
| 24 – 25 | | 0.8 | 31.8 | | 0.2 | 4.2 | 14.8 | 2.3 | 0.4 | | 0.5 | |
| 25 – 26 | | | 32.1 | | 0.2 | 3.0 | 9.6 | 1.0 | 0.2 | | 0.3 | |
| 26 – 27 | | | | | | 2.3 | 4.2 | 0.6 | | | | |
| 27 – 28 | | | | | | 1.0 | 2.2 | 0.2 | | | | |
| 28 – 29 | | | | | | 0.6 | 2.1 | | | | | |
| 29 – 30 | | | | | | 0.2 | 1.9 | | | | | |
| 30 – 31 | | | | | | | 0.2 | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 523 | 615 | 308 | 692 | 901 | 1081 | 1013 | 1212 | 1320 | 747 | 387 | 322 |

Tabel C.212: Hyppighedsfordeling af saltholdigheden for station Langelandsbælt i 14.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | 2.6 | | | | | | | | |
| 10 – 11 | | | | 12.4 | | | | | | | | |
| 11 – 12 | | | | 10.1 | | | 2.6 | | 1.4 | | | |
| 12 – 13 | | | | 20.5 | 0.1 | 0.4 | 2.9 | 1.8 | 6.6 | | | |
| 13 – 14 | | | | 14.5 | 4.6 | 1.1 | 2.1 | 3.9 | 0.8 | | | |
| 14 – 15 | | | 9.8 | 16.6 | 4.3 | 1.2 | 1.3 | 6.0 | 2.1 | 1.3 | 1.5 | |
| 15 – 16 | | | 11.2 | 11.6 | 12.8 | 1.0 | 1.8 | 12.9 | 5.5 | 5.0 | 0.3 | |
| 16 – 17 | 2.3 | 2.7 | 11.6 | 6.5 | 11.7 | 1.2 | 5.0 | 2.3 | 15.7 | 4.6 | 3.3 | 15.4 |
| 17 – 18 | 6.5 | 26.4 | 8.7 | 2.7 | 6.7 | 3.2 | 3.5 | 0.6 | 20.1 | 20.7 | 7.7 | 6.3 |
| 18 – 19 | 10.5 | 22.1 | 14.1 | 1.6 | 11.2 | 7.4 | 5.9 | 1.6 | 5.8 | 9.5 | 19.4 | 24.8 |
| 19 – 20 | 6.9 | 22.4 | 7.5 | 0.7 | 7.1 | 3.8 | 1.7 | 4.1 | 7.2 | 22.0 | 29.9 | 8.8 |
| 20 – 21 | 9.8 | 17.1 | 0.2 | 0.1 | 8.5 | 6.2 | 2.1 | 10.3 | 6.4 | 21.2 | 18.2 | 32.3 |
| 21 – 22 | 11.7 | 4.6 | | | 8.2 | 6.8 | 6.0 | 15.2 | 7.7 | 15.3 | 6.9 | 12.4 |
| 22 – 23 | 7.8 | 4.3 | 4.8 | | 9.1 | 7.0 | 4.2 | 12.6 | 9.6 | 0.3 | 6.9 | |
| 23 – 24 | 36.9 | 0.5 | 12.1 | | 7.3 | 8.3 | 5.2 | 9.9 | 7.8 | 0.1 | 0.8 | |
| 24 – 25 | 7.6 | | 18.7 | | 4.3 | 10.4 | 9.8 | 8.2 | 1.6 | 0.1 | 1.8 | |
| 25 – 26 | | | 1.2 | | 1.9 | 13.8 | 14.6 | 4.9 | 1.6 | | 1.5 | |
| 26 – 27 | | | | | 1.1 | 11.4 | 9.6 | 3.0 | 0.2 | | 0.8 | |
| 27 – 28 | | | | | 0.7 | 11.0 | 9.6 | 1.6 | 0.1 | | 0.3 | |
| 28 – 29 | | | | | 0.4 | 4.5 | 5.8 | 0.9 | | | 0.8 | |
| 29 – 30 | | | | | | 0.9 | 3.5 | | | | | |
| 30 – 31 | | | | | | 0.3 | 2.8 | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 523 | 656 | 561 | 692 | 901 | 1082 | 1016 | 1258 | 1319 | 747 | 391 | 331 |

Tabel C.213: Hyppighedsfordeling af saltholdigheden for station Langelandsbælt i 16.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | 10.5 | | | | | | | | |
| 11 – 12 | | | | 7.7 | | | | | 0.5 | | | |
| 12 – 13 | | | | 11.1 | | | 0.6 | | 6.6 | | | |
| 13 – 14 | | | | 14.0 | 0.3 | | 1.7 | | 0.8 | | | |
| 14 – 15 | | | 8.6 | 22.0 | 0.3 | | 2.7 | 0.3 | 0.9 | | | |
| 15 – 16 | | | 7.7 | 13.2 | 1.4 | 0.1 | 2.1 | 2.5 | 1.1 | | 1.5 | 15.8 |
| 16 – 17 | 1.5 | 10.4 | 13.2 | 2.9 | 8.2 | 0.1 | 2.4 | 7.6 | 4.6 | 0.1 | 2.0 | 11.8 |
| 17 – 18 | 9.0 | 25.6 | 11.6 | 3.2 | 7.3 | 0.7 | 1.4 | 10.8 | 3.3 | 5.0 | 7.7 | 19.7 |
| 18 – 19 | 9.4 | 19.1 | 14.4 | 5.9 | 3.8 | 1.1 | 5.4 | 2.7 | 8.6 | 14.5 | 18.4 | 18.2 |
| 19 – 20 | 9.8 | 29.4 | 7.0 | 5.8 | 4.2 | 1.0 | 6.5 | 1.7 | 12.7 | 25.7 | 19.4 | 34.5 |
| 20 – 21 | 11.5 | 8.4 | 0.7 | 2.3 | 4.4 | 1.8 | 3.1 | 1.8 | 15.4 | 36.0 | 9.5 | |
| 21 – 22 | 16.9 | 2.7 | | 0.9 | 8.2 | 4.2 | 2.0 | 5.2 | 6.3 | 16.7 | 6.6 | |
| 22 – 23 | 34.1 | 2.6 | 0.4 | 0.6 | 9.5 | 4.9 | 3.3 | 8.7 | 6.8 | 0.8 | 7.4 | |
| 23 – 24 | 7.9 | 1.8 | 16.4 | | 12.5 | 4.3 | 4.5 | 10.2 | 10.3 | 0.1 | 7.4 | |
| 24 – 25 | | | 18.4 | | 10.5 | 6.8 | 6.6 | 14.3 | 9.6 | 0.3 | 5.1 | |
| 25 – 26 | | | 1.8 | | 11.3 | 8.1 | 7.5 | 12.6 | 6.5 | 0.4 | 5.4 | |
| 26 – 27 | | | | | 7.1 | 13.5 | 12.5 | 10.2 | 2.7 | 0.4 | 3.8 | |
| 27 – 28 | | | | | 4.8 | 15.4 | 14.7 | 6.1 | 2.5 | | 2.0 | |
| 28 – 29 | | | | | 3.8 | 22.2 | 9.8 | 3.8 | 0.6 | | 2.8 | |
| 29 – 30 | | | | | 2.0 | 11.3 | 9.4 | 1.3 | | | 0.8 | |
| 30 – 31 | | | | | 0.1 | 4.3 | 3.8 | 0.2 | | | | |
| 31 – 32 | | | | | | 0.2 | 0.2 | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 522 | 656 | 561 | 692 | 901 | 1081 | 1016 | 1258 | 1318 | 747 | 391 | 330 |

Tabel C.214: Hyppighedsfordeling af saltholdigheden for station Langelandsbælt i 19.6 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|-----|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | 1.6 | | | | | | | | |
| 11 – 12 | | | | 4.9 | | | | | | | | |
| 12 – 13 | | | | 4.8 | | | | | 0.6 | | | |
| 13 – 14 | | | | 4.9 | | | | | 1.3 | | | |
| 14 – 15 | | | 7.0 | 15.3 | | | | | 1.5 | | | |
| 15 – 16 | | | 7.0 | 20.5 | | | | | 2.4 | | | |
| 16 – 17 | | | 10.3 | 13.7 | 0.2 | | 0.6 | 0.8 | 1.2 | | 0.3 | 6.4 |
| 17 – 18 | | 12.4 | 14.1 | 6.4 | 2.1 | | 1.8 | 1.6 | 2.4 | | 0.3 | 11.7 |
| 18 – 19 | | 29.2 | 15.3 | 5.5 | 3.7 | | 3.1 | 7.2 | 2.3 | 7.6 | 5.6 | 20.9 |
| 19 – 20 | | 26.4 | 6.8 | 7.2 | 4.6 | | 6.2 | 3.0 | 4.5 | 24.9 | 11.0 | 11.7 |
| 20 – 21 | | 14.0 | 2.7 | 7.4 | 2.9 | | 2.6 | 6.0 | 12.9 | 27.1 | 14.4 | 35.3 |
| 21 – 22 | | 8.4 | | 5.3 | 2.3 | 0.3 | 4.7 | 3.0 | 13.8 | 30.3 | 4.1 | 14.1 |
| 22 – 23 | | 8.7 | 5.2 | 1.0 | 3.1 | 0.8 | 2.4 | 4.3 | 5.5 | 6.6 | 5.6 | |
| 23 – 24 | | 0.8 | 9.6 | 0.7 | 5.0 | 0.8 | 0.8 | 5.0 | 5.5 | 1.6 | 6.2 | |
| 24 – 25 | | | 18.5 | 0.7 | 7.2 | 0.9 | 1.2 | 5.8 | 7.2 | 0.3 | 6.7 | |
| 25 – 26 | | | 3.6 | | 11.5 | 2.2 | 1.3 | 8.0 | 13.9 | 0.1 | 7.4 | |
| 26 – 27 | | | | | 10.5 | 4.0 | 3.5 | 10.3 | 10.3 | 0.1 | 7.2 | |
| 27 – 28 | | | | | 14.4 | 6.9 | 6.4 | 9.1 | 7.4 | 0.8 | 6.4 | |
| 28 – 29 | | | | | 11.3 | 16.5 | 16.4 | 9.8 | 5.9 | 0.5 | 9.5 | |
| 29 – 30 | | | | | 11.8 | 27.6 | 19.8 | 15.6 | 1.2 | | 12.3 | |
| 30 – 31 | | | | | 9.1 | 31.1 | 17.0 | 9.4 | | | 3.1 | |
| 31 – 32 | | | | | 0.2 | 8.9 | 11.8 | 1.0 | | | | |
| 32 – 33 | | | | | | | 0.3 | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 522 | 356 | 561 | 692 | 901 | 1082 | 989 | 736 | 1316 | 746 | 390 | 326 |

Tabel C.215: Hyppighedsfordeling af saltholdigheden for station Saltholm North i 3.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | 0.2 | | | | |
| 6 – 7 | 1.4 | | 14.8 | 34.6 | 45.2 | 14.6 | 25.0 | 12.3 | 2.9 | 24.4 | | 2.3 |
| 7 – 8 | 26.5 | 7.5 | 45.6 | 35.0 | 28.2 | 4.7 | 29.4 | 24.2 | 25.3 | 19.0 | | 16.3 |
| 8 – 9 | 0.5 | 58.8 | 3.2 | 5.8 | 15.8 | 11.0 | 10.8 | 15.0 | 22.0 | 3.2 | 7.4 | 15.9 |
| 9 – 10 | 0.3 | 3.2 | 1.7 | 3.9 | 2.5 | 9.3 | 7.0 | 13.1 | 19.2 | 4.8 | 6.9 | 7.5 |
| 10 – 11 | 0.3 | 2.1 | 0.7 | 2.5 | 2.5 | 12.5 | 3.0 | 10.7 | 16.6 | 1.1 | 9.5 | 11.0 |
| 11 – 12 | 0.2 | 1.9 | 0.4 | 1.8 | 3.7 | 6.6 | 7.1 | 9.7 | 7.4 | 0.6 | 15.2 | 7.9 |
| 12 – 13 | | 2.1 | 1.6 | 1.8 | 2.1 | 4.9 | 2.7 | 5.7 | 2.5 | 0.7 | 11.3 | 6.2 |
| 13 – 14 | | 1.3 | 0.9 | 10.3 | | 9.1 | 2.8 | 5.4 | 4.0 | 1.3 | 5.2 | 5.8 |
| 14 – 15 | 0.6 | 0.8 | 2.2 | 3.3 | | 27.1 | 5.5 | 3.6 | | 1.7 | 8.2 | 5.6 |
| 15 – 16 | 0.8 | 0.8 | 14.9 | 0.8 | | 0.4 | 3.7 | 0.1 | | 24.2 | 10.0 | 5.4 |
| 16 – 17 | 2.3 | 4.8 | 11.6 | | | | 3.0 | | | 17.9 | 4.8 | 4.7 |
| 17 – 18 | 3.3 | 8.6 | 2.2 | 0.1 | | | | | | 0.7 | 3.5 | 2.0 |
| 18 – 19 | 1.9 | 8.0 | 0.3 | | | | | | | 0.4 | 1.7 | 4.3 |
| 19 – 20 | 4.7 | | | | | | | | | | 15.2 | 2.8 |
| 20 – 21 | 5.9 | | | | | | | | | | 1.3 | 2.3 |
| 21 – 22 | 10.4 | | | | | | | | | | | |
| 22 – 23 | 32.4 | | | | | | | | | | | |
| 23 – 24 | 8.7 | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 645 | 374 | 744 | 720 | 436 | 473 | 896 | 1488 | 718 | 537 | 231 | 744 |

Tabel C.216: Hyppighedsfordeling af saltholdigheden for station Saltholm North i 5.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | 0.8 | | 7.0 | 26.0 | 30.3 | 14.4 | 9.8 | 5.1 | 0.1 | 9.7 | | |
| 7 – 8 | 26.4 | 5.9 | 49.9 | 39.2 | 34.4 | 3.6 | 34.2 | 22.9 | 26.2 | 33.5 | | 16.0 |
| 8 – 9 | 1.1 | 56.4 | 2.8 | 8.2 | 21.1 | 7.2 | 13.4 | 21.4 | 19.9 | 0.6 | 6.9 | 17.1 |
| 9 – 10 | 0.2 | 6.7 | 3.5 | 3.2 | 5.0 | 11.0 | 12.3 | 11.9 | 18.7 | 3.2 | 4.3 | 6.2 |
| 10 – 11 | 0.2 | 2.1 | 1.9 | 3.2 | 1.1 | 6.3 | 4.0 | 8.0 | 17.3 | 3.5 | 4.8 | 10.2 |
| 11 – 12 | 0.2 | 2.1 | 0.3 | 1.4 | 4.1 | 7.0 | 7.5 | 12.2 | 5.8 | 1.7 | 15.6 | 7.1 |
| 12 – 13 | | 1.6 | 1.7 | 2.6 | 3.9 | 8.2 | 3.5 | 5.6 | 6.3 | 0.9 | 13.4 | 7.9 |
| 13 – 14 | 0.3 | 1.9 | 0.9 | 11.2 | | 19.9 | 3.5 | 5.6 | 5.2 | 0.9 | 7.4 | 5.8 |
| 14 – 15 | 0.2 | 0.8 | 1.6 | 3.5 | | 22.2 | 5.4 | 6.5 | 0.6 | 0.9 | 10.0 | 5.5 |
| 15 – 16 | 0.2 | 1.6 | 18.5 | 1.0 | | 0.2 | 3.9 | 0.9 | | 11.2 | 6.9 | 5.9 |
| 16 – 17 | 2.0 | 5.6 | 7.8 | 0.3 | | | 2.7 | | | 30.7 | 6.1 | 7.0 |
| 17 – 18 | 2.2 | 13.1 | 2.2 | 0.1 | | | | | | 1.7 | 5.2 | 1.7 |
| 18 – 19 | 4.0 | 2.1 | 0.9 | 0.1 | | | | | | 0.4 | 5.2 | 3.8 |
| 19 – 20 | 7.8 | | 0.7 | | | | | | | 1.1 | 13.4 | 3.4 |
| 20 – 21 | 4.3 | | 0.1 | | | | | | | | 0.9 | 2.4 |
| 21 – 22 | 34.1 | | 0.1 | | | | | | | | | |
| 22 – 23 | 16.1 | | | | | | | | | | | |
| 23 – 24 | 0.2 | | | | | | | | | | | |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 645 | 374 | 744 | 720 | 436 | 473 | 896 | 1488 | 718 | 537 | 231 | 744 |

Tabel C.217: Hyppighedsfordeling af saltholdigheden for station Saltholm North i 7.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | 0.6 | | 1.2 | 24.4 | 10.3 | 1.1 | 1.8 | 2.1 | 0.1 | 4.8 | | |
| 7 – 8 | 22.5 | 3.2 | 48.7 | 34.9 | 38.5 | 5.7 | 24.6 | 15.7 | 24.2 | 33.5 | | 11.2 |
| 8 – 9 | 3.4 | 52.9 | 5.0 | 2.9 | 10.8 | 9.1 | 17.9 | 14.0 | 13.6 | 2.2 | 1.7 | 15.7 |
| 9 – 10 | 1.1 | 3.7 | 2.3 | 8.1 | 10.1 | 4.2 | 9.3 | 12.1 | 16.0 | 0.6 | 3.0 | 6.2 |
| 10 – 11 | 0.6 | 7.8 | 2.0 | 2.9 | 6.4 | 10.1 | 6.1 | 7.9 | 11.8 | 0.4 | 3.0 | 5.6 |
| 11 – 12 | | 2.4 | 0.7 | 2.5 | 10.3 | 7.4 | 12.3 | 9.9 | 12.4 | 2.0 | 8.2 | 6.3 |
| 12 – 13 | | 1.6 | 2.0 | 1.4 | 6.0 | 6.6 | 5.0 | 12.1 | 4.6 | 1.7 | 10.8 | 9.3 |
| 13 – 14 | | 1.3 | 0.7 | 5.4 | 6.0 | 12.3 | 6.5 | 7.8 | 8.5 | 1.9 | 8.7 | 6.9 |
| 14 – 15 | | 2.1 | 0.9 | 9.2 | 1.6 | 35.9 | 6.2 | 8.9 | 5.0 | 3.4 | 6.5 | 4.6 |
| 15 – 16 | 0.2 | 2.4 | 9.8 | 5.3 | | 7.4 | 5.4 | 6.3 | 3.5 | 6.1 | 7.8 | 3.5 |
| 16 – 17 | | 4.3 | 11.3 | 1.5 | | 0.2 | 4.7 | 2.9 | 0.1 | 29.6 | 13.0 | 4.6 |
| 17 – 18 | 0.5 | 11.5 | 8.5 | 0.4 | | | 0.3 | 0.3 | | 9.7 | 10.8 | 4.4 |
| 18 – 19 | 1.2 | 6.7 | 2.6 | 0.4 | | | | | | 0.9 | 3.9 | 3.0 |
| 19 – 20 | 2.0 | | 2.2 | 0.3 | | | | | | 1.1 | 15.6 | 4.2 |
| 20 – 21 | 8.7 | | 0.8 | 0.3 | | | | | | 2.0 | 5.6 | 7.8 |
| 21 – 22 | 24.1 | | 0.5 | 0.1 | | | | | | | 1.3 | 3.6 |
| 22 – 23 | 33.1 | | 0.8 | | | | | | | | | 2.8 |
| 23 – 24 | 2.0 | | 0.1 | | | | | | | | | 0.4 |
| 24 – 25 | | | | | | | | | | | | |
| 25 – 26 | | | | | | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 644 | 374 | 744 | 720 | 436 | 473 | 896 | 1488 | 718 | 537 | 231 | 744 |

Tabel C.218: Hyppighedsfordeling af saltholdigheden for station Saltholm North i 9.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | 3.5 | | | | 1.1 | 0.1 | 2.8 | | |
| 7 – 8 | 12.3 | | 21.4 | 47.8 | 13.3 | 0.2 | 3.7 | 2.3 | 18.8 | 20.3 | | 1.3 |
| 8 – 9 | 6.8 | 41.2 | 10.2 | 2.2 | 23.6 | 0.2 | 11.0 | 5.8 | 10.6 | 2.8 | | 11.0 |
| 9 – 10 | 1.7 | 5.6 | 5.6 | | 9.2 | 0.8 | 12.1 | 8.3 | 8.4 | 0.2 | | 6.2 |
| 10 – 11 | 0.5 | 3.5 | 5.2 | 1.8 | 5.7 | 2.1 | 8.0 | 9.1 | 7.0 | 1.5 | | 6.2 |
| 11 – 12 | 0.3 | 5.9 | 5.8 | 2.5 | 8.5 | 6.3 | 12.8 | 6.8 | 7.8 | 2.6 | 2.6 | 6.2 |
| 12 – 13 | 0.6 | 4.0 | 3.4 | 4.6 | 11.9 | 9.1 | 8.4 | 11.1 | 3.5 | 4.1 | 3.0 | 6.1 |
| 13 – 14 | 1.2 | 3.5 | 2.6 | 6.2 | 3.9 | 16.1 | 12.8 | 15.5 | 7.0 | 1.5 | 4.3 | 4.2 |
| 14 – 15 | 0.5 | 3.2 | 3.1 | 7.9 | 5.0 | 41.6 | 8.3 | 11.8 | 6.4 | 3.2 | 1.3 | 5.0 |
| 15 – 16 | 0.2 | 2.7 | 5.5 | 8.9 | 8.3 | 15.2 | 10.7 | 10.8 | 7.7 | 15.6 | 5.6 | 3.4 |
| 16 – 17 | 1.1 | 5.1 | 11.6 | 4.9 | 7.6 | 5.1 | 9.4 | 6.3 | 10.4 | 30.4 | 10.4 | 2.2 |
| 17 – 18 | 0.6 | 13.1 | 7.4 | 3.8 | 2.8 | 2.5 | 2.5 | 8.3 | 7.4 | 5.8 | 11.3 | 3.5 |
| 18 – 19 | 0.3 | 10.2 | 5.6 | 3.3 | 0.2 | 0.6 | 0.3 | 2.9 | 3.9 | 1.5 | 12.1 | 4.7 |
| 19 – 20 | 0.8 | 2.1 | 2.8 | 0.6 | | | | | 1.0 | 0.9 | 26.4 | 7.9 |
| 20 – 21 | 2.3 | | 4.3 | 1.1 | | | | | 0.1 | 2.0 | 11.7 | 9.4 |
| 21 – 22 | 28.0 | | 2.0 | 0.4 | | | | | | 3.4 | 8.2 | 4.6 |
| 22 – 23 | 34.2 | | 0.9 | 0.4 | | | | | | 0.9 | 3.0 | 3.0 |
| 23 – 24 | 7.5 | | 2.3 | 0.1 | | | | | | 0.6 | | 8.3 |
| 24 – 25 | 1.2 | | 0.3 | | | | | | | | | 5.9 |
| 25 – 26 | | | | | | | | | | | | 0.9 |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 644 | 374 | 744 | 720 | 436 | 473 | 896 | 1488 | 718 | 537 | 231 | 743 |

Tabel C.219: Hyppighedsfordeling af saltholdigheden for station Saltholm North i 11.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | 2.4 | 37.1 | | | | 0.5 | 2.8 | 0.6 | | |
| 8 – 9 | 0.3 | 25.1 | 9.5 | 8.3 | 2.3 | | 0.1 | 0.3 | 7.1 | 8.4 | | 1.3 |
| 9 – 10 | 1.9 | 6.1 | 3.5 | 0.3 | 10.1 | | 1.3 | 1.3 | 4.6 | 2.2 | | 2.2 |
| 10 – 11 | 1.2 | 1.9 | 2.6 | 0.6 | 12.4 | | 1.6 | 1.0 | 1.4 | 1.5 | | 0.5 |
| 11 – 12 | 0.8 | 2.7 | 2.6 | 0.6 | 7.1 | | 4.8 | 0.3 | 3.6 | 0.9 | | 3.6 |
| 12 – 13 | 1.4 | 2.7 | 2.0 | 1.0 | 9.0 | 0.4 | 7.9 | 0.9 | 5.0 | 1.3 | | 6.3 |
| 13 – 14 | 1.6 | 2.7 | 3.0 | 0.7 | 7.8 | 2.3 | 11.4 | 5.8 | 5.3 | 2.0 | | 3.0 |
| 14 – 15 | 0.5 | 2.9 | 5.2 | 4.0 | 7.6 | 19.2 | 17.3 | 18.5 | 4.5 | 1.3 | 1.3 | 1.5 |
| 15 – 16 | 1.4 | 5.1 | 4.7 | 1.9 | 7.6 | 30.0 | 22.3 | 17.3 | 3.9 | 3.9 | 1.7 | 3.1 |
| 16 – 17 | 0.8 | 9.6 | 8.2 | 1.8 | 4.8 | 8.7 | 16.6 | 14.4 | 8.5 | 10.4 | | 2.7 |
| 17 – 18 | 0.8 | 6.7 | 7.8 | 2.4 | 3.9 | 11.0 | 8.8 | 10.1 | 7.2 | 27.0 | 1.3 | 2.8 |
| 18 – 19 | 2.6 | 15.2 | 15.5 | 8.2 | 4.6 | 9.5 | 3.6 | 11.2 | 13.6 | 14.9 | 10.4 | 4.3 |
| 19 – 20 | 0.8 | 5.6 | 8.3 | 9.2 | 5.3 | 5.5 | 2.0 | 8.3 | 9.5 | 6.7 | 17.7 | 3.8 |
| 20 – 21 | 1.4 | 10.7 | 5.6 | 8.1 | 6.2 | 4.2 | 0.7 | 5.0 | 4.7 | 4.8 | 16.9 | 9.8 |
| 21 – 22 | 5.6 | 1.1 | 7.3 | 5.0 | 4.6 | 2.1 | 0.2 | 3.0 | 8.4 | 3.2 | 13.4 | 13.7 |
| 22 – 23 | 38.4 | 1.9 | 5.4 | 4.3 | 3.7 | 1.9 | 0.3 | 1.0 | 5.2 | 2.8 | 10.4 | 9.8 |
| 23 – 24 | 26.9 | | 2.8 | 2.2 | 1.8 | 0.8 | 0.3 | 0.8 | 3.2 | 0.6 | 6.9 | 6.3 |
| 24 – 25 | 10.7 | | 2.7 | 1.7 | 0.7 | 1.1 | 0.6 | 0.1 | 1.5 | 1.3 | 11.7 | 10.1 |
| 25 – 26 | 2.8 | | 0.9 | 0.7 | 0.5 | 1.1 | 0.1 | 0.1 | | 2.8 | 8.2 | 11.4 |
| 26 – 27 | 0.3 | | | 1.4 | | 1.5 | | | | 3.4 | | 3.5 |
| 27 – 28 | | | | 0.7 | | 0.6 | | | | | | 0.3 |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 644 | 374 | 744 | 720 | 435 | 473 | 896 | 1488 | 718 | 537 | 231 | 744 |

Tabel C.220: Hyppighedsfordeling af saltholdigheden for station Saltholm North i 13.5 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | 21.2 | | | | | | | | |
| 8 – 9 | | 11.8 | 8.3 | 14.2 | | | | | | 0.7 | | |
| 9 – 10 | | 11.2 | 1.6 | 1.7 | | | | | 0.1 | 0.7 | | |
| 10 – 11 | | 4.0 | 2.2 | 1.5 | | | | | 1.3 | 0.4 | | |
| 11 – 12 | | 0.8 | 0.9 | 0.8 | | | | | 1.5 | | | |
| 12 – 13 | | 0.3 | 2.2 | 0.1 | | | | 0.1 | 3.3 | 0.4 | | |
| 13 – 14 | | 1.1 | 0.4 | 0.7 | 0.5 | | 1.5 | 1.7 | 2.9 | 0.6 | | |
| 14 – 15 | | 1.1 | 0.7 | 0.4 | 3.9 | 12.3 | 11.8 | 3.5 | 3.9 | 1.5 | | 0.9 |
| 15 – 16 | | 5.3 | 5.5 | 1.1 | 10.3 | 8.0 | 12.4 | 6.2 | 2.1 | 2.0 | | 1.5 |
| 16 – 17 | | 7.5 | 9.9 | 0.6 | 10.6 | 5.1 | 17.3 | 10.6 | 1.8 | 3.7 | | 3.6 |
| 17 – 18 | 0.6 | 18.2 | 6.9 | 0.4 | 7.1 | 9.7 | 19.1 | 12.2 | 6.5 | 10.4 | | 3.2 |
| 18 – 19 | 2.2 | 13.6 | 7.7 | 0.6 | 6.4 | 12.7 | 10.3 | 12.8 | 9.2 | 14.5 | 5.2 | 4.7 |
| 19 – 20 | 2.8 | 4.0 | 3.6 | 4.3 | 4.1 | 6.8 | 8.6 | 11.9 | 11.4 | 13.2 | 10.4 | 4.6 |
| 20 – 21 | 1.2 | 7.2 | 10.1 | 5.4 | 3.0 | 3.8 | 7.3 | 12.4 | 6.1 | 7.6 | 8.7 | 5.8 |
| 21 – 22 | 26.2 | 9.6 | 7.4 | 8.8 | 3.2 | 7.2 | 3.2 | 12.4 | 5.2 | 11.7 | 13.4 | 10.6 |
| 22 – 23 | 33.2 | 4.3 | 11.3 | 9.0 | 5.5 | 2.1 | 1.3 | 5.8 | 9.9 | 12.1 | 16.5 | 11.0 |
| 23 – 24 | 21.4 | | 10.8 | 5.0 | 3.4 | 1.9 | 0.6 | 4.7 | 7.2 | 6.9 | 19.5 | 14.7 |
| 24 – 25 | 8.7 | | 6.9 | 7.4 | 7.6 | 4.4 | 2.1 | 3.2 | 11.6 | 6.0 | 11.7 | 17.3 |
| 25 – 26 | 3.6 | | 3.8 | 4.6 | 15.2 | 4.9 | 4.6 | 2.2 | 15.9 | 4.1 | 6.1 | 8.6 |
| 26 – 27 | | | | 6.7 | 16.1 | 5.1 | | 0.2 | | 3.4 | 8.7 | 12.0 |
| 27 – 28 | | | | 5.6 | 3.0 | 16.1 | | | | | | 1.5 |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 644 | 374 | 744 | 720 | 435 | 473 | 896 | 1488 | 718 | 537 | 231 | 744 |

Tabel C.221: Hyppighedsfordeling af saltholdigheden for station Saltholm North i 14.2 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | 16.1 | | | | | | | | |
| 8 – 9 | | 1.3 | 5.6 | 14.2 | | | | | | | | |
| 9 – 10 | | 15.0 | 1.9 | 3.5 | | | | | 0.3 | 0.2 | | |
| 10 – 11 | | 8.0 | 1.9 | 1.8 | | | | 0.4 | 1.4 | 0.4 | | |
| 11 – 12 | | 1.9 | 1.9 | 2.1 | | | | 0.1 | 0.6 | 1.1 | | |
| 12 – 13 | | 0.8 | 0.8 | 0.3 | | | | | 2.8 | 2.2 | | |
| 13 – 14 | | 0.8 | 1.2 | | | | | | 5.3 | 2.6 | | |
| 14 – 15 | | 0.5 | 0.7 | 0.4 | | | | | 3.2 | 2.1 | | |
| 15 – 16 | | 1.9 | 1.6 | 1.0 | 2.5 | | | 0.7 | 3.4 | 2.4 | | 0.1 |
| 16 – 17 | | 3.7 | 10.5 | 0.3 | 7.1 | | | 3.9 | 4.3 | 3.2 | | 1.2 |
| 17 – 18 | | 8.8 | 6.9 | 1.2 | 5.7 | 2.0 | 1.3 | 2.2 | 2.1 | 6.0 | | 2.2 |
| 18 – 19 | | 29.7 | 6.6 | 0.3 | 7.4 | 7.3 | 0.7 | 11.3 | 5.2 | 5.0 | | 4.2 |
| 19 – 20 | 1.2 | 2.1 | 5.4 | 1.4 | 5.3 | 3.9 | 9.2 | 13.4 | 8.3 | 5.6 | 5.6 | 4.0 |
| 20 – 21 | 2.6 | 4.3 | 4.3 | 2.8 | 5.7 | 5.4 | 11.2 | 13.4 | 7.3 | 13.1 | 11.3 | 3.8 |
| 21 – 22 | 2.5 | 7.0 | 9.4 | 4.9 | 3.9 | 4.9 | 12.5 | 18.4 | 6.3 | 12.0 | 8.2 | 5.1 |
| 22 – 23 | 30.6 | 12.6 | 6.0 | 7.4 | 3.9 | 2.9 | 10.5 | 16.1 | 5.6 | 13.5 | 13.0 | 11.6 |
| 23 – 24 | 29.7 | 1.6 | 14.4 | 6.7 | 5.3 | 5.4 | 2.6 | 7.8 | 8.5 | 9.2 | 11.3 | 11.3 |
| 24 – 25 | 20.5 | | 10.2 | 7.1 | 3.7 | 7.8 | 9.9 | 5.1 | 9.1 | 7.5 | 24.7 | 15.3 |
| 25 – 26 | 9.0 | | 9.0 | 10.6 | 7.8 | 5.4 | 11.8 | 5.8 | 13.0 | 6.4 | 13.4 | 16.8 |
| 26 – 27 | 3.9 | | 1.7 | 5.7 | 20.5 | 6.3 | 30.3 | 1.3 | 13.3 | 7.7 | 3.9 | 9.9 |
| 27 – 28 | | | | 12.5 | 21.1 | 12.7 | | | | | 8.7 | 11.2 |
| 28 – 29 | | | | | | 34.6 | | | | | | 3.4 |
| 29 – 30 | | | | | | 1.0 | | | | | | |
| 30 – 31 | | | | | | 0.5 | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 644 | 374 | 744 | 720 | 435 | 205 | 152 | 744 | 714 | 535 | 231 | 744 |

Tabel C.222: Hyppighedsfordeling af saltholdigheden for station Svinbådan i 2.7 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|-----|-----|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | 67.6 | 14.1 | | 20.3 | | | | | |
| 9 – 10 | 0.9 | | | 14.7 | 36.0 | | 36.0 | 4.3 | 2.9 | | 3.7 | |
| 10 – 11 | 9.1 | | | 5.9 | 12.9 | | 17.1 | 9.4 | 3.3 | 7.1 | 15.9 | 1.8 |
| 11 – 12 | 22.2 | | | 11.8 | 6.4 | | 7.0 | 11.6 | 12.4 | 8.2 | 13.5 | 10.7 |
| 12 – 13 | 12.1 | | | | 6.4 | 1.2 | 4.8 | 9.0 | 12.8 | 11.9 | 8.9 | 4.8 |
| 13 – 14 | 7.4 | | | | 8.9 | 3.2 | 5.6 | 12.7 | 7.7 | 3.7 | 4.8 | 4.1 |
| 14 – 15 | 5.3 | | | | 10.6 | 4.9 | 3.1 | 12.0 | 9.1 | 4.3 | 3.6 | 5.6 |
| 15 – 16 | 4.6 | | | | 4.7 | 20.1 | 2.0 | 9.6 | 14.9 | 3.4 | 2.3 | 5.2 |
| 16 – 17 | 2.9 | | | | | 36.5 | 2.8 | 24.4 | 14.3 | 2.3 | 2.6 | 4.7 |
| 17 – 18 | 2.1 | | | | | 22.6 | 0.9 | 6.9 | 8.2 | 2.8 | 3.6 | 3.9 |
| 18 – 19 | 1.6 | | | | | 2.5 | 0.3 | | 3.8 | 2.7 | 3.4 | 3.1 |
| 19 – 20 | 3.1 | | | | | 4.2 | | | 0.3 | 15.1 | 4.2 | 3.4 |
| 20 – 21 | 1.3 | | | | | 4.6 | | | 2.6 | 3.6 | 2.5 | 2.0 |
| 21 – 22 | 2.3 | | | | | 0.1 | | | 5.7 | 11.9 | 3.6 | 5.6 |
| 22 – 23 | 4.4 | | | | | | | | 1.9 | 19.6 | 9.2 | 7.9 |
| 23 – 24 | 5.5 | | | | | | | | | 3.0 | 7.2 | 7.4 |
| 24 – 25 | 4.6 | | | | | | | | | 0.3 | 5.3 | 7.9 |
| 25 – 26 | 1.8 | | | | | | | | | 0.1 | 4.3 | 6.5 |
| 26 – 27 | 6.3 | | | | | | | | | | 0.5 | 8.2 |
| 27 – 28 | 2.5 | | | | | | | | | | 0.7 | 5.1 |
| 28 – 29 | | | | | | | | | | | 0.2 | 0.5 |
| 29 – 30 | | | | | | | | | | | 0.1 | 0.7 |
| 30 – 31 | | | | | | | | | | | 0.1 | 0.7 |
| 31 – 32 | | | | | | | | | | | | 0.1 |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 957 | 374 | 744 | 34 | 738 | 720 | 744 | 741 | 718 | 1088 | 1369 | 1481 |

Tabel C.223: Hyppighedsfordeling af saltholdigheden for station Svinbådan i 6.0 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|-----|-----|-----|------|------|-----|-----|-----|-----|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 16 – 17 | | | | | 2.1 | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 18 – 19 | | | | | 4.2 | | | | | | | |
| 19 – 20 | | | | 18.2 | 8.3 | | | | | | | |
| 20 – 21 | | | | 36.4 | 10.4 | | | | | | | |
| 21 – 22 | | | | 45.5 | | | | | | | | |
| 22 – 23 | | | | | 6.2 | | | | | | | |
| 23 – 24 | | | | | 6.2 | | | | | | | |
| 24 – 25 | | | | | 27.1 | | | | | | | |
| 25 – 26 | | | | | 35.4 | | | | | | | |
| 26 – 27 | | | | | | | | | | | | |
| 27 – 28 | | | | | | | | | | | | |
| 28 – 29 | | | | | | | | | | | | |
| 29 – 30 | | | | | | | | | | | | |
| 30 – 31 | | | | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 957 | 374 | 744 | 33 | 48 | 720 | 744 | 741 | 718 | 1088 | 1369 | 1481 |

Tabel C.224: Hyppighedsfordeling af saltholdigheden for station Svinbådan i 7.7 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|-----|-----|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | 0.5 | | 1.1 | | | | | |
| 10 – 11 | 1.6 | | | | 1.8 | | 1.5 | | 0.1 | 4.1 | 0.1 | |
| 11 – 12 | 4.9 | | | | 2.2 | | 1.2 | 0.8 | 1.7 | 3.6 | 0.9 | 0.3 |
| 12 – 13 | 4.6 | | | | 7.9 | | 5.0 | 1.3 | 1.8 | 2.0 | 0.5 | 0.7 |
| 13 – 14 | 2.2 | | | | 8.1 | 1.0 | 12.8 | 5.0 | 2.4 | 0.9 | 1.7 | 0.6 |
| 14 – 15 | 2.8 | | | 14.7 | 11.1 | 1.9 | 15.1 | 8.3 | 4.7 | 0.6 | 1.5 | 1.0 |
| 15 – 16 | 2.1 | | | 26.5 | 23.6 | 14.3 | 15.7 | 17.2 | 6.5 | 1.1 | 1.6 | 0.9 |
| 16 – 17 | 2.9 | | | 58.8 | 15.9 | 27.6 | 21.0 | 19.0 | 7.5 | 1.4 | 2.7 | 2.8 |
| 17 – 18 | 4.1 | | | | 6.5 | 33.3 | 7.0 | 20.7 | 12.6 | 3.7 | 3.6 | 3.0 |
| 18 – 19 | 4.8 | | | | 3.1 | 9.2 | 7.9 | 16.0 | 22.9 | 5.1 | 4.0 | 3.6 |
| 19 – 20 | 5.0 | | | | 4.2 | 5.4 | 10.3 | 5.9 | 14.2 | 17.1 | 4.8 | 5.1 |
| 20 – 21 | 2.5 | | | | 4.6 | 4.6 | 1.5 | 2.6 | 8.9 | 9.2 | 3.9 | 6.5 |
| 21 – 22 | 4.6 | | | | 3.8 | 2.4 | | 1.7 | 6.1 | 18.7 | 4.4 | 6.8 |
| 22 – 23 | 5.3 | | | | 1.9 | 0.3 | | 1.1 | 7.4 | 18.6 | 13.9 | 9.5 |
| 23 – 24 | 9.4 | | | | 1.4 | | | 0.3 | 2.1 | 3.6 | 11.4 | 13.0 |
| 24 – 25 | 8.9 | | | | 1.9 | | | | 0.4 | 1.7 | 7.5 | 15.9 |
| 25 – 26 | 9.7 | | | | 0.5 | | | | 0.4 | 0.8 | 6.4 | 4.8 |
| 26 – 27 | 13.5 | | | | 0.7 | | | | 0.1 | 0.5 | 3.2 | 7.7 |
| 27 – 28 | 6.2 | | | | 0.1 | | | | 0.1 | 0.3 | 3.9 | 7.2 |
| 28 – 29 | 3.1 | | | | 0.3 | | | | | 0.6 | 3.1 | 1.7 |
| 29 – 30 | 1.3 | | | | | | | | | 0.9 | 3.1 | 1.8 |
| 30 – 31 | 0.5 | | | | | | | | | 1.8 | 3.4 | 1.1 |
| 31 – 32 | | | | | | | | | | 1.7 | 4.9 | 1.4 |
| 32 – 33 | | | | | | | | | | 1.0 | 3.0 | 1.1 |
| 33 – 34 | | | | | | | | | | 0.8 | 3.7 | 1.1 |
| 34 – 35 | | | | | | | | | | | 2.2 | 1.4 |
| 35 – 36 | | | | | | | | | | | 0.5 | 1.0 |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 957 | 374 | 744 | 34 | 738 | 720 | 744 | 743 | 720 | 1091 | 1369 | 1481 |

Tabel C.225: Hyppighedsfordeling af saltholdigheden for station Svinbådan i 12.9 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|-----|-----|------|------|------|------|-----|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 15 – 16 | | | | | 0.9 | 0.4 | | | | 0.1 | | |
| 16 – 17 | | | | | 0.3 | 3.9 | | | | | | |
| 17 – 18 | 0.7 | | | | 0.4 | 5.4 | 0.4 | | | | | |
| 18 – 19 | 0.3 | | | | 0.1 | 10.1 | 2.4 | | | | 0.1 | |
| 19 – 20 | 1.9 | | | | 0.9 | 28.1 | 7.0 | | | 1.5 | 0.3 | |
| 20 – 21 | 0.8 | | | | 1.1 | 13.9 | 8.6 | 0.3 | | 1.4 | 0.4 | 0.1 |
| 21 – 22 | 2.4 | | | | 1.1 | 7.6 | 10.5 | 1.2 | 0.9 | 1.5 | 0.8 | 0.2 |
| 22 – 23 | 3.7 | | | | 2.4 | 8.9 | 8.3 | 6.9 | 7.2 | 7.6 | 0.7 | 1.8 |
| 23 – 24 | 8.0 | | | | 3.5 | 5.7 | 17.2 | 6.1 | 20.7 | 15.9 | 5.6 | 3.9 |
| 24 – 25 | 11.2 | | | | 6.5 | 2.9 | 19.9 | 3.4 | 17.4 | 9.3 | 12.1 | 9.3 |
| 25 – 26 | 4.9 | | | | 6.2 | 1.7 | 12.0 | 3.9 | 7.7 | 10.3 | 5.8 | 14.6 |
| 26 – 27 | 6.8 | | | | 4.9 | 1.4 | 9.8 | 5.9 | 9.1 | 4.9 | 5.2 | 10.2 |
| 27 – 28 | 16.1 | | | | 4.2 | 0.6 | 3.9 | 8.8 | 7.4 | 3.8 | 2.4 | 13.8 |
| 28 – 29 | 11.0 | | | | 3.4 | 1.2 | | 9.2 | 5.1 | 2.6 | 2.6 | 8.5 |
| 29 – 30 | 4.2 | | | | 5.1 | 1.2 | | 8.2 | 4.4 | 3.1 | 2.4 | 5.4 |
| 30 – 31 | 6.1 | | | | 4.9 | 1.5 | | 7.8 | 1.2 | 3.5 | 3.6 | 4.2 |
| 31 – 32 | 7.9 | | | | 8.4 | 1.5 | | 5.9 | 2.1 | 6.6 | 4.0 | 2.7 |
| 32 – 33 | 9.6 | | | | 9.2 | 2.1 | | 9.3 | 2.6 | 8.5 | 9.3 | 3.3 |
| 33 – 34 | 3.8 | | | | 19.2 | 1.0 | | 5.3 | 1.4 | 7.3 | 10.6 | 2.9 |
| 34 – 35 | 0.6 | | | | 11.7 | 0.8 | | 3.4 | 5.6 | 7.2 | 10.9 | 3.6 |
| 35 – 36 | | | | 48.5 | 5.4 | | | 5.0 | 4.0 | 4.8 | 22.1 | 11.3 |
| 36 – 37 | | | | 51.5 | | | | 8.0 | 3.3 | | 1.1 | 4.2 |
| 37 – 38 | | | | | | | | 1.6 | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 957 | 374 | 744 | 33 | 738 | 720 | 744 | 742 | 430 | 1041 | 1369 | 1482 |

Tabel C.226: Hyppighedsfordeling af saltholdigheden for station Valgrundet i 2.7 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | 0.4 | | |
| 8 – 9 | | 58.9 | 16.2 | 57.4 | 74.5 | | 88.8 | 18.3 | | 16.4 | 15.9 | |
| 9 – 10 | 18.2 | 10.1 | 13.8 | 27.5 | 11.2 | 6.0 | 10.1 | 31.0 | 26.2 | 18.3 | 28.0 | 4.2 |
| 10 – 11 | 19.4 | 7.6 | 13.4 | 14.9 | 1.4 | 7.5 | 1.1 | 7.9 | 19.5 | 12.5 | 9.2 | 20.8 |
| 11 – 12 | 8.5 | 1.8 | 5.9 | 0.3 | 1.7 | 5.8 | | 7.4 | 13.3 | 11.6 | 5.8 | 8.7 |
| 12 – 13 | 2.0 | 4.6 | 2.2 | | 1.2 | 5.0 | | 13.3 | 16.9 | 2.9 | 2.4 | 8.7 |
| 13 – 14 | 1.6 | 1.9 | 3.4 | | 2.7 | 9.6 | | 9.0 | 12.0 | 3.2 | 3.2 | 6.2 |
| 14 – 15 | 3.5 | 1.5 | 2.6 | | 2.9 | 10.0 | | 4.0 | 4.9 | 2.0 | 3.4 | 5.0 |
| 15 – 16 | 5.4 | 2.7 | 2.0 | | 2.6 | 9.3 | | 3.0 | 2.8 | 2.3 | 4.9 | 4.9 |
| 16 – 17 | 5.2 | 1.3 | 2.4 | | 1.2 | 15.0 | | 2.3 | 1.7 | 3.7 | 3.1 | 2.4 |
| 17 – 18 | 2.2 | 1.5 | 5.9 | | 0.4 | 21.4 | | 3.6 | 2.4 | 3.6 | 1.6 | 2.2 |
| 18 – 19 | 2.1 | 1.9 | 5.3 | | 0.1 | 5.8 | | 0.1 | 0.4 | 4.2 | 1.6 | 3.1 |
| 19 – 20 | 1.5 | 1.6 | 5.7 | | | 4.6 | | | | 6.1 | 1.3 | 2.3 |
| 20 – 21 | 2.2 | 0.7 | 2.9 | | | | | | | 5.2 | 2.3 | 1.7 |
| 21 – 22 | 2.1 | 0.4 | 4.9 | | | | | | | 5.1 | 5.1 | 2.4 |
| 22 – 23 | 3.9 | 0.3 | 10.6 | | | | | | | 1.1 | 3.6 | 5.1 |
| 23 – 24 | 2.6 | 0.3 | 1.6 | | | | | | | 0.6 | 5.0 | 6.7 |
| 24 – 25 | 6.1 | 2.4 | 0.4 | | | | | | | 0.6 | 1.6 | 4.6 |
| 25 – 26 | 6.4 | 0.3 | | | | | | | | 0.2 | 1.6 | 5.8 |
| 26 – 27 | 6.9 | | 0.3 | | | | | | | 0.1 | 0.6 | 4.6 |
| 27 – 28 | | | | | | | | | | 0.1 | | 0.5 |
| 28 – 29 | | | | | | | | | | | | 0.1 |
| 29 – 30 | | | 0.1 | | | | | | | | | 0.1 |
| 30 – 31 | | | 0.3 | | | | | | | | | |
| 31 – 32 | | | | | | | | | | | | |
| 32 – 33 | | | | | | | | | | | | |
| 33 – 34 | | | | | | | | | | | | |
| 34 – 35 | | | | | | | | | | | | |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1129 | 672 | 696 | 706 | 694 | 720 | 744 | 744 | 534 | 1228 | 1394 | 1488 |

Tabel C.227: Hyppighedsfordeling af saltholdigheden for station Valgrundet i 4.7 m dybde

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | 44.9 | 12.5 | 30.3 | 35.4 | | 0.8 | | | 13.3 | 9.1 | |
| 8 – 9 | 13.4 | 19.7 | 8.2 | 41.8 | 42.7 | 0.1 | 89.1 | 18.5 | 3.6 | 5.6 | 20.2 | 1.5 |
| 9 – 10 | 13.9 | 9.1 | 16.5 | 23.5 | 1.9 | 6.7 | 7.1 | 23.8 | 23.0 | 18.9 | 18.4 | 11.1 |
| 10 – 11 | 16.2 | 1.3 | 5.6 | 4.4 | 0.6 | 5.3 | 2.6 | 6.9 | 17.6 | 12.3 | 6.0 | 14.1 |
| 11 – 12 | 2.7 | 3.1 | 3.9 | | 0.9 | 6.7 | | 5.1 | 9.7 | 7.8 | 3.6 | 6.3 |
| 12 – 13 | 1.5 | 4.0 | 1.1 | | 1.3 | 4.9 | 0.1 | 8.9 | 13.5 | 1.5 | 2.1 | 7.9 |
| 13 – 14 | 1.0 | 2.2 | 0.4 | | 1.7 | 9.0 | | 9.3 | 10.3 | 2.8 | 2.2 | 3.8 |
| 14 – 15 | 1.8 | 0.7 | 1.9 | | 3.0 | 6.5 | | 9.1 | 7.1 | 2.0 | 1.5 | 4.0 |
| 15 – 16 | 4.6 | 0.9 | 2.0 | | 3.6 | 8.2 | | 5.6 | 4.5 | 2.3 | 2.7 | 4.3 |
| 16 – 17 | 4.5 | 1.6 | 3.2 | | 2.0 | 10.8 | 0.3 | 6.0 | 2.8 | 2.1 | 2.9 | 1.9 |
| 17 – 18 | 2.3 | 2.1 | 4.7 | | 0.6 | 21.7 | | 4.2 | 3.9 | 2.4 | 2.1 | 3.0 |
| 18 – 19 | 2.2 | 2.7 | 6.8 | | 0.6 | 9.0 | | 0.8 | 3.4 | 3.1 | 2.4 | 2.8 |
| 19 – 20 | 1.3 | 2.2 | 6.3 | | 0.7 | 6.2 | | 0.4 | 0.2 | 5.3 | 2.2 | 2.5 |
| 20 – 21 | 2.4 | 1.2 | 3.6 | | 1.4 | 2.4 | | 0.7 | 0.4 | 6.0 | 1.5 | 2.2 |
| 21 – 22 | 2.6 | 0.3 | 5.3 | | 1.2 | 0.7 | | 0.3 | | 5.6 | 3.3 | 1.5 |
| 22 – 23 | 3.5 | | 7.8 | | 0.7 | 0.8 | | 0.4 | | 4.2 | 2.7 | 4.6 |
| 23 – 24 | 2.9 | 0.4 | 3.9 | | 0.3 | 0.4 | | | | 1.4 | 4.7 | 5.3 |
| 24 – 25 | 4.9 | 1.2 | 1.6 | | 0.7 | 0.1 | | | | 1.7 | 4.9 | 4.8 |
| 25 – 26 | 6.8 | 2.1 | 1.0 | | 0.4 | 0.3 | | | | 0.3 | 1.7 | 5.8 |
| 26 – 27 | 9.5 | 0.1 | 0.4 | | 0.1 | 0.1 | | | | 0.3 | 1.6 | 6.5 |
| 27 – 28 | 1.4 | | 0.4 | | 0.1 | | | | | 0.1 | 1.1 | 2.2 |
| 28 – 29 | 0.5 | | 0.7 | | | | | | | | 0.4 | 1.9 |
| 29 – 30 | | | 0.9 | | | | | | | 0.2 | 0.9 | 0.3 |
| 30 – 31 | | | 0.4 | | | | | | | | 0.4 | 0.3 |
| 31 – 32 | | | 0.7 | | | | | | | | 0.4 | 0.1 |
| 32 – 33 | | | 0.1 | | | | | | | 0.3 | 0.7 | 0.2 |
| 33 – 34 | | | | | | | | | | 0.3 | 0.2 | 0.8 |
| 34 – 35 | | | | | | | | | | | | 0.1 |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1128 | 671 | 696 | 706 | 693 | 720 | 744 | 744 | 534 | 1230 | 1393 | 1488 |

Tabel C.228: Hyppighedsfordeling af saltholdigheden for station Valgrundet i 6.8 m dybde


| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | 49.7 | 13.2 | 33.3 | 34.4 | | 12.4 | | | 12.0 | 6.2 | |
| 8 – 9 | 12.8 | 11.9 | 9.2 | 39.0 | 38.8 | | 71.5 | 15.9 | 2.1 | 3.0 | 21.0 | 2.0 |
| 9 – 10 | 14.3 | 8.8 | 13.5 | 23.4 | 1.9 | 5.3 | 7.1 | 18.1 | 17.8 | 16.9 | 16.0 | 11.4 |
| 10 – 11 | 12.4 | 1.2 | 4.7 | 4.4 | 0.6 | 4.6 | 1.9 | 6.0 | 17.6 | 7.2 | 5.3 | 10.9 |
| 11 – 12 | 2.8 | 2.4 | 2.7 | | 0.4 | 6.9 | 1.9 | 5.5 | 8.1 | 10.7 | 3.3 | 4.9 |
| 12 – 13 | 2.5 | 2.4 | 1.4 | | 0.4 | 4.0 | 0.5 | 5.9 | 12.2 | 3.3 | 1.9 | 7.7 |
| 13 – 14 | 0.8 | 1.9 | 0.6 | | 1.0 | 7.6 | 0.1 | 6.0 | 11.2 | 2.7 | 1.4 | 2.8 |
| 14 – 15 | 0.3 | 1.0 | 0.3 | | 0.9 | 7.2 | 0.4 | 5.6 | 4.9 | 2.3 | 2.1 | 3.0 |
| 15 – 16 | 0.5 | 0.7 | 0.7 | | 1.9 | 7.2 | 0.3 | 5.9 | 4.7 | 1.7 | 1.7 | 3.4 |
| 16 – 17 | 3.0 | 1.0 | 1.0 | | 1.2 | 7.8 | 0.1 | 5.8 | 4.5 | 1.0 | 1.5 | 2.1 |
| 17 – 18 | 3.5 | 0.9 | 2.3 | | 1.2 | 22.5 | | 7.5 | 3.9 | 2.3 | 1.2 | 1.7 |
| 18 – 19 | 4.2 | 1.6 | 2.3 | | 0.6 | 8.9 | 0.4 | 2.8 | 5.8 | 2.3 | 1.4 | 4.1 |
| 19 – 20 | 2.0 | 1.9 | 1.6 | | 0.4 | 6.0 | 1.5 | 3.1 | 4.3 | 2.6 | 1.7 | 1.9 |
| 20 – 21 | 1.4 | 0.7 | 1.7 | | 0.9 | 2.9 | 1.7 | 3.0 | 0.7 | 5.4 | 0.7 | 2.2 |
| 21 – 22 | 2.5 | 0.3 | 2.9 | | 0.7 | 1.4 | 0.1 | 3.5 | | 3.7 | 3.3 | 1.0 |
| 22 – 23 | 3.3 | 0.4 | 5.7 | | 2.7 | 0.8 | | 2.8 | 0.2 | 7.2 | 1.7 | 1.8 |
| 23 – 24 | 3.5 | 1.0 | 4.6 | | 1.0 | 0.8 | | 0.7 | 0.2 | 4.6 | 2.8 | 3.0 |
| 24 – 25 | 5.4 | 0.7 | 3.4 | | 0.7 | 1.4 | | 0.7 | 0.2 | 2.9 | 4.6 | 3.6 |
| 25 – 26 | 6.4 | 1.9 | 2.6 | | 1.6 | 1.2 | | 0.5 | 0.4 | 2.1 | 4.0 | 4.2 |
| 26 – 27 | 10.9 | 2.7 | 1.0 | | 1.3 | 1.0 | | 0.3 | 0.9 | 0.4 | 3.2 | 6.3 |
| 27 – 28 | 4.2 | 0.4 | 1.0 | | 0.6 | 0.6 | | | 0.2 | 0.6 | 2.4 | 3.2 |
| 28 – 29 | 2.1 | 3.3 | 3.7 | | 0.7 | 0.6 | | | | 0.7 | 1.5 | 3.6 |
| 29 – 30 | 0.1 | 1.3 | 8.0 | | 0.9 | 0.3 | | 0.1 | | 1.0 | 0.9 | 2.0 |
| 30 – 31 | 0.6 | 1.0 | 4.7 | | 1.2 | 0.8 | | | 0.2 | 1.1 | 0.4 | 2.2 |
| 31 – 32 | 0.4 | 0.4 | 3.7 | | 0.7 | 0.1 | | 0.1 | | 0.7 | 1.1 | 2.0 |
| 32 – 33 | | | 1.9 | | 1.6 | | | | | 0.7 | 1.4 | 2.8 |
| 33 – 34 | | | 1.3 | | 1.7 | | | | | 0.8 | 2.9 | 4.4 |
| 34 – 35 | | | | | 0.1 | | | | | 0.3 | 4.3 | 1.9 |
| 35 – 36 | | | | | | | | | | | | |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1129 | 672 | 696 | 706 | 694 | 720 | 744 | 744 | 534 | 1230 | 1393 | 1486 |

Tabel C.229: Hyppighedsfordeling af saltholdigheden for station Valgrundet i 8.8 m dybde


| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | 20.7 | | |
| 8 – 9 | | | | | | | 1.2 | | | | | |
| 9 – 10 | | 49.0 | 9.5 | 50.3 | 36.9 | | 55.4 | 10.9 | 1.1 | | 3.4 | |
| 10 – 11 | 19.9 | 11.8 | 7.6 | 23.7 | 13.0 | 0.7 | 16.4 | 12.8 | 10.1 | 12.4 | 12.7 | 5.7 |
| 11 – 12 | 14.5 | 8.3 | 14.0 | 20.4 | 3.6 | 5.1 | 4.7 | 3.5 | 15.5 | 9.9 | 7.9 | 8.6 |
| 12 – 13 | 2.0 | 0.7 | 4.3 | 5.1 | 2.3 | 5.4 | 2.3 | 3.4 | 10.3 | 3.1 | 8.1 | 3.2 |
| 13 – 14 | 0.8 | 2.7 | 1.4 | 0.6 | 1.3 | 5.8 | 1.7 | 5.2 | 9.6 | 4.2 | 4.2 | 3.8 |
| 14 – 15 | 1.7 | 1.6 | 1.6 | | 2.0 | 6.5 | 2.2 | 5.7 | 4.9 | 2.8 | 2.5 | 2.7 |
| 15 – 16 | 0.5 | 1.6 | 1.4 | | 1.9 | 4.3 | 3.2 | 3.4 | 7.5 | 1.6 | 1.9 | 1.2 |
| 16 – 17 | 0.5 | 1.3 | 0.6 | | 2.7 | 6.5 | 3.0 | 5.4 | 2.4 | 4.5 | 1.7 | 1.2 |
| 17 – 18 | 0.3 | 1.0 | 0.3 | | 2.7 | 6.1 | 2.2 | 2.2 | 1.9 | 2.5 | 2.2 | 0.7 |
| 18 – 19 | 0.9 | 1.3 | 0.7 | | 1.9 | 12.1 | 0.7 | 5.4 | 2.8 | 2.0 | 3.4 | 0.8 |
| 19 – 20 | 0.9 | 1.2 | 1.3 | | 1.3 | 17.8 | 0.7 | 2.6 | 2.8 | 4.1 | 0.8 | 0.4 |
| 20 – 21 | 0.9 | 1.0 | 0.4 | | 1.7 | 8.9 | 0.1 | 4.2 | 3.4 | 1.7 | 0.7 | 0.4 |
| 21 – 22 | 4.4 | 1.3 | 1.1 | | 1.3 | 7.1 | 0.4 | 4.2 | 3.6 | 5.8 | 0.2 | 2.0 |
| 22 – 23 | 2.0 | 0.3 | 1.4 | | 1.3 | 3.2 | 0.3 | 6.2 | 2.4 | 3.8 | 0.8 | 2.7 |
| 23 – 24 | 1.3 | 0.1 | 4.3 | | 1.7 | 0.7 | 0.4 | 4.8 | 4.5 | 4.2 | 0.5 | 1.7 |
| 24 – 25 | 1.6 | 0.3 | 3.3 | | 1.6 | 0.3 | 1.5 | 2.4 | 3.2 | 9.1 | 0.8 | 2.4 |
| 25 – 26 | 2.7 | 0.6 | 2.0 | | 2.0 | 0.6 | 1.2 | 2.4 | 2.1 | 2.2 | 1.4 | 3.1 |
| 26 – 27 | 4.6 | 0.6 | 5.0 | | 2.2 | 1.1 | 1.1 | 4.4 | 3.7 | 1.4 | 1.2 | 1.7 |
| 27 – 28 | 7.9 | 4.0 | 4.0 | | 3.0 | 0.4 | 1.5 | 2.7 | 1.5 | 1.3 | 0.8 | 4.4 |
| 28 – 29 | 13.4 | 0.1 | 3.4 | | 1.0 | | | 2.6 | 1.5 | | 1.0 | 5.0 |
| 29 – 30 | 3.9 | 0.3 | 2.1 | | 0.3 | 0.4 | | 1.9 | 0.7 | | 1.5 | 6.2 |
| 30 – 31 | 4.7 | 0.7 | 1.3 | | 0.6 | 1.4 | | 1.3 | 1.1 | 0.2 | 1.5 | 3.5 |
| 31 – 32 | 5.1 | 1.8 | 4.9 | | 0.1 | 1.9 | | 0.7 | 0.6 | 0.3 | 0.8 | 2.0 |
| 32 – 33 | 4.0 | 3.9 | 8.6 | | 0.3 | 0.7 | | 0.4 | 0.7 | 1.4 | 1.5 | 3.8 |
| 33 – 34 | 1.1 | 4.0 | 8.2 | | 1.0 | 1.1 | | 0.3 | 0.9 | 0.9 | 8.3 | 5.0 |
| 34 – 35 | | 0.1 | 6.6 | | 6.2 | 1.8 | | 1.2 | 1.1 | | 14.9 | 19.0 |
| 35 – 36 | | | 0.6 | | 6.1 | | | | | | 15.2 | 8.7 |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 744 | 672 | 698 | 706 | 694 | 720 | 744 | 743 | 534 | 639 | 592 | 743 |

Tabel C.230: Hyppighedsfordeling af saltholdigheden for station Valgrundet i 10.9 m dybde




| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|---------|------|------|------|------|-----|------|------|------|-----|------|------|------|
| 0 – 1 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | | | | | | |
| 2 – 3 | | | | | | | | | | | | |
| 3 – 4 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 6 – 7 | | 3.7 | | | | | | | | 0.9 | | |
| 7 – 8 | 1.1 | 39.9 | 10.5 | 58.8 | | | | | | 9.0 | 1.7 | 0.3 |
| 8 – 9 | 9.6 | 9.4 | 9.1 | 29.6 | | | | | | 3.2 | 8.8 | 1.8 |
| 9 – 10 | 9.3 | 3.9 | 5.7 | 5.9 | | | | | | 7.9 | 4.4 | 9.8 |
| 10 – 11 | 6.1 | 1.2 | 0.7 | | | | 14.8 | | | 1.9 | 3.7 | 4.7 |
| 11 – 12 | 2.3 | 3.0 | 0.6 | 0.2 | | 5.1 | 31.4 | | | 2.0 | 1.6 | 3.1 |
| 12 – 13 | 1.4 | 1.8 | 0.9 | 1.2 | | 9.8 | 4.0 | | | 1.1 | 1.1 | 3.5 |
| 13 – 14 | 0.9 | 1.3 | 3.3 | 0.2 | | 6.9 | 1.9 | | | 1.2 | 0.9 | 2.4 |
| 14 – 15 | 0.5 | 0.9 | 1.4 | | | 4.8 | 1.8 | | | 1.8 | 1.2 | 2.1 |
| 15 – 16 | 0.2 | 1.5 | 0.4 | 0.2 | | 4.8 | 1.3 | | | 1.7 | 0.6 | 1.8 |
| 16 – 17 | 1.2 | 1.2 | 0.9 | 0.4 | | 6.1 | 0.9 | | | 1.2 | 0.9 | 1.6 |
| 17 – 18 | 1.1 | 0.7 | 1.3 | 0.2 | | 2.7 | 0.4 | | | 1.7 | 1.1 | 1.1 |
| 18 – 19 | 0.6 | 1.2 | 1.3 | 0.4 | | | 0.4 | 1.8 | | 2.1 | 2.4 | 1.3 |
| 19 – 20 | 1.3 | 1.8 | 0.7 | 0.6 | | 0.4 | 0.5 | 1.8 | | 2.5 | 1.9 | 1.7 |
| 20 – 21 | 1.3 | 1.2 | 2.2 | 0.4 | | 0.4 | 0.8 | | | 4.7 | 1.7 | 1.8 |
| 21 – 22 | 2.2 | | 2.3 | 0.6 | | 0.1 | 0.1 | | | 5.1 | 1.9 | 1.5 |
| 22 – 23 | 1.2 | 0.6 | 2.6 | 0.2 | | 0.3 | 0.8 | | | 3.7 | 2.7 | 1.7 |
| 23 – 24 | 1.6 | 0.4 | 0.4 | 0.2 | | 0.4 | 0.3 | | | 3.9 | 4.2 | 2.2 |
| 24 – 25 | 2.5 | 0.7 | 0.3 | | | 0.3 | 1.5 | | | 3.2 | 4.1 | 3.0 |
| 25 – 26 | 4.9 | 1.8 | 0.6 | 0.6 | | 0.3 | 6.5 | 7.0 | | 3.5 | 4.5 | 2.3 |
| 26 – 27 | 9.0 | 4.6 | 0.9 | 0.2 | | 0.3 | 4.3 | 10.5 | | 2.2 | 4.2 | 2.9 |
| 27 – 28 | 9.2 | 0.6 | 1.9 | | | 3.7 | 15.0 | 36.8 | | 1.2 | 5.1 | 4.5 |
| 28 – 29 | 6.7 | 1.0 | 3.7 | | | 29.8 | 8.2 | 24.6 | | 3.4 | 4.0 | 4.3 |
| 29 – 30 | 6.7 | 1.2 | 9.1 | | | 17.4 | 4.9 | 17.5 | | 3.4 | 3.5 | 4.4 |
| 30 – 31 | 4.2 | 2.4 | 3.4 | | | 3.0 | | | | 2.2 | 2.5 | 3.4 |
| 31 – 32 | 5.1 | 3.0 | 7.5 | | | 0.7 | | | | 3.0 | 3.5 | 4.7 |
| 32 – 33 | 6.9 | 9.1 | 12.1 | | | 0.9 | | | | 5.7 | 3.8 | 4.3 |
| 33 – 34 | 2.5 | 1.9 | 12.6 | | | 0.4 | | | | 6.2 | 2.9 | 4.9 |
| 34 – 35 | 0.5 | | 3.7 | | | 1.2 | | | | 9.6 | 9.3 | 12.9 |
| 35 – 36 | | | | | | | | | | 0.9 | 11.6 | 5.9 |
| 36 – 37 | | | | | | | | | | | | |
| 37 – 38 | | | | | | | | | | | | |
| 38 – 39 | | | | | | | | | | | | |
| 39 – 40 | | | | | | | | | | | | |
| > 40 | | | | | | | | | | | | |
| antal | 1108 | 672 | 696 | 493 | 694 | 671 | 741 | 57 | 534 | 1203 | 1392 | 1484 |




Figur C.28: Histogrammer over saltholdighed for station Århus Bugt






Figur C.29: Histogrammer over saltholdighed for station Århus Bugt






Figur C.30: Histogrammer over saltholdighed for station Århus Bugt






Figur C.31: Histogrammer over saltholdighed for station Århus Bugt




Figur C.32: Histogrammer over saltholdighed for station Darss Sill




Figur C.33: Histogrammer over saltholdighed for station Darss Sill






Figur C.34: Histogrammer over saltholdighed for station Darss Sill






Figur C.35: Histogrammer over saltholdighed for station Darss Sill




Figur C.36: Histogrammer over saltholdighed for station Deutsche Bucht






Figur C.37: Histogrammer over saltholdighed for station Deutche Bucht






Figur C.38: Histogrammer over saltholdighed for station Deutche Bucht






Figur C.39: Histogrammer over saltholdighed for station Deutsche Bucht






Figur C.40: Histogrammer over saltholdighed for station Drogden






Figur C.41: Histogrammer over saltholdighed for station Drogden






Figur C.42: Histogrammer over saltholdighed for station Drogden






Figur C.43: Histogrammer over saltholdighed for station Drogden




Figur C.44: Histogrammer over saltholdighed for station Elbe




Figur C.45: Histogrammer over saltholdighed for station Elbe






Figur C.46: Histogrammer over saltholdighed for station Elbe




Figur C.47: Histogrammer over saltholdighed for station Elbe




Figur C.48: Histogrammer over saltholdighed for station Farø




Figur C.49: Histogrammer over saltholdighed for station Farø






Figur C.50: Histogrammer over saltholdighed for station Farø






Figur C.51: Histogrammer over saltholdighed for station Farø




Figur C.52: Histogrammer over saltholdighed for station Flinten




Figur C.53: Histogrammer over saltholdighed for station Flinten






Figur C.54: Histogrammer over saltholdighed for station Flinten




Figur C.55: Histogrammer over saltholdighed for station Flinten




Figur C.56: Histogrammer over saltholdighed for station Gamle Bro




Figur C.57: Histogrammer over saltholdighed for station Gamle Bro






Figur C.58: Histogrammer over saltholdighed for station Gamle Bro




Figur C.59: Histogrammer over saltholdighed for station Gamle Bro




Figur C.60: Histogrammer over saltholdighed for station Hjelm Bugt




Figur C.61: Histogrammer over saltholdighed for station Hjelm Bugt




Figur C.62: Histogrammer over saltholdighed for station Hjelm Bugt






Figur C.63: Histogrammer over saltholdighed for station Hjelm Bugt






Figur C.64: Histogrammer over saltholdighed for station Kiel




Figur C.65: Histogrammer over saltholdighed for station Kiel




Figur C.66: Histogrammer over saltholdighed for station Kiel






Figur C.67: Histogrammer over saltholdighed for station Kiel




Figur C.68: Histogrammer over saltholdighed for station Læsø Rende




Figur C.69: Histogrammer over saltholdighed for station Læsø Rende






Figur C.70: Histogrammer over saltholdighed for station Læsø Rende






Figur C.71: Histogrammer over saltholdighed for station Læsø Rende






Figur C.72: Histogrammer over saltholdighed for station Ndr. Røse






Figur C.73: Histogrammer over saltholdighed for station Ndr. Røse






Figur C.74: Histogrammer over saltholdighed for station Ndr. Røse




Figur C.75: Histogrammer over saltholdighed for station Ndr. Røse






Figur C.76: Histogrammer over saltholdighed for station Oder






Figur C.77: Histogrammer over saltholdighed for station Oder






Figur C.78: Histogrammer over saltholdighed for station Oder






Figur C.79: Histogrammer over saltholdighed for station Oder






Figur C.80: Histogrammer over saltholdighed for station Østerrenden Nord




Figur C.81: Histogrammer over saltholdighed for station Østerrenden Nord






Figur C.82: Histogrammer over saltholdighed for station Østerrenden Nord




Figur C.83: Histogrammer over saltholdighed for station Østerrenden Nord




Figur C.84: Histogrammer over saltholdighed for station Romsø Tue Fyr






Figur C.85: Histogrammer over saltholdighed for station Romsø Tue Fyr






Figur C.86: Histogrammer over saltholdighed for station Romsø Tue Fyr




Figur C.87: Histogrammer over saltholdighed for station Romsø Tue Fyr




Figur C.88: Histogrammer over saltholdighed for station Vesterrenden






Figur C.89: Histogrammer over saltholdighed for station Vesterrenden






Figur C.90: Histogrammer over saltholdighed for station Vesterrenden






Figur C.91: Histogrammer over saltholdighed for station Vesterrenden






Figur C.92: Histogrammer over saltholdighed for station Østerrenden




Figur C.93: Histogrammer over saltholdighed for station Østerrenden




Figur C.94: Histogrammer over saltholdighed for station Østerrenden




Figur C.95: Histogrammer over saltholdighed for station Østerrenden




Figur C.96: Histogrammer over saltholdighed for station Langelandsbælt




Figur C.97: Histogrammer over saltholdighed for station Langelandsbælt




Figur C.98: Histogrammer over saltholdighed for station Langelandsbælt




Figur C.99: Histogrammer over saltholdighed for station Langelandsbælt




Figur C.100: Histogrammer over saltholdighed for station Saltholm North




Figur C.101: Histogrammer over saltholdighed for station Saltholm North






Figur C.102: Histogrammer over saltholdighed for station Saltholm North






Figur C.103: Histogrammer over saltholdighed for station Saltholm North




Figur C.104: Histogrammer over saltholdighed for station Svinbådan




Figur C.105: Histogrammer over saltholdighed for station Svinbådan






Figur C.106: Histogrammer over saltholdighed for station Svinbådan






Figur C.107: Histogrammer over saltholdighed for station Svinbådan






Figur C.108: Histogrammer over saltholdighed for station Valgrundet



Figur C.109: Histogrammer over saltholdighed for station Valgrundet



Figur C.110: Histogrammer over saltholdighed for station Valgrundet



Figur C.111: Histogrammer over saltholdighed for station Valgrundet

Tabel C.231: Dag til dag ændring i saltholdighed for station Århus Bugt dybde 4.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | 1.7 | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | 1.7 | | | | | 1.7 | | | | |
| 4 – 5 | | | | | 3.4 | | | | | | | 3.3 |
| 3 – 2 | | 1.8 | | 1.7 | 1.7 | 5.2 | 1.8 | 1.7 | | | | |
| 1 – 2 | | | 3.3 | 3.4 | 13.8 | 8.6 | | 5.0 | 3.4 | 4.0 | | |
| 0 – 1 | 41.9 | 47.3 | 50.0 | 41.4 | 37.9 | 43.1 | 33.3 | 40.0 | 58.6 | 40.0 | 60.9 | 53.3 |
| -1 – 0 | 58.1 | 41.8 | 40.0 | 37.9 | 34.5 | 31.0 | 64.9 | 40.0 | 37.9 | 44.0 | 34.8 | 43.3 |
| -2 – -1 | | 3.6 | 1.7 | 12.1 | 6.9 | 6.9 | | 10.0 | | 8.0 | 4.3 | |
| -2 – -3 | | 3.6 | | 3.4 | | 1.7 | | 1.7 | | | | |
| -3 – -4 | | | 1.7 | | | 1.7 | | | | 4.0 | | |
| -4 – -5 | | 1.8 | | | | 1.7 | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | 1.7 | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 31 | 55 | 60 | 58 | 58 | 58 | 57 | 60 | 29 | 25 | 23 | 30 |

Tabel C.232: Dag til dag ændring i saltholdighed for station Århus Bugt dybde 9.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | 6.9 | | | | | | | |
| 5 – 6 | | | 3.3 | 1.7 | | | | | | | | |
| 4 – 5 | | | 3.3 | 1.7 | | 1.7 | | 1.7 | | | | 3.3 |
| 3 – 2 | | | 5.0 | | 8.6 | 8.6 | 3.5 | 5.0 | 6.9 | | | |
| 1 – 2 | | 3.6 | 13.3 | 5.2 | 13.8 | 10.3 | 1.8 | 11.7 | 6.9 | 8.0 | | 3.3 |
| 0 – 1 | 29.0 | 45.5 | 38.3 | 37.9 | 20.7 | 27.6 | 38.6 | 31.7 | 41.4 | 32.0 | 56.5 | 36.7 |
| -1 – 0 | 71.0 | 43.6 | 18.3 | 36.2 | 29.3 | 34.5 | 52.6 | 31.7 | 34.5 | 48.0 | 43.5 | 56.7 |
| -2 – -1 | | 7.3 | 8.3 | 12.1 | 12.1 | 10.3 | 1.8 | 13.3 | 6.9 | 4.0 | | |
| -2 – -3 | | | 3.3 | 3.4 | 5.2 | 3.4 | 1.8 | 1.7 | 3.4 | 4.0 | | |
| -3 – -4 | | | 1.7 | 1.7 | | 3.4 | | 1.7 | | 4.0 | | |
| -4 – -5 | | | 1.7 | | | | | 1.7 | | | | |
| -5 – -6 | | | 3.3 | | 1.7 | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | 1.7 | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 31 | 55 | 60 | 58 | 58 | 58 | 57 | 60 | 29 | 25 | 23 | 30 |

Tabel C.233: Dag til dag ændring i saltholdighed for station Århus Bugt dybde 14.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | 4.3 | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | 1.7 | 1.7 | | | | | 3.4 | | | |
| 5 – 6 | | | 1.7 | | | | | | | | | |
| 4 – 5 | | | 1.7 | 1.7 | 1.7 | | | | | | 13.0 | |
| 3 – 2 | 6.5 | 3.6 | 1.7 | 1.7 | 1.7 | 3.4 | | 1.7 | 3.4 | | 4.3 | |
| 1 – 2 | | 1.8 | 10.0 | 8.6 | 5.2 | 1.7 | 3.5 | 15.0 | 3.4 | 4.0 | | 6.7 |
| 0 – 1 | 29.0 | 30.9 | 28.3 | 24.1 | 34.5 | 32.8 | 38.6 | 30.0 | 31.0 | 48.0 | 17.4 | 43.3 |
| -1 – 0 | 54.8 | 60.0 | 45.0 | 48.3 | 51.7 | 56.9 | 54.4 | 45.0 | 51.7 | 36.0 | 43.5 | 46.7 |
| -2 – -1 | 6.5 | 3.6 | 6.7 | 10.3 | 1.7 | 3.4 | 3.5 | 6.7 | 3.4 | 8.0 | 4.3 | 3.3 |
| -2 – -3 | 3.2 | | 1.7 | 1.7 | 1.7 | 1.7 | | 1.7 | | 4.0 | | |
| -3 – -4 | | | | | 1.7 | | | | | | 8.7 | |
| -4 – -5 | | | | | | | | | 3.4 | | | |
| -5 – -6 | | | | | | | | | | | 4.3 | |
| -6 – -7 | | | 1.7 | 1.7 | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 31 | 55 | 60 | 58 | 58 | 58 | 57 | 60 | 29 | 25 | 23 | 30 |

Tabel C.234: Dag til dag ændring i saltholdighed for station Darss Sill dybde 7.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | 1.7 | 1.4 | | | | | | | | 1.6 | 2.7 | |
| 4 – 5 | | | 1.1 | | | | | | 1.4 | 1.6 | | |
| 3 – 2 | 1.7 | 1.4 | 1.1 | 1.2 | 0.8 | | 3.9 | | 2.7 | 6.3 | 5.5 | 4.0 |
| 1 – 2 | 8.6 | 10.1 | 1.1 | 2.4 | 2.5 | 3.0 | 1.9 | 12.1 | 5.4 | 3.2 | 2.7 | 6.7 |
| 0 – 1 | 39.7 | 33.3 | 48.4 | 48.8 | 49.6 | 46.5 | 49.5 | 42.4 | 43.2 | 44.4 | 30.1 | 53.3 |
| -1 – 0 | 37.9 | 44.9 | 42.1 | 45.1 | 44.6 | 49.5 | 39.8 | 34.8 | 40.5 | 34.9 | 43.8 | 30.7 |
| -2 – -1 | 8.6 | 5.8 | 4.2 | 1.2 | 2.5 | 1.0 | 1.9 | 7.6 | 4.1 | 4.8 | 9.6 | 2.7 |
| -2 – -3 | 1.7 | 2.9 | 1.1 | 1.2 | | | 1.9 | 3.0 | | | | 1.3 |
| -3 – -4 | | | | | | | | | 1.4 | 1.6 | 1.4 | |
| -4 – -5 | | | 1.1 | | | | 1.0 | | 1.4 | | 1.4 | |
| -5 – -6 | | | | | | | | | | 1.6 | 2.7 | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | 1.3 |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 58 | 69 | 95 | 82 | 121 | 101 | 103 | 66 | 74 | 63 | 73 | 75 |

Tabel C.235: Dag til dag ændring i saltholdighed for station Darss Sill dybde 12.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | 1.0 | | | | | |
| 7 – 8 | | | | | | | | | | 1.7 | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | 1.0 | 1.7 | | | | | 1.7 | 1.4 | 1.4 |
| 4 – 5 | | 2.8 | | 2.0 | | 1.0 | | 1.6 | | 1.7 | | 2.8 |
| 3 – 2 | 3.5 | 4.2 | 0.9 | 1.0 | 0.8 | 4.0 | 5.1 | 3.1 | 1.5 | 6.7 | 7.2 | 4.2 |
| 1 – 2 | 10.5 | 13.9 | 4.5 | 4.0 | 4.2 | 7.1 | 6.1 | 10.9 | 11.9 | 10.0 | 5.8 | 8.5 |
| 0 – 1 | 40.4 | 33.3 | 43.2 | 43.4 | 43.7 | 34.3 | 38.4 | 40.6 | 40.3 | 40.0 | 30.4 | 45.1 |
| -1 – 0 | 35.1 | 29.2 | 44.1 | 40.4 | 43.7 | 41.4 | 43.4 | 26.6 | 34.3 | 25.0 | 30.4 | 26.8 |
| -2 – -1 | 7.0 | 11.1 | 5.4 | 4.0 | 1.7 | 7.1 | 3.0 | 15.6 | 9.0 | 6.7 | 11.6 | 5.6 |
| -2 – -3 | 1.8 | 5.6 | 0.9 | 1.0 | 2.5 | 5.1 | 1.0 | 1.6 | 1.5 | | 5.8 | 1.4 |
| -3 – -4 | | | | | 1.7 | | | | 1.5 | 1.7 | 2.9 | 4.2 |
| -4 – -5 | | | 0.9 | | | | 2.0 | | | | 2.9 | |
| -5 – -6 | 1.8 | | | 2.0 | | | | | | 3.3 | 1.4 | |
| -6 – -7 | | | | | | | | | | 1.7 | | |
| -7 – -8 | | | | 1.0 | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 57 | 72 | 111 | 99 | 119 | 99 | 99 | 64 | 67 | 60 | 69 | 71 |

Tabel C.236: Dag til dag ændring i saltholdighed for station Darss Sill dybde 17.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | 1.4 | | | |
| 11 – 12 | | | | | | | | | | | 1.4 | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | 1.0 | | | | | | |
| 8 – 9 | | | | | 0.9 | | | | | | | 1.5 |
| 7 – 8 | | | | 2.2 | | | 2.0 | 1.6 | | | | |
| 6 – 7 | 2.0 | 1.5 | | 4.3 | 1.7 | 1.0 | 1.0 | 3.3 | 1.4 | 1.6 | | 2.9 |
| 5 – 6 | | 1.5 | | | 0.9 | | 5.9 | 3.3 | 1.4 | 1.6 | | 1.5 |
| 4 – 5 | | | 0.9 | 2.2 | 1.7 | 5.2 | 1.0 | 1.6 | 2.7 | 6.2 | | 2.9 |
| 3 – 2 | | 1.5 | 0.9 | 3.3 | 2.6 | 2.1 | 2.9 | 4.9 | 2.7 | 9.4 | 4.3 | 7.4 |
| 1 – 2 | 6.1 | 11.9 | 7.0 | 5.4 | 6.0 | 7.3 | 14.7 | 9.8 | 9.5 | 3.1 | 7.1 | 8.8 |
| 0 – 1 | 38.8 | 35.8 | 34.2 | 32.6 | 29.3 | 35.4 | 28.4 | 29.5 | 25.7 | 46.9 | 30.0 | 27.9 |
| –1 – 0 | 40.8 | 29.9 | 50.0 | 34.8 | 44.0 | 22.9 | 22.5 | 23.0 | 31.1 | 10.9 | 35.7 | 29.4 |
| –2 – –1 | 2.0 | 13.4 | 2.6 | 5.4 | 5.2 | 11.5 | 4.9 | 13.1 | 13.5 | 7.8 | 10.0 | 7.4 |
| –2 – –3 | 8.2 | 3.0 | 2.6 | 4.3 | 2.6 | 7.3 | 5.9 | 1.6 | 4.1 | 6.2 | 2.9 | 5.9 |
| –3 – –4 | 2.0 | | 0.9 | 2.2 | 1.7 | 2.1 | 3.9 | | 2.7 | 1.6 | 2.9 | 1.5 |
| –4 – –5 | | | | | 0.9 | 1.0 | 4.9 | 3.3 | 2.7 | 1.6 | 1.4 | |
| –5 – –6 | | | 0.9 | 1.1 | 0.9 | | 2.0 | | 1.4 | 3.1 | 2.9 | 2.9 |
| –6 – –7 | | | | 2.2 | 0.9 | 2.1 | | 3.3 | | | 1.4 | |
| –7 – –8 | | 1.5 | | | 0.9 | 1.0 | | | | | | |
| –8 – –9 | | | | | | | | 1.6 | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 49 | 67 | 114 | 92 | 116 | 96 | 102 | 61 | 74 | 64 | 70 | 68 |

Tabel C.237: Dag til dag ændring i saltholdighed for station Darss Sill dybde 19.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | 1.5 | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | 1.1 | | 1.1 | | 1.6 | | | | |
| 8 – 9 | | | | | | | 2.1 | 1.6 | | | | 1.7 |
| 7 – 8 | | | | 1.1 | | 1.1 | 1.0 | | | | | |
| 6 – 7 | | 1.4 | | | 2.4 | | 1.0 | | | 1.5 | | 3.4 |
| 5 – 6 | | | 0.9 | 1.1 | 0.8 | | 3.1 | | 1.3 | | 1.4 | |
| 4 – 5 | | | | | | 1.1 | | 4.8 | 4.0 | 1.5 | 1.4 | |
| 3 – 2 | | 2.9 | 0.9 | 3.2 | 0.8 | 4.3 | | 4.8 | 2.7 | 7.7 | 4.1 | 12.1 |
| 1 – 2 | 7.8 | 8.7 | 5.2 | 10.8 | 4.9 | 8.7 | 15.6 | 12.7 | 16.0 | 9.2 | 6.8 | 8.6 |
| 0 – 1 | 37.3 | 39.1 | 40.0 | 39.8 | 39.0 | 35.9 | 25.0 | 27.0 | 21.3 | 33.8 | 30.1 | 27.6 |
| –1 – 0 | 51.0 | 27.5 | 42.6 | 35.5 | 39.8 | 23.9 | 26.0 | 28.6 | 33.3 | 23.1 | 31.5 | 31.0 |
| –2 – –1 | | 13.0 | 7.8 | 4.3 | 6.5 | 12.0 | 13.5 | 4.8 | 16.0 | 6.2 | 13.7 | 10.3 |
| –2 – –3 | 2.0 | 5.8 | 0.9 | 1.1 | 4.1 | 5.4 | 4.2 | 4.8 | 5.3 | 9.2 | 4.1 | 1.7 |
| –3 – –4 | 2.0 | 1.4 | | 1.1 | | 2.2 | 3.1 | 1.6 | | 3.1 | 1.4 | 1.7 |
| –4 – –5 | | | 0.9 | 1.1 | 0.8 | 3.3 | 2.1 | 1.6 | | 3.1 | 4.1 | |
| –5 – –6 | | | 0.9 | | | | 1.0 | | | | | |
| –6 – –7 | | | | | 0.8 | 1.1 | 1.0 | 3.2 | | | | 1.7 |
| –7 – –8 | | | | | | | 1.0 | 3.2 | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | 1.4 | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 51 | 69 | 115 | 93 | 123 | 92 | 96 | 63 | 75 | 65 | 73 | 58 |

Tabel C.238: Dag til dag ændring i saltholdighed for station Deutche Bucht dybde 6.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 3 – 2 | | 1.3 | | 1.8 | | | | 1.4 | | | | |
| 1 – 2 | | 1.3 | 1.1 | | | 1.5 | 1.8 | | | 1.7 | 1.8 | |
| 0 – 1 | 47.7 | 32.9 | 51.7 | 50.0 | 53.8 | 49.2 | 47.4 | 45.7 | 49.0 | 39.7 | 42.1 | 54.2 |
| -1 – 0 | 52.3 | 62.0 | 44.9 | 48.2 | 44.2 | 44.6 | 50.9 | 51.4 | 49.0 | 58.6 | 54.4 | 45.8 |
| -2 – -1 | | 1.3 | 2.2 | | 1.9 | 4.6 | | 1.4 | 2.0 | | 1.8 | |
| -2 – -3 | | 1.3 | | | | | | | | | | |
| -3 – -4 | | | | | | | | | | | | |
| -4 – -5 | | | | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 65 | 79 | 89 | 56 | 52 | 65 | 57 | 70 | 51 | 58 | 57 | 59 |

Tabel C.239: Dag til dag ændring i saltholdighed for station Deutche Bucht dybde 30.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 3 – 2 | | | | 1.8 | | | | 1.4 | | | | |
| 1 – 2 | | | | | | | | 1.4 | | | 1.8 | |
| 0 – 1 | 51.5 | 39.7 | 30.7 | 41.1 | 58.8 | 51.5 | 42.1 | 24.3 | 56.9 | 55.2 | 45.6 | 39.0 |
| -1 – 0 | 48.5 | 60.3 | 69.3 | 57.1 | 41.2 | 48.5 | 57.9 | 72.9 | 43.1 | 44.8 | 52.6 | 61.0 |
| -2 – -1 | | | | | | | | | | | | |
| -2 – -3 | | | | | | | | | | | | |
| -3 – -4 | | | | | | | | | | | | |
| -4 – -5 | | | | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 66 | 78 | 88 | 56 | 51 | 66 | 57 | 70 | 51 | 58 | 57 | 59 |

Tabel C.240: Dag til dag ændring i saltholdighed for station Drogden dybde 2.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | 1.1 | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | 1.3 |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | 1.2 | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | 1.1 | | | | | | 1.1 | | |
| 9 – 10 | 1.0 | 1.1 | 1.0 | | | | | | | 2.3 | | 1.3 |
| 8 – 9 | 1.0 | | | | 1.2 | | | | 1.2 | 1.1 | | 1.3 |
| 7 – 8 | 2.0 | 2.2 | 2.0 | | 1.2 | | | | | 2.3 | 1.2 | 3.8 |
| 6 – 7 | | 3.2 | 2.0 | 1.1 | 1.2 | | 1.4 | | 1.2 | 3.4 | 1.2 | 2.6 |
| 5 – 6 | 1.0 | 3.2 | 1.0 | 1.1 | 2.4 | | 1.4 | 1.2 | 1.2 | 2.3 | 2.4 | 1.3 |
| 4 – 5 | 4.0 | 6.5 | | 3.2 | 1.2 | 2.4 | 4.2 | 2.4 | | 6.9 | 1.2 | 3.8 |
| 3 – 2 | 7.0 | 5.4 | 1.0 | 2.1 | 2.4 | 6.0 | 2.8 | 6.0 | 7.3 | 5.7 | 2.4 | |
| 1 – 2 | 8.0 | 7.5 | 4.9 | 4.3 | 7.1 | 6.0 | 9.9 | 10.7 | 9.8 | 5.7 | 7.1 | 5.1 |
| 0 – 1 | 28.0 | 19.4 | 30.4 | 41.5 | 38.8 | 42.2 | 39.4 | 26.2 | 32.9 | 23.0 | 27.4 | 26.9 |
| –1 – 0 | 26.0 | 24.7 | 48.0 | 33.0 | 35.3 | 32.5 | 23.9 | 36.9 | 37.8 | 18.4 | 38.1 | 26.9 |
| –2 – –1 | 9.0 | 7.5 | 2.0 | 6.4 | 3.5 | 3.6 | 7.0 | 9.5 | 2.4 | 6.9 | 7.1 | 9.0 |
| –2 – –3 | 5.0 | 9.7 | 2.0 | 2.1 | 1.2 | 1.2 | 2.8 | 1.2 | 2.4 | 4.6 | 3.6 | 2.6 |
| –3 – –4 | 3.0 | 1.1 | 1.0 | 1.1 | | 1.2 | 4.2 | 1.2 | | 3.4 | 1.2 | 1.3 |
| –4 – –5 | 1.0 | 1.1 | 2.0 | | 1.2 | 2.4 | 1.4 | 2.4 | | 1.1 | 1.2 | 2.6 |
| –5 – –6 | | | 1.0 | | | 1.2 | | 1.2 | | | | 2.6 |
| –6 – –7 | 2.0 | 3.2 | | 1.1 | | | | | | 1.1 | | 1.3 |
| –7 – –8 | | | | 1.1 | 1.2 | | 1.4 | | | 1.1 | 2.4 | |
| –8 – –9 | 1.0 | 1.1 | | 1.1 | 1.2 | 1.2 | | | 2.4 | 2.3 | 1.2 | |
| –9 – –10 | 1.0 | 1.1 | 2.0 | | 1.2 | | | 1.2 | | 2.3 | | 2.6 |
| –10 – –11 | | 1.1 | | | | | | | | 1.1 | | 1.3 |
| –11 – –12 | | | | | | | | | | 1.1 | | |
| –12 – –13 | | | | | | | | | 1.2 | | | |
| –13 – –14 | | | | | | | | | | | 1.2 | |
| –14 – –15 | | | | | | | | | | | | 2.6 |
| –15 – –16 | | 1.1 | | | | | | | | 1.1 | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 100 | 93 | 102 | 94 | 85 | 83 | 71 | 84 | 82 | 87 | 84 | 78 |

Tabel C.241: Dag til dag ændring i saltholdighed for station Drogden dybde 4.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | 1.3 |
| 13 – 14 | | | | | | | | | | 1.2 | | |
| 12 – 13 | | | | | | | | | | | | 1.3 |
| 11 – 12 | | | 1.0 | | | | | | | | 1.2 | 1.3 |
| 10 – 11 | | | | 1.1 | | | | | | 2.5 | | |
| 9 – 10 | 1.0 | 3.1 | 1.0 | | | | | | | 7.4 | 1.2 | |
| 8 – 9 | 2.0 | 1.0 | 1.9 | 1.1 | 2.3 | | | | | 1.2 | | |
| 7 – 8 | 1.0 | 1.0 | 1.9 | 1.1 | 1.1 | | | | | 1.2 | 1.2 | 3.8 |
| 6 – 7 | 3.0 | 1.0 | 1.0 | | 1.1 | | 1.4 | 1.2 | 2.4 | 1.2 | 1.2 | 1.3 |
| 5 – 6 | 2.0 | 4.2 | 1.0 | | 1.1 | 1.2 | 1.4 | 1.2 | | 4.9 | 2.4 | 2.5 |
| 4 – 5 | 2.0 | 5.2 | | 2.1 | 3.4 | 2.4 | | 3.5 | 3.6 | 1.2 | 2.4 | 1.3 |
| 3 – 2 | 5.0 | 5.2 | 1.0 | 4.2 | 4.5 | 5.9 | 6.8 | 7.0 | 9.6 | 6.2 | 1.2 | 3.8 |
| 1 – 2 | 10.0 | 7.3 | 3.8 | 2.1 | 4.5 | 5.9 | 12.3 | 9.3 | 8.4 | 3.7 | 8.2 | 7.6 |
| 0 – 1 | 22.0 | 22.9 | 31.7 | 44.2 | 34.1 | 36.5 | 26.0 | 29.1 | 27.7 | 19.8 | 23.5 | 20.3 |
| –1 – 0 | 26.0 | 21.9 | 43.3 | 30.5 | 36.4 | 32.9 | 31.5 | 29.1 | 37.3 | 22.2 | 37.6 | 30.4 |
| –2 – –1 | 14.0 | 5.2 | 3.8 | 7.4 | 3.4 | 7.1 | 11.0 | 9.3 | 3.6 | 2.5 | 4.7 | 5.1 |
| –2 – –3 | 3.0 | 8.3 | | 1.1 | 1.1 | 3.5 | 1.4 | 5.8 | 1.2 | 6.2 | 5.9 | 5.1 |
| –3 – –4 | 2.0 | 2.1 | 1.0 | 2.1 | 1.1 | | 5.5 | 1.2 | 1.2 | 2.5 | 1.2 | 2.5 |
| –4 – –5 | 2.0 | 2.1 | | | 1.1 | 2.4 | 1.4 | 1.2 | 1.2 | 3.7 | 2.4 | 2.5 |
| –5 – –6 | 1.0 | 3.1 | 1.9 | | | 1.2 | | 1.2 | | 2.5 | | 1.3 |
| –6 – –7 | 1.0 | 3.1 | 2.9 | | 1.1 | | 1.4 | | 1.2 | 1.2 | 1.2 | 1.3 |
| –7 – –8 | | | 1.0 | 2.1 | 1.1 | | | | 1.2 | | 1.2 | 1.3 |
| –8 – –9 | 2.0 | 1.0 | | 1.1 | 1.1 | 1.2 | | | | 1.2 | | 1.3 |
| –9 – –10 | 1.0 | | 1.0 | | 1.1 | | | 1.2 | | 1.2 | | |
| –10 – –11 | | 1.0 | 1.0 | | | | | | | 2.5 | 1.2 | 2.5 |
| –11 – –12 | | | | | | | | | 1.2 | | 1.2 | |
| –12 – –13 | | | | | | | | | | 1.2 | | 1.3 |
| –13 – –14 | | | | | | | | | | 1.2 | 1.2 | |
| –14 – –15 | | 1.0 | | | | | | | | | | 1.3 |
| –15 – –16 | | | | | | | | | | 1.2 | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 100 | 96 | 104 | 95 | 88 | 85 | 73 | 86 | 83 | 81 | 85 | 79 |

Tabel C.242: Dag til dag ændring i saltholdighed for station Drogden dybde 6.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | 1.3 |
| 13 – 14 | | | | 1.1 | | | | | | 1.1 | | |
| 12 – 13 | | | 1.0 | | | | | | | 1.1 | 1.2 | |
| 11 – 12 | | | 1.0 | | | | | | | | | 1.3 |
| 10 – 11 | | | | | | | | | 1.2 | 1.1 | | |
| 9 – 10 | 1.0 | 2.1 | 1.0 | 1.1 | | | | | | 1.1 | | 1.3 |
| 8 – 9 | 1.0 | 2.1 | | 1.1 | 2.3 | | | 1.2 | 1.2 | 1.1 | 2.4 | 1.3 |
| 7 – 8 | 5.0 | 2.1 | 2.9 | | | | 1.4 | | | 3.4 | 2.4 | 2.5 |
| 6 – 7 | 4.0 | 1.0 | 1.9 | | 3.4 | 1.2 | | | | 6.8 | 1.2 | 1.3 |
| 5 – 6 | 1.0 | 4.2 | | 1.1 | | 1.2 | 1.4 | 1.2 | 3.5 | 3.4 | 1.2 | 1.3 |
| 4 – 5 | 1.0 | 6.2 | | 2.1 | 4.5 | 2.4 | 1.4 | 4.7 | 3.5 | 3.4 | | 3.8 |
| 3 – 2 | 10.0 | 8.3 | 1.9 | 1.1 | 9.1 | 4.7 | 9.6 | 8.1 | 8.1 | 5.7 | 2.4 | 5.1 |
| 1 – 2 | 7.0 | 4.2 | 5.8 | 10.5 | 4.5 | 8.2 | 9.6 | 7.0 | 3.5 | 9.1 | 12.9 | 5.1 |
| 0 – 1 | 18.0 | 16.7 | 30.8 | 36.8 | 28.4 | 29.4 | 30.1 | 27.9 | 27.9 | 21.6 | 22.4 | 19.0 |
| –1 – 0 | 27.0 | 24.0 | 40.4 | 29.5 | 34.1 | 35.3 | 28.8 | 29.1 | 33.7 | 13.6 | 30.6 | 30.4 |
| –2 – –1 | 6.0 | 2.1 | 1.9 | 4.2 | 2.3 | 3.5 | 8.2 | 10.5 | 8.1 | 8.0 | 9.4 | 5.1 |
| –2 – –3 | 7.0 | 11.5 | 1.9 | 5.3 | 2.3 | 7.1 | 2.7 | 3.5 | 5.8 | 3.4 | 2.4 | 3.8 |
| –3 – –4 | 3.0 | 5.2 | 1.9 | 1.1 | 2.3 | 4.7 | 2.7 | 3.5 | | 2.3 | 2.4 | 1.3 |
| –4 – –5 | | 3.1 | 1.0 | | | | 1.4 | 1.2 | | | 2.4 | 5.1 |
| –5 – –6 | 2.0 | 1.0 | 1.0 | 1.1 | 2.3 | | | | 1.2 | 2.3 | 2.4 | 1.3 |
| –6 – –7 | 3.0 | 1.0 | 1.0 | 2.1 | | | 1.4 | | | 2.3 | 2.4 | 5.1 |
| –7 – –8 | 1.0 | 1.0 | 1.0 | 1.1 | 2.3 | 2.4 | 1.4 | 1.2 | 1.2 | | | 1.3 |
| –8 – –9 | 1.0 | 1.0 | 1.0 | 1.1 | 2.3 | | | 1.2 | 1.2 | | 1.2 | |
| –9 – –10 | 1.0 | 1.0 | 1.9 | | | | | | | | | |
| –10 – –11 | | 1.0 | | | | | | | | 2.3 | 1.2 | 2.5 |
| –11 – –12 | | | 1.0 | | | | | | | 2.3 | | |
| –12 – –13 | | | | | | | | | | 1.1 | | |
| –13 – –14 | | | | | | | | | | 2.3 | | |
| –14 – –15 | | 1.0 | | | | | | | | | | 1.3 |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | 1.0 | | | | | | | | | 1.1 | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 100 | 96 | 104 | 95 | 88 | 85 | 73 | 86 | 86 | 88 | 85 | 79 |

Tabel C.243: Dag til dag ændring i saltholdighed for station Drogden dybde 8.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | 1.0 | | | | | | | | 1.2 | | | |
| 11 – 12 | | | 1.0 | | | | | | | 1.1 | 1.2 | 1.3 |
| 10 – 11 | 4.1 | | | | | | | | 1.2 | | | 1.3 |
| 9 – 10 | | 2.1 | | | | | | | | 2.2 | | 1.3 |
| 8 – 9 | | | 1.0 | | 1.1 | | | | | 2.2 | 1.2 | 1.3 |
| 7 – 8 | 5.1 | 4.2 | 2.9 | 2.1 | 1.1 | | 1.4 | | | 1.1 | 1.2 | 2.5 |
| 6 – 7 | 1.0 | 4.2 | | 1.1 | 2.3 | 1.2 | 1.4 | 1.2 | | 6.7 | 1.2 | 1.3 |
| 5 – 6 | 2.0 | 5.2 | 2.9 | | 3.4 | 1.2 | | 2.4 | 3.5 | 2.2 | 1.2 | 2.5 |
| 4 – 5 | 5.1 | 6.2 | 1.9 | 3.2 | 2.3 | 2.4 | 1.4 | 5.9 | 5.8 | 2.2 | 3.5 | 3.8 |
| 3 – 2 | 10.2 | 6.2 | 1.0 | 4.2 | 4.5 | 8.2 | 8.2 | 7.1 | 7.0 | 5.6 | 7.1 | 3.8 |
| 1 – 2 | 8.2 | 5.2 | 6.7 | 8.4 | 13.6 | 5.9 | 8.2 | 11.8 | 2.3 | 13.5 | 10.6 | 6.3 |
| 0 – 1 | 11.2 | 17.7 | 27.9 | 30.5 | 23.9 | 22.4 | 30.1 | 20.0 | 24.4 | 18.0 | 16.5 | 19.0 |
| –1 – 0 | 24.5 | 19.8 | 40.4 | 35.8 | 30.7 | 38.8 | 31.5 | 27.1 | 33.7 | 16.9 | 34.1 | 31.6 |
| –2 – –1 | 3.1 | 2.1 | 3.8 | 7.4 | 5.7 | 7.1 | 9.6 | 15.3 | 9.3 | 7.9 | 8.2 | 5.1 |
| –2 – –3 | 7.1 | 8.3 | 3.8 | 3.2 | 2.3 | 7.1 | 2.7 | 4.7 | 7.0 | 2.2 | 2.4 | 3.8 |
| –3 – –4 | 4.1 | 3.1 | | 1.1 | 1.1 | 1.2 | 1.4 | 2.4 | 2.3 | 2.2 | 3.5 | 1.3 |
| –4 – –5 | 3.1 | 5.2 | 1.9 | 1.1 | 3.4 | 2.4 | 1.4 | | 1.2 | 1.1 | 3.5 | 2.5 |
| –5 – –6 | 1.0 | 2.1 | | | 1.1 | | | | | 4.5 | | 3.8 |
| –6 – –7 | 1.0 | 3.1 | | | | 1.2 | | 1.2 | | 3.4 | 1.2 | 1.3 |
| –7 – –8 | 2.0 | | 1.0 | 1.1 | 2.3 | 1.2 | 1.4 | 1.2 | | 1.1 | 1.2 | |
| –8 – –9 | 2.0 | 2.1 | 1.9 | | 1.1 | | 1.4 | | | 1.1 | | |
| –9 – –10 | 1.0 | 1.0 | | | | | | | 1.2 | 1.1 | | 2.5 |
| –10 – –11 | | | | | | | | | | | 2.4 | 1.3 |
| –11 – –12 | 2.0 | 1.0 | 1.9 | | | | | | | 1.1 | | |
| –12 – –13 | 1.0 | 1.0 | | | | | | | | 2.2 | | |
| –13 – –14 | | | | 1.1 | | | | | | | | 1.3 |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | 1.3 |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 98 | 96 | 104 | 95 | 88 | 85 | 73 | 85 | 86 | 89 | 85 | 79 |

Tabel C.244: Dag til dag ændring i saltholdighed for station Drogden dybde 10.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | 1.1 | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | 1.2 | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | 1.0 | 1.1 | 2.0 | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | 1.0 | | | 1.1 | | | | | | | 1.2 | |
| 8 – 9 | 1.0 | | 1.0 | | 1.1 | | | | | 6.7 | 1.2 | 1.3 |
| 7 – 8 | 3.0 | 5.3 | | 2.1 | | | 1.4 | | 2.3 | | 1.2 | 1.3 |
| 6 – 7 | 1.0 | 2.1 | | | 2.3 | | | 3.6 | 1.2 | 4.5 | | 1.3 |
| 5 – 6 | 2.0 | 2.1 | 1.0 | 1.1 | 1.1 | | 2.7 | 2.4 | 4.7 | 3.4 | 5.9 | 2.5 |
| 4 – 5 | 6.0 | 9.5 | 2.0 | 3.2 | 2.3 | 3.5 | 2.7 | 4.8 | 2.3 | 6.7 | 8.2 | 3.8 |
| 3 – 2 | 13.0 | 4.2 | 2.9 | 5.3 | 6.9 | 7.1 | 11.0 | 8.3 | 3.5 | 4.5 | 2.4 | 5.1 |
| 1 – 2 | 12.0 | 2.1 | 9.8 | 5.3 | 12.6 | 10.6 | 6.8 | 13.1 | 5.8 | 7.9 | 11.8 | 10.1 |
| 0 – 1 | 12.0 | 16.8 | 25.5 | 29.8 | 23.0 | 28.2 | 27.4 | 14.3 | 18.6 | 15.7 | 15.3 | 17.7 |
| -1 – 0 | 19.0 | 25.3 | 38.2 | 29.8 | 29.9 | 29.4 | 24.7 | 25.0 | 38.4 | 22.5 | 28.2 | 32.9 |
| -2 – -1 | 11.0 | 6.3 | 4.9 | 10.6 | 5.7 | 7.1 | 12.3 | 11.9 | 9.3 | 4.5 | 8.2 | 8.9 |
| -2 – -3 | 5.0 | 7.4 | 5.9 | 6.4 | 8.0 | 7.1 | 2.7 | 7.1 | 3.5 | 5.6 | 5.9 | 5.1 |
| -3 – -4 | 1.0 | 4.2 | 2.0 | | 4.6 | 1.2 | 4.1 | 4.8 | 7.0 | 6.7 | 1.2 | 1.3 |
| -4 – -5 | 6.0 | 5.3 | 2.0 | 2.1 | 1.1 | 2.4 | 2.7 | 2.4 | 1.2 | 4.5 | | 1.3 |
| -5 – -6 | 2.0 | 2.1 | | 1.1 | | 2.4 | | | | 1.1 | 3.5 | |
| -6 – -7 | 1.0 | 1.1 | 1.0 | | 1.1 | 1.2 | | | | | | 3.8 |
| -7 – -8 | 2.0 | 1.1 | | | | | | | | | 2.4 | |
| -8 – -9 | | 2.1 | 1.0 | | | | | 2.4 | | 3.4 | 2.4 | 1.3 |
| -9 – -10 | 1.0 | | | 1.1 | | | | | 1.2 | 1.1 | | 2.5 |
| -10 – -11 | | | | | | | 1.4 | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | 1.1 | 1.0 | | | | | | | | 1.2 | |
| -13 – -14 | | 1.1 | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | 1.1 | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 100 | 95 | 102 | 94 | 87 | 85 | 73 | 84 | 86 | 89 | 85 | 79 |

Tabel C.245: Dag til dag ændring i saltholdighed for station Elbe dybde 6.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | 2.3 | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | 4.5 | |
| 4 – 5 | | | | | | | | | | | | |
| 3 – 2 | | | | | | | | | | | | |
| 1 – 2 | | | 3.3 | 3.6 | | | | | | | 9.1 | |
| 0 – 1 | 68.0 | 53.8 | 40.0 | 39.3 | 57.7 | 57.1 | 40.0 | 34.9 | 58.3 | 34.5 | 27.3 | 43.3 |
| -1 – 0 | 32.0 | 42.3 | 56.7 | 50.0 | 42.3 | 40.5 | 60.0 | 55.8 | 41.7 | 62.1 | 50.0 | 50.0 |
| -2 – -1 | | 3.8 | | 7.1 | | 2.4 | | 7.0 | | 3.4 | 9.1 | 3.3 |
| -2 – -3 | | | | | | | | | | | | 3.3 |
| -3 – -4 | | | | | | | | | | | | |
| -4 – -5 | | | | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 25 | 26 | 30 | 28 | 26 | 42 | 45 | 43 | 24 | 29 | 22 | 30 |

Tabel C.246: Dag til dag ændring i saltholdighed for station Elbe dybde 20.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 3 – 2 | | | | | | | | | | | | |
| 1 – 2 | | | | | | | 1.7 | 2.3 | | | | |
| 0 – 1 | 64.0 | 50.0 | 50.0 | 46.4 | 46.2 | 50.0 | 46.6 | 44.2 | 54.2 | 41.4 | 59.1 | 43.3 |
| -1 – 0 | 36.0 | 50.0 | 50.0 | 53.6 | 53.8 | 50.0 | 51.7 | 53.5 | 45.8 | 55.2 | 40.9 | 56.7 |
| -2 – -1 | | | | | | | | | | 3.4 | | |
| -2 – -3 | | | | | | | | | | | | |
| -3 – -4 | | | | | | | | | | | | |
| -4 – -5 | | | | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 25 | 26 | 30 | 28 | 26 | 54 | 58 | 43 | 24 | 29 | 22 | 30 |

Tabel C.247: Dag til dag ændring i saltholdighed for station Farødybde 2.8 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | 3.7 | | | | | | | | | | |
| 4 – 5 | 3.4 | 7.4 | | | | 4.5 | | | | 3.6 | 3.4 | |
| 3 – 2 | 6.9 | | 6.7 | | | | 7.1 | 3.3 | | | 1.7 | |
| 1 – 2 | 13.8 | 29.6 | 3.3 | | 3.3 | | 14.3 | 3.3 | | 12.7 | 3.4 | 18.3 |
| 0 – 1 | 31.0 | 40.7 | 16.7 | 58.6 | 56.7 | 50.0 | 28.6 | 50.0 | 48.3 | 47.3 | 31.0 | 38.3 |
| –1 – 0 | 27.6 | 3.7 | 53.3 | 41.4 | 33.3 | 36.4 | 25.0 | 26.7 | 48.3 | 27.3 | 39.7 | 33.3 |
| –2 – –1 | 8.6 | | 3.3 | | | 9.1 | 21.4 | 13.3 | 3.4 | 1.8 | 13.8 | |
| –2 – –3 | 3.4 | 3.7 | 10.0 | | 3.3 | | 3.6 | 3.3 | | 3.6 | 3.4 | 6.7 |
| –3 – –4 | | | 6.7 | | 3.3 | | | | | 1.8 | 3.4 | 3.3 |
| –4 – –5 | 1.7 | 7.4 | | | | | | | | 1.8 | | |
| –5 – –6 | 3.4 | | | | | | | | | | | |
| –6 – –7 | | 3.7 | | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 58 | 27 | 30 | 29 | 30 | 22 | 28 | 30 | 29 | 55 | 58 | 60 |

Tabel C.248: Dag til dag ændring i saltholdighed for station Farødybde 5.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 4 – 5 | | 11.1 | | | | | | | | | | 1.7 |
| 3 – 2 | 5.2 | 3.7 | 6.7 | | | 4.5 | 3.7 | 3.3 | | 3.6 | 1.7 | |
| 1 – 2 | 6.9 | 18.5 | 3.3 | | | | 18.5 | 3.3 | | 7.3 | 3.4 | 3.3 |
| 0 – 1 | 50.0 | 37.0 | 20.0 | 51.7 | 60.0 | 50.0 | 22.2 | 50.0 | 48.3 | 40.0 | 39.7 | 60.0 |
| –1 – 0 | 27.6 | 14.8 | 46.7 | 48.3 | 33.3 | 36.4 | 29.6 | 26.7 | 48.3 | 40.0 | 46.6 | 33.3 |
| –2 – –1 | 6.9 | 3.7 | 10.0 | | 3.3 | 9.1 | 22.2 | 13.3 | 3.4 | 3.6 | 6.9 | 1.7 |
| –2 – –3 | | | 13.3 | | 3.3 | | 3.7 | 3.3 | | | 1.7 | |
| –3 – –4 | | 3.7 | | | | | | | | 3.6 | | |
| –4 – –5 | | 3.7 | | | | | | | | 1.8 | | |
| –5 – –6 | 3.4 | 3.7 | | | | | | | | | | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 58 | 27 | 30 | 29 | 30 | 22 | 27 | 30 | 29 | 55 | 58 | 60 |

Tabel C.249: Dag til dag ændring i saltholdighed for station Farødybde 8.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | 1.7 |
| 4 – 5 | 3.4 | 11.1 | 3.3 | | | 4.5 | 3.8 | | | 1.9 | 3.5 | |
| 3 – 2 | 6.9 | 7.4 | 6.7 | | | | 3.8 | 3.3 | | 5.6 | 1.8 | |
| 1 – 2 | 8.6 | 25.9 | | | 3.3 | | 15.4 | 6.7 | 3.4 | 9.3 | 5.3 | 16.7 |
| 0 – 1 | 36.2 | 22.2 | 20.0 | 51.7 | 56.7 | 54.5 | 15.4 | 50.0 | 41.4 | 48.1 | 28.1 | 36.7 |
| –1 – 0 | 29.3 | 11.1 | 43.3 | 48.3 | 33.3 | 31.8 | 34.6 | 20.0 | 51.7 | 25.9 | 40.4 | 35.0 |
| –2 – –1 | 6.9 | 11.1 | 10.0 | | | 9.1 | 19.2 | 16.7 | 3.4 | 1.9 | 12.3 | 1.7 |
| –2 – –3 | 1.7 | | 13.3 | | 6.7 | | 7.7 | 3.3 | | 1.9 | 5.3 | 5.0 |
| –3 – –4 | 3.4 | | 3.3 | | | | | | | 3.7 | 3.5 | 1.7 |
| –4 – –5 | | 11.1 | | | | | | | | 1.9 | | 1.7 |
| –5 – –6 | 3.4 | | | | | | | | | | | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 58 | 27 | 30 | 29 | 30 | 22 | 26 | 30 | 29 | 54 | 57 | 60 |

Tabel C.250: Dag til dag ændring i saltholdighed for station Farødybde 11.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | 3.3 | | | | | | | | | |
| 5 – 6 | 3.5 | | | | | | | | | | | |
| 4 – 5 | 1.8 | 3.7 | | | | | 4.0 | | | | | 1.7 |
| 3 – 2 | 3.5 | 11.1 | 3.3 | | | 4.5 | | | | 7.5 | 5.3 | 1.7 |
| 1 – 2 | 12.3 | 22.2 | 6.7 | | 13.3 | | 16.0 | 3.3 | | 5.7 | 7.0 | 13.3 |
| 0 – 1 | 29.8 | 29.6 | 16.7 | 53.6 | 40.0 | 45.5 | 20.0 | 43.3 | 37.9 | 49.1 | 28.1 | 38.3 |
| -1 – 0 | 31.6 | 14.8 | 46.7 | 46.4 | 36.7 | 40.9 | 40.0 | 40.0 | 62.1 | 26.4 | 42.1 | 35.0 |
| -2 – -1 | 8.8 | 3.7 | 10.0 | | 6.7 | 9.1 | 12.0 | 10.0 | | 5.7 | 12.3 | 5.0 |
| -2 – -3 | 3.5 | 7.4 | 10.0 | | 3.3 | | 8.0 | 3.3 | | 1.9 | 5.3 | 1.7 |
| -3 – -4 | 1.8 | 3.7 | | | | | | | | 1.9 | | 1.7 |
| -4 – -5 | 1.8 | 3.7 | 3.3 | | | | | | | 1.9 | | 1.7 |
| -5 – -6 | 1.8 | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 57 | 27 | 30 | 28 | 30 | 22 | 25 | 30 | 29 | 53 | 57 | 60 |

Tabel C.251: Dag til dag ændring i saltholdighed for station Farødybde 14.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | 3.3 | | | | | | | | | |
| 7 – 8 | 1.8 | | | | | | | | | | | |
| 6 – 7 | | | | | 3.3 | | | | | | | |
| 5 – 6 | 1.8 | 3.7 | | | | | 4.0 | | | | | |
| 4 – 5 | 5.3 | | | | | 4.5 | | | | 1.9 | 3.5 | 1.7 |
| 3 – 2 | | 14.8 | 3.3 | | 3.3 | | | 3.3 | | 7.5 | 3.5 | 5.1 |
| 1 – 2 | 12.3 | 22.2 | 6.7 | | 3.3 | | 12.0 | 3.3 | | 7.5 | 3.5 | 10.2 |
| 0 – 1 | 28.1 | 25.9 | 16.7 | 57.1 | 40.0 | 45.5 | 16.0 | 50.0 | 37.9 | 41.5 | 28.1 | 32.2 |
| –1 – 0 | 29.8 | 14.8 | 43.3 | 42.9 | 36.7 | 40.9 | 52.0 | 26.7 | 58.6 | 28.3 | 40.4 | 40.7 |
| –2 – –1 | 7.0 | 3.7 | 6.7 | | 3.3 | 9.1 | 12.0 | 13.3 | 3.4 | 5.7 | 12.3 | 1.7 |
| –2 – –3 | 7.0 | 7.4 | 13.3 | | 6.7 | | 4.0 | 3.3 | | 1.9 | 5.3 | 5.1 |
| –3 – –4 | 5.3 | 3.7 | 3.3 | | 3.3 | | | | | 3.8 | 3.5 | 1.7 |
| –4 – –5 | | 3.7 | | | | | | | | 1.9 | | |
| –5 – –6 | 1.8 | | | | | | | | | | | 1.7 |
| –6 – –7 | | | 3.3 | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 57 | 27 | 30 | 28 | 30 | 22 | 25 | 30 | 29 | 53 | 57 | 59 |

Tabel C.252: Dag til dag ændring i saltholdighed for station Farødybde 21.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | 2.3 | | 3.3 | | 3.3 | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | 2.3 | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | 4.5 | 3.7 | | | | | 4.0 | | | 1.9 | 1.8 | |
| 4 – 5 | 2.3 | 3.7 | | | | | | | | 1.9 | | 3.4 |
| 3 – 2 | 2.3 | 7.4 | 3.3 | | 3.3 | 9.1 | | 3.3 | | 3.8 | 5.3 | 3.4 |
| 1 – 2 | 4.5 | 14.8 | 10.0 | | 3.3 | | 12.0 | 3.3 | 3.4 | 9.4 | 10.5 | 11.9 |
| 0 – 1 | 29.5 | 37.0 | 20.0 | 57.1 | 36.7 | 31.8 | 24.0 | 50.0 | 44.8 | 43.4 | 12.3 | 28.8 |
| -1 – 0 | 25.0 | 14.8 | 36.7 | 42.9 | 30.0 | 45.5 | 40.0 | 30.0 | 48.3 | 26.4 | 45.6 | 39.0 |
| -2 – -1 | 9.1 | 3.7 | 6.7 | | 16.7 | 13.6 | 16.0 | 6.7 | 3.4 | 5.7 | 15.8 | 3.4 |
| -2 – -3 | 11.4 | 11.1 | 10.0 | | 6.7 | | 4.0 | 6.7 | | 3.8 | 3.5 | 8.5 |
| -3 – -4 | 2.3 | 3.7 | 6.7 | | | | | | | 1.9 | 5.3 | 1.7 |
| -4 – -5 | 2.3 | | | | | | | | | 1.9 | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | 3.3 | | | | | | | | | |
| -7 – -8 | 2.3 | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 44 | 27 | 30 | 28 | 30 | 22 | 25 | 30 | 29 | 53 | 57 | 59 |

Tabel C.253: Dag til dag ændring i saltholdighed for station Flinten dybde 3.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | 0.6 | 0.6 | | | | | | 0.6 | | | |
| 19 – 20 | | 0.6 | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | 0.6 | | | | | | | | | 0.6 |
| 16 – 17 | | | | | | | | | | | 0.6 | |
| 15 – 16 | | | | | | | | | | | | 0.6 |
| 14 – 15 | | | | | | | | | | | 1.8 | |
| 13 – 14 | | 0.6 | | | | | | | | 1.3 | 0.6 | 0.6 |
| 12 – 13 | 0.5 | 0.6 | | | | | | | | | | |
| 11 – 12 | 0.5 | 0.6 | | | | | | 0.7 | | 2.0 | | 0.6 |
| 10 – 11 | 2.7 | 0.6 | 0.6 | | | | | | | 0.7 | 0.6 | 1.7 |
| 9 – 10 | | 1.7 | 1.1 | | 0.5 | | | 0.7 | 0.6 | 0.7 | 0.6 | 1.1 |
| 8 – 9 | 0.5 | 1.1 | 0.6 | | 0.5 | 0.6 | 0.7 | | 1.9 | 0.7 | | |
| 7 – 8 | 0.5 | 1.1 | | 0.6 | 0.5 | 2.4 | | 1.4 | 1.2 | 2.0 | 0.6 | 4.0 |
| 6 – 7 | 1.6 | 2.2 | 1.1 | 0.6 | 1.1 | 1.2 | 1.3 | | 2.5 | 1.3 | 1.2 | 1.1 |
| 5 – 6 | 2.7 | 1.1 | 2.2 | 0.6 | 1.1 | 1.8 | 1.3 | 1.4 | 1.9 | 2.0 | 2.4 | 1.7 |
| 4 – 5 | 3.8 | 3.9 | 2.2 | 3.2 | 1.1 | 2.4 | 2.0 | 2.1 | 1.2 | 4.7 | 0.6 | 3.4 |
| 3 – 2 | 3.3 | 5.6 | 2.2 | 2.6 | 5.5 | 4.9 | 3.9 | 5.6 | 4.9 | 4.0 | 2.4 | 5.1 |
| 1 – 2 | 7.7 | 7.8 | 3.9 | 1.3 | 3.8 | 4.3 | 8.5 | 4.9 | 5.6 | 6.7 | 6.7 | 8.5 |
| 0 – 1 | 23.5 | 21.2 | 28.7 | 37.8 | 36.8 | 26.2 | 32.7 | 29.4 | 27.8 | 22.1 | 29.1 | 18.1 |
| –1 – 0 | 30.6 | 26.3 | 42.0 | 43.6 | 41.2 | 36.0 | 37.3 | 36.4 | 34.0 | 22.1 | 30.9 | 24.3 |
| –2 – –1 | 4.9 | 6.1 | 5.5 | 3.2 | 3.3 | 7.9 | 5.2 | 7.7 | 6.8 | 12.1 | 7.9 | 9.6 |
| –2 – –3 | 4.9 | 3.4 | 2.8 | 2.6 | 0.5 | 2.4 | 3.9 | 3.5 | 4.3 | 4.0 | 4.2 | 5.6 |
| –3 – –4 | 2.2 | 2.2 | 2.2 | 0.6 | | 3.7 | 2.0 | 2.1 | 1.9 | 2.0 | 1.2 | 2.3 |
| –4 – –5 | 3.8 | 3.4 | | 0.6 | | 2.4 | 1.3 | 0.7 | 0.6 | 2.0 | 1.8 | 2.3 |
| –5 – –6 | 0.5 | 2.2 | | 0.6 | 1.6 | 1.2 | | 1.4 | | | | 0.6 |
| –6 – –7 | 1.6 | 1.7 | | 0.6 | 1.1 | | | | 0.6 | | | 1.1 |
| –7 – –8 | | 0.6 | 0.6 | 0.6 | | 1.2 | | | | 1.3 | 1.2 | 1.1 |
| –8 – –9 | 1.6 | 0.6 | 1.1 | | | | | 0.7 | 1.2 | 1.3 | 1.2 | 1.1 |
| –9 – –10 | | | 0.6 | | 0.5 | 0.6 | | | 0.6 | 0.7 | 2.4 | 0.6 |
| –10 – –11 | 1.1 | 1.1 | 0.6 | | | 0.6 | | | 0.6 | 2.0 | | 1.7 |
| –11 – –12 | | 1.1 | | | | | | 1.4 | | 0.7 | | 1.1 |
| –12 – –13 | 0.5 | 0.6 | | | 0.5 | | | | | 2.0 | | |
| –13 – –14 | 0.5 | | | | | | | | 0.6 | 0.7 | 1.2 | 1.1 |
| –14 – –15 | | 0.6 | | | | | | | 0.6 | 0.7 | 0.6 | |
| –15 – –16 | | 0.6 | 0.6 | 0.6 | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | 0.6 |
| –17 – –18 | | | 0.6 | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | 0.6 | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 183 | 179 | 181 | 156 | 182 | 164 | 153 | 143 | 162 | 149 | 165 | 177 |

Tabel C.254: Dag til dag ændring i saltholdighed for station Flinten dybde 4.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | 0.7 | 0.6 | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | 0.5 | | 0.6 | | | | | | | 0.6 | 0.6 | 0.6 |
| 17 – 18 | | 0.6 | | | | | | | | | | 0.6 |
| 16 – 17 | | | | | | | | | | 0.6 | 0.6 | |
| 15 – 16 | 0.5 | 0.6 | | | | | | 0.7 | | | | 0.6 |
| 14 – 15 | 0.5 | 0.6 | 0.6 | | 0.5 | | | | | | 1.8 | |
| 13 – 14 | 0.5 | 0.6 | 1.1 | 0.6 | 0.5 | | | | 0.7 | 0.6 | | |
| 12 – 13 | 0.5 | 0.6 | | 1.2 | 0.5 | | | 1.4 | 0.7 | | 1.2 | 0.6 |
| 11 – 12 | 0.5 | | 0.6 | | 0.5 | | 0.6 | 0.7 | | 1.3 | | 0.6 |
| 10 – 11 | 1.1 | | | | | | | | 0.7 | 1.9 | | 1.1 |
| 9 – 10 | 1.1 | 0.6 | 1.7 | 0.6 | 0.5 | | | 0.7 | 0.7 | 1.9 | 0.6 | 1.1 |
| 8 – 9 | 1.1 | 2.3 | 0.6 | 0.6 | 0.5 | 0.6 | 0.6 | 0.7 | 1.3 | 0.6 | 1.2 | 2.8 |
| 7 – 8 | 1.1 | 0.6 | 0.6 | 1.9 | | 1.8 | 1.3 | 1.4 | 1.3 | 1.9 | | 2.8 |
| 6 – 7 | 2.2 | 4.5 | | 1.2 | 1.1 | 1.2 | 0.6 | 0.7 | 2.6 | 1.3 | 1.2 | 2.3 |
| 5 – 6 | 2.7 | 1.1 | 2.2 | 0.6 | | 4.8 | 1.3 | 2.1 | 1.3 | 1.9 | 1.8 | 4.5 |
| 4 – 5 | 3.8 | 2.3 | 0.6 | 1.2 | 2.2 | 3.6 | 1.9 | 3.5 | 3.3 | 3.2 | 1.8 | |
| 3 – 2 | 3.3 | 5.1 | 3.3 | 1.2 | 2.2 | 4.8 | 3.2 | 4.2 | 3.3 | 3.8 | 2.4 | 5.6 |
| 1 – 2 | 6.0 | 5.1 | 3.3 | 3.1 | 6.5 | 7.3 | 10.3 | 4.2 | 7.9 | 7.6 | 5.9 | 5.1 |
| 0 – 1 | 19.7 | 24.3 | 28.3 | 32.9 | 30.1 | 21.8 | 28.2 | 21.7 | 19.9 | 19.0 | 25.9 | 18.1 |
| –1 – 0 | 30.1 | 23.7 | 40.0 | 37.9 | 43.5 | 30.3 | 37.2 | 33.6 | 32.5 | 22.8 | 31.2 | 23.7 |
| –2 – –1 | 7.7 | 8.5 | 3.9 | 6.8 | 4.3 | 8.5 | 7.7 | 10.5 | 6.0 | 8.2 | 9.4 | 9.6 |
| –2 – –3 | 3.8 | 4.0 | 3.9 | 2.5 | 0.5 | 4.8 | 1.9 | 2.8 | 6.0 | 4.4 | 4.1 | 4.0 |
| –3 – –4 | 0.5 | 2.8 | 2.8 | 1.9 | 0.5 | 3.0 | 3.2 | 4.2 | 5.3 | 1.9 | 1.8 | 2.3 |
| –4 – –5 | 2.7 | 4.0 | 1.1 | 0.6 | 1.1 | 2.4 | 1.3 | 2.1 | 2.0 | 2.5 | 2.4 | 4.0 |
| –5 – –6 | 1.6 | 1.1 | | 0.6 | 0.5 | 1.2 | | 0.7 | | 1.3 | | |
| –6 – –7 | 1.1 | 2.3 | 0.6 | 0.6 | 1.6 | 2.4 | | 0.7 | 1.3 | 1.9 | | 1.7 |
| –7 – –8 | 0.5 | 0.6 | 1.1 | 1.2 | 1.1 | | | | | 1.9 | | 1.7 |
| –8 – –9 | 1.6 | | 1.1 | 0.6 | 0.5 | | | | 1.3 | 1.9 | 1.2 | 0.6 |
| –9 – –10 | 1.1 | 0.6 | 1.1 | 0.6 | | 1.2 | | 0.7 | 0.7 | 3.2 | 1.2 | 2.3 |
| –10 – –11 | | | | | 0.5 | | 0.6 | 1.4 | 0.7 | 0.6 | 0.6 | 1.7 |
| –11 – –12 | | 1.7 | | 0.6 | | | | 0.7 | | | 0.6 | 0.6 |
| –12 – –13 | 0.5 | | | | | | | | | 1.9 | 0.6 | 0.6 |
| –13 – –14 | 1.6 | 1.1 | | 0.6 | | | | | | | 1.2 | 0.6 |
| –14 – –15 | 0.5 | | 0.6 | | | | | 0.7 | | | 0.6 | 0.6 |
| –15 – –16 | 0.5 | 0.6 | 0.6 | | | | | | | | | |
| –16 – –17 | 0.5 | | | | | | | | | 0.6 | | |
| –17 – –18 | | 0.6 | | | | | | | | | | |
| –18 – –19 | | | | | 0.5 | | | | | | | |
| –19 – –20 | | | | | | | | | | | 0.6 | |
| < –20 | | | | | | | | | | | | |
| antal | 183 | 177 | 180 | 161 | 186 | 165 | 156 | 143 | 151 | 158 | 170 | 177 |

Tabel C.255: Dag til dag ændring i saltholdighed for station Flinten dybde 6.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | 0.6 | | | | | | 0.7 | 0.6 | | |
| 19 – 20 | | 0.6 | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | 0.6 | |
| 17 – 18 | | | | | | | | | | 0.6 | 0.6 | |
| 16 – 17 | 0.5 | 0.6 | | | | | | | 0.7 | 0.6 | | |
| 15 – 16 | 0.5 | | 0.6 | | | | | 1.4 | 0.7 | 1.2 | | 2.3 |
| 14 – 15 | 0.5 | | 1.1 | 0.6 | | | | | | | 1.8 | |
| 13 – 14 | 1.1 | 0.6 | | 0.6 | 0.5 | | | | | | 0.6 | 0.6 |
| 12 – 13 | | 1.1 | 0.6 | | 0.5 | | | 0.7 | 1.3 | 0.6 | 0.6 | |
| 11 – 12 | 0.5 | | | 1.2 | 1.1 | | 0.7 | 1.4 | 0.7 | | | 1.1 |
| 10 – 11 | 2.2 | 0.6 | 0.6 | | 0.5 | 0.6 | | 0.7 | 1.3 | 2.5 | 0.6 | 1.1 |
| 9 – 10 | 1.6 | | 1.7 | 0.6 | | | 0.7 | 0.7 | 0.7 | 1.2 | | 2.8 |
| 8 – 9 | 1.1 | 2.3 | 0.6 | 0.6 | 0.5 | 1.2 | 0.7 | 2.1 | 2.0 | | 1.2 | 2.3 |
| 7 – 8 | 0.5 | 2.8 | 0.6 | 1.2 | 0.5 | 1.2 | | 0.7 | 0.7 | 1.2 | 1.2 | 2.8 |
| 6 – 7 | 1.1 | 2.8 | | 1.9 | | 3.6 | 2.0 | 1.4 | 1.3 | 1.2 | 1.8 | 1.7 |
| 5 – 6 | 4.9 | 1.7 | 1.1 | 1.2 | 1.6 | 4.8 | 2.0 | 2.1 | 2.0 | 3.1 | 1.2 | 4.5 |
| 4 – 5 | 3.3 | 4.0 | 1.7 | 1.9 | 3.2 | 2.4 | 0.7 | 1.4 | 2.6 | 4.9 | 2.4 | 0.6 |
| 3 – 2 | 3.3 | 4.0 | 1.7 | 3.1 | 2.7 | 5.5 | 5.3 | 4.9 | 2.6 | 4.3 | 2.4 | 4.5 |
| 1 – 2 | 6.6 | 4.0 | 2.8 | 3.7 | 7.5 | 3.6 | 6.6 | 5.6 | 7.2 | 8.0 | 5.3 | 5.1 |
| 0 – 1 | 18.0 | 20.3 | 26.5 | 28.6 | 30.1 | 18.8 | 32.9 | 16.2 | 17.8 | 17.9 | 26.5 | 14.1 |
| –1 – 0 | 27.9 | 28.2 | 41.4 | 36.0 | 36.0 | 32.1 | 34.2 | 32.4 | 32.9 | 21.6 | 27.6 | 21.5 |
| –2 – –1 | 7.1 | 6.8 | 5.0 | 5.6 | 5.9 | 7.3 | 5.3 | 9.9 | 5.9 | 9.3 | 9.4 | 10.7 |
| –2 – –3 | 4.4 | 5.6 | 3.3 | 5.0 | 1.1 | 7.9 | 3.3 | 4.9 | 6.6 | 4.3 | 3.5 | 5.1 |
| –3 – –4 | 1.6 | 1.7 | 3.9 | 2.5 | 1.1 | 2.4 | 2.6 | 3.5 | 2.6 | 2.5 | 1.8 | 2.8 |
| –4 – –5 | 3.3 | 3.4 | 1.1 | 1.2 | 1.1 | 2.4 | 1.3 | 2.8 | 3.9 | 1.9 | 1.8 | 3.4 |
| –5 – –6 | 1.1 | 0.6 | 1.1 | 0.6 | 0.5 | 1.2 | 0.7 | 0.7 | | 1.9 | 1.8 | 2.3 |
| –6 – –7 | 1.6 | 2.3 | | | 2.2 | 1.8 | 0.7 | 2.1 | 2.0 | 0.6 | 0.6 | 2.8 |
| –7 – –8 | 1.1 | 1.1 | 1.1 | | 1.6 | 1.2 | | 1.4 | 0.7 | 3.1 | 0.6 | 0.6 |
| –8 – –9 | 0.5 | | 1.1 | 1.2 | 1.1 | 0.6 | | 0.7 | 1.3 | 1.9 | 1.8 | 0.6 |
| –9 – –10 | | 1.1 | 1.1 | 0.6 | | 0.6 | | 0.7 | | 1.2 | 0.6 | 2.8 |
| –10 – –11 | 0.5 | 0.6 | | | | | | | | 1.2 | 1.2 | 1.1 |
| –11 – –12 | 1.1 | 2.3 | 0.6 | | | | 0.7 | | 0.7 | 0.6 | 0.6 | 0.6 |
| –12 – –13 | 1.1 | | 0.6 | 0.6 | | 0.6 | | | 0.7 | | | |
| –13 – –14 | 0.5 | | | | | | | 0.7 | 0.7 | 1.2 | 1.2 | 1.1 |
| –14 – –15 | 0.5 | | | 0.6 | | | | | | | | 1.1 |
| –15 – –16 | 0.5 | | | 0.6 | | | | 0.7 | | | | |
| –16 – –17 | 1.1 | 0.6 | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | 0.6 | | |
| –18 – –19 | | 0.6 | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | 0.5 | | | | | | 1.2 | |
| antal | 183 | 177 | 181 | 161 | 186 | 165 | 152 | 142 | 152 | 162 | 170 | 177 |

Tabel C.256: Dag til dag ændring i saltholdighed for station Flinten dybde 7.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | 0.7 | 0.6 | 1.2 | 0.6 |
| 19 – 20 | 0.5 | 0.6 | | | | | | | | | | |
| 18 – 19 | | | 1.1 | | | | | | | | | |
| 17 – 18 | | 0.6 | | | | | | | 0.7 | 0.6 | 0.6 | |
| 16 – 17 | | | | | | | | | 0.7 | 1.3 | | 0.6 |
| 15 – 16 | 0.5 | 0.6 | | | | | | 0.7 | | | | 1.7 |
| 14 – 15 | 1.1 | | 1.1 | 0.6 | 0.5 | | | | | | 1.2 | |
| 13 – 14 | 0.5 | 0.6 | 1.1 | 0.6 | | | | | | 0.6 | 1.2 | 0.6 |
| 12 – 13 | | 0.6 | | | 1.1 | | | 0.7 | 1.3 | 1.3 | | |
| 11 – 12 | 0.5 | | 0.6 | 0.6 | | | 1.3 | 0.7 | 1.3 | 0.6 | | 1.1 |
| 10 – 11 | 0.5 | 1.1 | 0.6 | 0.6 | 0.5 | 0.6 | | 0.7 | 1.3 | 0.6 | | 2.3 |
| 9 – 10 | 1.1 | 0.6 | 1.1 | 1.3 | | 1.2 | | 0.7 | 0.7 | 1.3 | 0.6 | 1.1 |
| 8 – 9 | 2.7 | 1.7 | 0.6 | 0.6 | 1.1 | 0.6 | 1.3 | 1.4 | 2.7 | 0.6 | 0.6 | 1.7 |
| 7 – 8 | 1.6 | 1.7 | | 0.6 | 0.5 | 3.7 | 1.9 | 1.4 | 0.7 | 1.3 | 0.6 | 2.3 |
| 6 – 7 | 2.7 | 4.0 | 0.6 | 1.9 | 1.6 | 1.8 | 0.6 | 1.4 | 1.3 | 0.6 | 1.8 | 2.8 |
| 5 – 6 | 2.7 | 1.7 | 1.1 | 0.6 | 2.7 | 3.0 | 1.3 | 5.0 | 4.0 | 2.6 | | 3.4 |
| 4 – 5 | 2.7 | 2.3 | 1.7 | 4.5 | 2.7 | 3.7 | 2.6 | 1.4 | 0.7 | 5.1 | 1.8 | 2.3 |
| 3 – 2 | 3.8 | 3.4 | 2.8 | 2.6 | 4.8 | 3.7 | 3.8 | 7.8 | 4.7 | 6.4 | 5.4 | 5.6 |
| 1 – 2 | 6.6 | 5.7 | 2.2 | 3.2 | 4.8 | 4.3 | 8.3 | 3.5 | 5.3 | 8.3 | 7.1 | 4.5 |
| 0 – 1 | 19.7 | 21.0 | 26.0 | 27.6 | 30.1 | 19.5 | 27.6 | 14.2 | 16.7 | 14.7 | 24.4 | 12.4 |
| –1 – 0 | 28.4 | 25.0 | 39.8 | 35.9 | 34.9 | 31.1 | 33.3 | 36.2 | 33.3 | 23.7 | 28.0 | 21.5 |
| –2 – –1 | 4.9 | 8.0 | 5.5 | 4.5 | 3.2 | 6.7 | 8.3 | 6.4 | 3.3 | 9.6 | 10.1 | 10.2 |
| –2 – –3 | 4.9 | 5.7 | 5.0 | 3.8 | 2.7 | 6.1 | 2.6 | 5.0 | 4.7 | 3.8 | 3.6 | 4.5 |
| –3 – –4 | 1.1 | 3.4 | 2.2 | 3.8 | 1.6 | 4.3 | 3.8 | 2.8 | 4.7 | 2.6 | 1.8 | 3.4 |
| –4 – –5 | 3.3 | 2.3 | 1.1 | 1.3 | 1.1 | 1.8 | 1.3 | 1.4 | 4.0 | 0.6 | 1.2 | 3.4 |
| –5 – –6 | 1.6 | 1.1 | 1.7 | 1.9 | 0.5 | 1.8 | | 1.4 | | 0.6 | 1.2 | 2.3 |
| –6 – –7 | 1.1 | 1.1 | 0.6 | | 0.5 | 2.4 | 0.6 | 1.4 | 1.3 | 1.9 | 0.6 | 4.0 |
| –7 – –8 | 0.5 | 1.1 | 1.1 | | 1.6 | | 0.6 | 0.7 | 1.3 | 1.9 | 0.6 | 0.6 |
| –8 – –9 | 1.6 | 1.1 | 0.6 | | 1.6 | 1.8 | | 2.1 | 1.3 | 2.6 | 2.4 | 0.6 |
| –9 – –10 | | 0.6 | 0.6 | 0.6 | 0.5 | 1.2 | | | | 1.3 | 1.2 | 3.4 |
| –10 – –11 | 0.5 | 2.3 | | | | | | 0.7 | | 1.3 | | 0.6 |
| –11 – –12 | 1.1 | 1.1 | 0.6 | 0.6 | | | 0.6 | 0.7 | 0.7 | | 1.2 | |
| –12 – –13 | | | 0.6 | 1.9 | 0.5 | | | | | | | 0.6 |
| –13 – –14 | 0.5 | | | | | 0.6 | | 1.4 | | 1.3 | 1.2 | 1.1 |
| –14 – –15 | 0.5 | | | | | | | | 2.0 | 0.6 | | |
| –15 – –16 | | | 0.6 | | | | | | | 0.6 | | 0.6 |
| –16 – –17 | 1.1 | | | | | | | | | | | |
| –17 – –18 | 0.5 | 0.6 | | | | | | | | | | |
| –18 – –19 | 0.5 | | | | | | | | 0.7 | 0.6 | | 0.6 |
| –19 – –20 | | 0.6 | | | | | | | | | | |
| < –20 | | | | | 0.5 | | | | | | 0.6 | |
| antal | 183 | 176 | 181 | 156 | 186 | 164 | 156 | 141 | 150 | 156 | 168 | 177 |

Tabel C.257: Dag til dag ændring i saltholdighed for station Flinten dybde 9.1 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | 0.6 | 0.6 | 1.2 | 1.3 |
| 19 – 20 | 1.1 | 0.6 | 0.6 | | | | | | | | | |
| 18 – 19 | | | 0.6 | | | | | | 0.6 | | | 0.6 |
| 17 – 18 | | 0.6 | | | | | | | | 1.9 | 0.6 | 0.6 |
| 16 – 17 | | | | | | | | | 0.6 | | 0.6 | 1.3 |
| 15 – 16 | 0.5 | 0.6 | 0.6 | | | | | 0.7 | | | | |
| 14 – 15 | 0.5 | | 0.6 | 0.6 | | | | | | | 1.2 | |
| 13 – 14 | 1.1 | 0.6 | | 0.6 | 0.6 | | | | | | 0.6 | 0.6 |
| 12 – 13 | | 0.6 | | | 1.3 | | | 1.4 | 1.9 | 1.9 | | |
| 11 – 12 | 1.1 | 0.6 | 0.6 | 0.6 | | 0.7 | 1.3 | 0.7 | 0.6 | 1.2 | | 0.6 |
| 10 – 11 | 0.5 | 0.6 | | | | | | 0.7 | 1.9 | 0.6 | 0.6 | 1.9 |
| 9 – 10 | 0.5 | 1.1 | 1.7 | 3.1 | 0.6 | 1.4 | 0.6 | | 0.6 | 1.2 | | 1.9 |
| 8 – 9 | 1.1 | 1.7 | 0.6 | 0.6 | | 1.4 | 0.6 | 1.4 | 1.9 | 0.6 | 0.6 | 1.9 |
| 7 – 8 | 2.2 | 2.8 | | 1.9 | | 3.4 | 1.3 | 0.7 | 0.6 | 1.9 | 1.2 | 3.8 |
| 6 – 7 | 2.2 | 3.4 | | 1.2 | 2.6 | 2.8 | 0.6 | 2.1 | 1.9 | 1.9 | 1.8 | |
| 5 – 6 | 2.7 | 1.7 | 1.1 | 1.9 | 2.6 | 1.4 | 1.3 | 3.5 | 3.1 | 1.9 | 0.6 | 4.5 |
| 4 – 5 | 3.3 | 2.3 | 2.2 | 2.5 | 1.9 | 4.8 | 2.6 | 3.5 | 1.9 | 5.6 | 2.9 | 1.9 |
| 3 – 2 | 3.3 | 3.4 | 2.8 | 2.5 | 3.2 | 4.1 | 3.9 | 6.2 | 4.4 | 5.6 | 2.9 | 5.7 |
| 1 – 2 | 6.6 | 4.5 | 2.8 | 3.1 | 5.8 | 1.4 | 7.7 | 4.9 | 3.1 | 8.0 | 8.2 | 2.5 |
| 0 – 1 | 21.3 | 21.6 | 24.4 | 26.1 | 28.2 | 21.4 | 27.1 | 15.3 | 20.6 | 14.2 | 25.3 | 13.4 |
| –1 – 0 | 27.9 | 25.6 | 43.3 | 38.5 | 38.5 | 31.7 | 36.1 | 34.7 | 31.2 | 24.1 | 25.3 | 21.7 |
| –2 – –1 | 6.0 | 5.7 | 3.9 | 3.1 | 5.1 | 10.3 | 8.4 | 8.3 | 4.4 | 8.0 | 10.0 | 8.3 |
| –2 – –3 | 4.4 | 5.7 | 3.9 | 1.9 | 1.9 | 2.8 | 1.3 | 2.1 | 3.1 | 2.5 | 3.5 | 5.1 |
| –3 – –4 | 2.7 | 3.4 | 3.3 | 3.1 | 0.6 | 2.1 | 2.6 | 2.8 | 3.8 | 4.9 | 2.4 | 3.2 |
| –4 – –5 | 2.2 | 2.8 | 1.7 | 1.9 | 1.9 | 1.4 | 1.9 | 4.2 | 6.2 | 0.6 | 0.6 | 3.8 |
| –5 – –6 | 1.1 | 1.1 | 1.7 | 2.5 | 0.6 | 1.4 | 0.6 | 1.4 | | 0.6 | 0.6 | 3.2 |
| –6 – –7 | 0.5 | 1.1 | 0.6 | | 0.6 | 2.1 | 0.6 | | 1.2 | 2.5 | 2.4 | 1.9 |
| –7 – –8 | 0.5 | 1.1 | 1.1 | | 0.6 | 1.4 | 0.6 | 2.1 | 1.2 | 1.2 | 0.6 | 1.3 |
| –8 – –9 | 1.1 | 1.7 | 0.6 | | 1.3 | 2.1 | | | 1.2 | 1.9 | 2.4 | 1.3 |
| –9 – –10 | 0.5 | 0.6 | 0.6 | 0.6 | 0.6 | 1.4 | | 0.7 | | 2.5 | 0.6 | 2.5 |
| –10 – –11 | 1.1 | 1.7 | 0.6 | 0.6 | | | | 0.7 | | 1.9 | | 1.3 |
| –11 – –12 | | 1.7 | | 0.6 | | | 0.6 | 0.7 | 1.2 | | 0.6 | |
| –12 – –13 | 1.1 | | 0.6 | | 0.6 | 0.7 | | 0.7 | | | 1.2 | 1.3 |
| –13 – –14 | 0.5 | | | 1.2 | | | | 0.7 | | 0.6 | 1.2 | 1.3 |
| –14 – –15 | | | | 1.2 | | | | | | 0.6 | | |
| –15 – –16 | | | | | | | | | 0.6 | | | |
| –16 – –17 | 0.5 | | | | | | | | | | | |
| –17 – –18 | 0.5 | 0.6 | | | | | | | 0.6 | | | |
| –18 – –19 | 0.5 | | | | | | | | 0.6 | 0.6 | | |
| –19 – –20 | | 0.6 | | | | | | | | 0.6 | | |
| < –20 | 0.5 | | | | 0.6 | | | | | | 0.6 | 1.3 |
| antal | 183 | 176 | 180 | 161 | 156 | 145 | 155 | 144 | 160 | 162 | 170 | 157 |

Tabel C.258: Dag til dag ændring i saltholdighed for station Gamle Bro dybde 5.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | 0.8 | | |
| 9 – 10 | | | | | | | | 0.9 | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | 0.7 | 1.9 | | | | | | |
| 6 – 7 | | | | | | 3.7 | 0.9 | | | 0.8 | | |
| 5 – 6 | 0.9 | | | | 0.7 | 1.9 | 1.8 | | 1.7 | 0.8 | | |
| 4 – 5 | 0.9 | | 1.9 | | 5.0 | 2.8 | 1.8 | 2.7 | 0.9 | 0.8 | 1.6 | |
| 3 – 2 | 1.8 | 2.8 | 1.9 | 2.4 | 3.6 | 2.8 | 3.6 | 8.0 | 2.6 | 5.9 | 0.8 | 0.7 |
| 1 – 2 | 8.0 | 11.2 | 3.8 | 4.8 | 13.6 | 6.5 | 9.9 | 9.7 | 9.6 | 9.3 | 8.0 | 4.7 |
| 0 – 1 | 39.3 | 25.2 | 30.2 | 41.7 | 17.9 | 27.1 | 21.6 | 31.9 | 26.1 | 24.6 | 32.0 | 42.7 |
| -1 – 0 | 42.9 | 44.9 | 51.9 | 42.9 | 40.7 | 24.3 | 36.0 | 33.6 | 45.2 | 39.8 | 44.0 | 50.0 |
| -2 – -1 | 4.5 | 12.1 | 8.5 | 7.1 | 12.1 | 15.9 | 16.2 | 7.1 | 11.3 | 11.9 | 11.2 | 2.0 |
| -2 – -3 | 1.8 | 2.8 | 1.9 | 1.2 | 4.3 | 3.7 | 3.6 | 5.3 | 1.7 | 4.2 | 2.4 | |
| -3 – -4 | | 0.9 | | | | 4.7 | 2.7 | 0.9 | | | | |
| -4 – -5 | | | | | 0.7 | 4.7 | 1.8 | | 0.9 | 0.8 | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | 0.7 | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 112 | 107 | 106 | 84 | 140 | 107 | 111 | 113 | 115 | 118 | 125 | 150 |

Tabel C.259: Dag til dag ændring i saltholdighed for station Gamle Bro dybde 10.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | 1.0 | | | | |
| 8 – 9 | | | | | | 1.3 | | | | | | |
| 7 – 8 | | | | | | 2.6 | | | | | | |
| 6 – 7 | | | | | 2.4 | 1.3 | | | | 0.8 | | |
| 5 – 6 | | | | | 0.8 | 1.3 | 2.5 | | 0.9 | | 0.8 | |
| 4 – 5 | 1.8 | | 0.9 | | 1.6 | 3.8 | 2.5 | 1.9 | | 4.2 | 0.8 | |
| 3 – 2 | 0.9 | 2.8 | 2.8 | 2.4 | 6.4 | 2.6 | 4.9 | 4.9 | 0.9 | 4.2 | 1.7 | |
| 1 – 2 | 10.0 | 9.3 | 5.7 | 10.7 | 11.2 | 11.5 | 7.4 | 13.6 | 8.7 | 9.2 | 6.8 | 6.0 |
| 0 – 1 | 35.5 | 27.1 | 28.3 | 35.7 | 22.4 | 19.2 | 22.2 | 28.2 | 33.0 | 28.6 | 30.5 | 40.7 |
| -1 – 0 | 45.5 | 43.9 | 52.8 | 40.5 | 38.4 | 28.2 | 28.4 | 34.0 | 47.0 | 38.7 | 45.8 | 52.0 |
| -2 – -1 | 4.5 | 13.1 | 6.6 | 8.3 | 8.8 | 14.1 | 22.2 | 10.7 | 8.7 | 9.2 | 11.0 | 1.3 |
| -2 – -3 | 1.8 | 2.8 | 2.8 | 2.4 | 5.6 | 6.4 | 8.6 | 3.9 | 0.9 | 3.4 | 0.8 | |
| -3 – -4 | | 0.9 | | | 0.8 | 2.6 | | 1.0 | | 0.8 | 1.7 | |
| -4 – -5 | | | | | 1.6 | 2.6 | 1.2 | 1.0 | | | | |
| -5 – -6 | | | | | | 1.3 | | | | 0.8 | | |
| -6 – -7 | | | | | | 1.3 | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 110 | 107 | 106 | 84 | 125 | 78 | 81 | 103 | 115 | 119 | 118 | 150 |

Tabel C.260: Dag til dag ændring i saltholdighed for station Gamle Bro dybde 15.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | 0.8 | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | 1.6 | 3.0 | | 1.0 | | | | |
| 8 – 9 | | | | | 0.8 | | | | | | | |
| 7 – 8 | | | | | 2.4 | | | | | | | |
| 6 – 7 | | | | | 0.8 | | 1.2 | | | 0.8 | 0.8 | |
| 5 – 6 | | | | | 2.4 | 2.0 | 1.2 | | | 0.8 | 0.8 | |
| 4 – 5 | 1.6 | 0.7 | 2.5 | 1.4 | 4.1 | 5.1 | 2.5 | 1.9 | 0.9 | 0.8 | 0.8 | |
| 3 – 2 | 0.8 | 2.2 | 3.4 | 1.4 | 3.3 | 5.1 | 4.9 | 4.9 | 0.9 | 4.2 | 1.6 | |
| 1 – 2 | 8.9 | 6.7 | 5.9 | 11.6 | 13.0 | 9.1 | 9.9 | 12.6 | 7.5 | 11.0 | 7.1 | 5.3 |
| 0 – 1 | 36.6 | 28.1 | 25.2 | 34.8 | 17.1 | 18.2 | 17.3 | 30.1 | 31.1 | 33.1 | 32.5 | 44.0 |
| -1 – 0 | 46.3 | 49.6 | 53.8 | 40.6 | 30.9 | 26.3 | 28.4 | 31.1 | 48.1 | 34.7 | 42.1 | 48.7 |
| -2 – -1 | 4.1 | 9.6 | 6.7 | 7.2 | 11.4 | 12.1 | 24.7 | 11.7 | 9.4 | 6.8 | 9.5 | 2.0 |
| -2 – -3 | 1.6 | 2.2 | 0.8 | 2.9 | 5.7 | 5.1 | 8.6 | 2.9 | 1.9 | 4.2 | 2.4 | |
| -3 – -4 | | 0.7 | 1.7 | | 2.4 | 9.1 | 1.2 | 2.9 | | 0.8 | 0.8 | |
| -4 – -5 | | | | | 4.1 | 2.0 | | 1.0 | | 1.7 | 1.6 | |
| -5 – -6 | | | | | | 2.0 | | | | | | |
| -6 – -7 | | | | | | 1.0 | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 123 | 135 | 119 | 69 | 123 | 99 | 81 | 103 | 106 | 118 | 126 | 150 |

Tabel C.261: Dag til dag ændring i saltholdighed for station Gamle Bro dybde 20.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | 1.3 | | | | |
| 10 – 11 | | | | | 0.9 | | | | | | | |
| 9 – 10 | | | | | 0.9 | 1.3 | | | | | | |
| 8 – 9 | | | | | 0.9 | | | | | 1.2 | 1.0 | |
| 7 – 8 | | | | | | | | | | 1.2 | | |
| 6 – 7 | | | | | 0.9 | | | | | | | 0.8 |
| 5 – 6 | | 0.9 | 1.9 | 1.4 | 1.8 | 2.6 | 2.8 | | 1.3 | 1.2 | | 0.8 |
| 4 – 5 | 0.9 | | 0.9 | 2.9 | 4.5 | 6.6 | 1.4 | 2.6 | | | | |
| 3 – 2 | 1.8 | 2.8 | 1.9 | 5.8 | 6.3 | 6.6 | 6.9 | 5.1 | 1.3 | 4.9 | | |
| 1 – 2 | 10.7 | 10.3 | 10.4 | 14.5 | 13.5 | 5.3 | 8.3 | 15.4 | 15.8 | 4.9 | 6.2 | 6.0 |
| 0 – 1 | 32.1 | 27.1 | 22.6 | 24.6 | 13.5 | 14.5 | 15.3 | 25.6 | 21.1 | 25.6 | 35.1 | 39.8 |
| -1 – 0 | 47.3 | 40.2 | 51.9 | 33.3 | 35.1 | 31.6 | 34.7 | 26.9 | 47.4 | 43.9 | 48.5 | 45.9 |
| -2 – -1 | 5.4 | 14.0 | 7.5 | 10.1 | 11.7 | 17.1 | 19.4 | 16.7 | 11.8 | 13.4 | 9.3 | 3.8 |
| -2 – -3 | 1.8 | 3.7 | 0.9 | 7.2 | 4.5 | 6.6 | 9.7 | 2.6 | 1.3 | 2.4 | | 1.5 |
| -3 – -4 | | 0.9 | 1.9 | | 2.7 | 3.9 | 1.4 | 3.8 | | 1.2 | | 0.8 |
| -4 – -5 | | | | | 1.8 | 1.3 | | | | | | 0.8 |
| -5 – -6 | | | | | 0.9 | 2.6 | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 112 | 107 | 106 | 69 | 111 | 76 | 72 | 78 | 76 | 82 | 97 | 133 |

Tabel C.262: Dag til dag ændring i saltholdighed for station Gamle Bro dybde 22.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | 0.9 | | | | | | | |
| 9 – 10 | | | | | 0.9 | | | | | | | |
| 8 – 9 | | | | | | 1.3 | | | | | | |
| 7 – 8 | | | | | 0.9 | | | | | 1.9 | | |
| 6 – 7 | | | | | 1.7 | | | | | | | |
| 5 – 6 | | 0.7 | 1.7 | 3.6 | 2.6 | 1.3 | | | | | | |
| 4 – 5 | 0.8 | | | 1.2 | 3.4 | 3.8 | | 1.7 | 2.6 | | | |
| 3 – 2 | 1.6 | 2.2 | 2.5 | 4.8 | 6.9 | 6.4 | 4.8 | 5.1 | 2.6 | 1.9 | | |
| 1 – 2 | 10.6 | 7.4 | 7.6 | 11.9 | 15.5 | 10.3 | 7.9 | 10.2 | 12.8 | 7.5 | 7.4 | 5.1 |
| 0 – 1 | 34.1 | 31.1 | 27.7 | 23.8 | 19.8 | 14.1 | 22.2 | 33.9 | 25.6 | 17.0 | 42.6 | 43.2 |
| -1 – 0 | 46.3 | 42.2 | 50.4 | 39.3 | 25.0 | 32.1 | 44.4 | 33.9 | 48.7 | 62.3 | 38.2 | 50.0 |
| -2 – -1 | 4.9 | 13.3 | 7.6 | 4.8 | 9.5 | 19.2 | 19.0 | 11.9 | 5.1 | 9.4 | 11.8 | 1.7 |
| -2 – -3 | 0.8 | 2.2 | 0.8 | 9.5 | 6.9 | 9.0 | 1.6 | 3.4 | 2.6 | | | |
| -3 – -4 | 0.8 | 0.7 | 1.7 | 1.2 | 3.4 | 1.3 | | | | | | |
| -4 – -5 | | | | | 0.9 | 1.3 | | | | | | |
| -5 – -6 | | | | | 0.9 | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | 0.9 | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 123 | 135 | 119 | 84 | 116 | 78 | 63 | 59 | 39 | 53 | 68 | 118 |

Tabel C.263: Dag til dag ændring i saltholdighed for station Hjelm Bugt dybde 6.7 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | 2.7 | |
| 6 – 7 | 0.8 | | | | | | | | | 1.2 | | |
| 5 – 6 | | | 0.8 | | | | | | | | | |
| 4 – 5 | 1.7 | 0.9 | | | | 1.1 | | | | 2.3 | | 1.0 |
| 3 – 2 | 0.8 | 0.9 | | | 1.1 | | 1.1 | 1.2 | | | 2.7 | 3.0 |
| 1 – 2 | 4.2 | 2.8 | | | 1.1 | 3.4 | 1.1 | 8.2 | 4.7 | 4.7 | 5.5 | 4.0 |
| 0 – 1 | 45.8 | 44.3 | 44.9 | 51.6 | 52.8 | 54.0 | 47.8 | 30.6 | 31.8 | 43.0 | 35.6 | 39.4 |
| -1 – 0 | 39.8 | 46.2 | 51.7 | 48.4 | 41.6 | 36.8 | 48.9 | 56.5 | 58.8 | 44.2 | 43.8 | 45.5 |
| -2 – -1 | 3.4 | 1.9 | 1.7 | | 3.4 | 3.4 | | 3.5 | 4.7 | 3.5 | 1.4 | 4.0 |
| -2 – -3 | 1.7 | 0.9 | 0.8 | | | 1.1 | 1.1 | | | | 1.4 | 1.0 |
| -3 – -4 | | 0.9 | | | | | | | | | 1.4 | 1.0 |
| -4 – -5 | 0.8 | | | | | | | | | | 1.4 | 1.0 |
| -5 – -6 | | 0.9 | | | | | | | | | 1.4 | |
| -6 – -7 | 0.8 | | | | | | | | | 1.2 | 1.4 | |
| -7 – -8 | | | | | | | | | | | 1.4 | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 118 | 106 | 118 | 95 | 89 | 87 | 90 | 85 | 85 | 86 | 73 | 99 |

Tabel C.264: Dag til dag ændring i saltholdighed for station Hjelm Bugt dybde 10.2 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | 1.1 | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | 1.2 | 1.4 | |
| 7 – 8 | 1.1 | | | | | | | | | | | |
| 6 – 7 | | | | | | | | 2.4 | | | | 3.4 |
| 5 – 6 | | | 1.1 | | | 1.1 | | | | 1.2 | | |
| 4 – 5 | 2.3 | | | | | | 2.2 | 1.2 | | | 1.4 | 1.1 |
| 3 – 2 | 1.1 | 1.3 | | | 2.2 | 5.7 | 1.1 | | 3.5 | 4.7 | 1.4 | 5.7 |
| 1 – 2 | 5.7 | 6.3 | 1.1 | 1.1 | 3.4 | 9.2 | 3.3 | 8.2 | 2.4 | 8.1 | 11.0 | 5.7 |
| 0 – 1 | 39.8 | 38.0 | 40.9 | 41.9 | 48.3 | 32.2 | 41.1 | 32.9 | 36.5 | 43.0 | 28.8 | 29.5 |
| –1 – 0 | 35.2 | 46.8 | 53.4 | 55.9 | 38.2 | 34.5 | 46.7 | 47.1 | 51.8 | 32.6 | 43.8 | 40.9 |
| –2 – –1 | 6.8 | 5.1 | 3.4 | 1.1 | 7.9 | 14.9 | 3.3 | 4.7 | 4.7 | 4.7 | 1.4 | 3.4 |
| –2 – –3 | 1.1 | 2.5 | | | | 2.3 | 1.1 | | 1.2 | 1.2 | 4.1 | 3.4 |
| –3 – –4 | 2.3 | | | | | | 1.1 | | | 1.2 | 2.7 | 4.5 |
| –4 – –5 | 1.1 | | | | | | | 3.5 | | 1.2 | | 1.1 |
| –5 – –6 | | | | | | | | | | 1.2 | | |
| –6 – –7 | 1.1 | | | | | | | | | | 1.4 | |
| –7 – –8 | 1.1 | | | | | | | | | | 1.4 | |
| –8 – –9 | | | | | | | | | | | 1.4 | 1.1 |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 88 | 79 | 88 | 93 | 89 | 87 | 90 | 85 | 85 | 86 | 73 | 88 |

Tabel C.265: Dag til dag ændring i saltholdighed for station Hjelm Bugt dybde 15.4 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | 1.2 | | | | |
| 14 – 15 | | | 0.8 | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | 1.1 | 1.2 | 1.2 | | | |
| 11 – 12 | 0.8 | | | | | 1.1 | | 1.2 | | | | |
| 10 – 11 | | 0.9 | | 1.1 | 1.1 | | | 1.2 | | 1.2 | | |
| 9 – 10 | | 1.9 | 0.8 | | | 1.1 | | | 1.2 | 2.3 | | |
| 8 – 9 | 0.8 | | 1.7 | | | | | 1.2 | | 1.2 | 2.7 | |
| 7 – 8 | 0.8 | | | 1.1 | 1.1 | | 1.1 | 1.2 | 2.4 | 1.2 | | 2.0 |
| 6 – 7 | | | | 1.1 | | 1.1 | | 1.2 | | 1.2 | | 1.0 |
| 5 – 6 | 0.8 | | | | 2.2 | 2.3 | | | 3.5 | 1.2 | | |
| 4 – 5 | 0.8 | 1.9 | 2.5 | 1.1 | | 3.4 | 1.1 | | 3.5 | 1.2 | 1.4 | 1.0 |
| 3 – 2 | 3.4 | 4.7 | 1.7 | 1.1 | | 5.7 | 1.1 | 7.1 | | 5.8 | 1.4 | 4.0 |
| 1 – 2 | 6.8 | 4.7 | 2.5 | 3.2 | 4.5 | 4.6 | 6.7 | 2.4 | 5.9 | 4.7 | 8.2 | 9.1 |
| 0 – 1 | 34.7 | 30.2 | 33.1 | 41.1 | 44.9 | 26.4 | 36.7 | 25.9 | 25.9 | 31.4 | 28.8 | 32.3 |
| –1 – 0 | 36.4 | 38.7 | 44.9 | 42.1 | 39.3 | 32.2 | 42.2 | 37.6 | 37.6 | 29.1 | 39.7 | 35.4 |
| –2 – –1 | 5.9 | 5.7 | 5.9 | 3.2 | 2.2 | 9.2 | 4.4 | 4.7 | 2.4 | 7.0 | 6.8 | 9.1 |
| –2 – –3 | 3.4 | 2.8 | 1.7 | 1.1 | 1.1 | 8.0 | 3.3 | 3.5 | 3.5 | 2.3 | 4.1 | 3.0 |
| –3 – –4 | 2.5 | 3.8 | 1.7 | 1.1 | | | | 2.4 | 2.4 | 4.7 | 1.4 | |
| –4 – –5 | 0.8 | 0.9 | 0.8 | | 1.1 | 2.3 | 1.1 | 1.2 | 4.7 | 2.3 | 4.1 | 1.0 |
| –5 – –6 | 1.7 | 0.9 | | 1.1 | 1.1 | | | 2.4 | 2.4 | | | 1.0 |
| –6 – –7 | | 0.9 | | | | 1.1 | | | | | 1.4 | |
| –7 – –8 | | | | | | | | 2.4 | 1.2 | 1.2 | | 1.0 |
| –8 – –9 | | | 1.7 | | | | | 1.2 | | 1.2 | | |
| –9 – –10 | | 0.9 | | 2.1 | 1.1 | | 1.1 | | 1.2 | | | |
| –10 – –11 | | | | | | | | 1.2 | 1.2 | 1.2 | | |
| –11 – –12 | | 0.9 | | | | 1.1 | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 118 | 106 | 118 | 95 | 89 | 87 | 90 | 85 | 85 | 86 | 73 | 99 |

Tabel C.266: Dag til dag ændring i saltholdighed for station Hjelm Bugt dybde 21.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | 0.9 | | | | | | | | 1.2 | | |
| 11 – 12 | | | | | | | | | | 2.3 | | |
| 10 – 11 | | | | | 2.3 | | | | 1.2 | 2.3 | 1.4 | |
| 9 – 10 | | | | | | | | 1.2 | | | | |
| 8 – 9 | 1.7 | | 0.8 | 2.1 | | 1.1 | 1.1 | | | 2.3 | | 1.0 |
| 7 – 8 | 0.8 | 1.9 | | | | | | | | | | 1.0 |
| 6 – 7 | | | 0.8 | | | | | | | | | |
| 5 – 6 | 0.8 | | 1.7 | | | | 2.2 | 1.2 | | | | 1.0 |
| 4 – 5 | 4.2 | 0.9 | 0.8 | 1.1 | | | 2.2 | 1.2 | | | | 1.0 |
| 3 – 2 | 2.5 | 1.9 | 0.8 | | 1.1 | | 3.4 | 1.2 | | | 1.4 | 3.0 |
| 1 – 2 | 6.8 | 7.5 | 3.4 | 2.1 | 1.1 | 2.3 | 4.5 | | 1.2 | 1.2 | 1.4 | 4.0 |
| 0 – 1 | 30.5 | 30.2 | 32.2 | 49.5 | 39.8 | 48.3 | 36.0 | 48.2 | 42.4 | 34.9 | 34.2 | 30.3 |
| –1 – 0 | 39.8 | 47.2 | 50.0 | 45.3 | 52.3 | 44.8 | 40.4 | 40.0 | 50.6 | 45.3 | 49.3 | 52.5 |
| –2 – –1 | 4.2 | 3.8 | 3.4 | | | 2.3 | 2.2 | 5.9 | 1.2 | 2.3 | 2.7 | 1.0 |
| –2 – –3 | 1.7 | 1.9 | 3.4 | | 1.1 | | 2.2 | | | 1.2 | 6.8 | |
| –3 – –4 | 3.4 | | | | | | | | 1.2 | | 1.4 | 3.0 |
| –4 – –5 | 0.8 | 0.9 | | | | | 2.2 | | | | | 2.0 |
| –5 – –6 | 0.8 | | | | | | 3.4 | | | | | |
| –6 – –7 | 0.8 | 0.9 | 1.7 | | | | | | | | 1.4 | |
| –7 – –8 | 0.8 | | | | | | | | 1.2 | 1.2 | | |
| –8 – –9 | | 0.9 | 0.8 | | | 1.1 | | | 1.2 | 2.3 | | |
| –9 – –10 | | | | | 2.3 | | | 1.2 | | 1.2 | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | 2.3 | | |
| –12 – –13 | | 0.9 | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 118 | 106 | 118 | 95 | 88 | 87 | 89 | 85 | 85 | 86 | 73 | 99 |

Tabel C.267: Dag til dag ændring i saltholdighed for station Kiel dybde 8.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | 0.7 | | | | | | | | | | | |
| 7 – 8 | | | | 0.8 | 0.8 | | | | | | | |
| 6 – 7 | | | 0.9 | | | 1.0 | | | | | 0.8 | |
| 5 – 6 | 2.2 | 1.6 | 1.7 | | | | | | 2.1 | | | 1.5 |
| 4 – 5 | 3.0 | 2.4 | 2.6 | 0.8 | 0.8 | 2.9 | 2.3 | 1.8 | 3.1 | 2.3 | 2.3 | 3.8 |
| 3 – 2 | 2.2 | 4.7 | 2.6 | 4.2 | 1.6 | | 3.8 | 3.6 | 3.1 | 5.7 | | 7.7 |
| 1 – 2 | 10.4 | 4.7 | 2.6 | 9.3 | 8.6 | 12.4 | 12.0 | 12.5 | 5.2 | 11.5 | 10.9 | 11.5 |
| 0 – 1 | 36.6 | 40.2 | 39.7 | 27.1 | 39.1 | 39.0 | 28.6 | 29.5 | 36.5 | 31.0 | 33.6 | 29.2 |
| –1 – 0 | 31.3 | 32.3 | 37.9 | 44.1 | 39.1 | 30.5 | 32.3 | 35.7 | 33.3 | 26.4 | 32.0 | 23.1 |
| –2 – –1 | 6.0 | 6.3 | 4.3 | 4.2 | 4.7 | 6.7 | 15.0 | 8.9 | 10.4 | 18.4 | 10.2 | 10.8 |
| –2 – –3 | 3.7 | 4.7 | 4.3 | 1.7 | 3.1 | 3.8 | 4.5 | 5.4 | 4.2 | 2.3 | 7.8 | 6.9 |
| –3 – –4 | 2.2 | 0.8 | 2.6 | 5.1 | 2.3 | 2.9 | 1.5 | 1.8 | 1.0 | 1.1 | 2.3 | 3.8 |
| –4 – –5 | 0.7 | 0.8 | | 1.7 | | 1.0 | | 0.9 | 1.0 | 1.1 | | |
| –5 – –6 | 0.7 | 0.8 | 0.9 | | | | | | | | | 0.8 |
| –6 – –7 | | 0.8 | | | | | | | | | | 0.8 |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | 0.8 | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 134 | 127 | 116 | 118 | 128 | 105 | 133 | 112 | 96 | 87 | 128 | 130 |

Tabel C.268: Dag til dag ændring i saltholdighed for station Kiel dybde 13.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | 0.8 | | | | 0.8 | |
| 5 – 6 | | | | | 1.1 | | | | | | | |
| 4 – 5 | | | | | | | | 0.9 | 1.0 | | | 0.7 |
| 3 – 2 | | | | | 4.3 | 2.0 | 3.1 | 1.8 | 2.1 | | 0.8 | 0.7 |
| 1 – 2 | 1.7 | 2.3 | | 1.9 | 6.4 | 14.9 | 7.8 | 6.3 | 10.3 | 2.2 | 8.3 | 8.0 |
| 0 – 1 | 50.4 | 51.6 | 52.3 | 38.5 | 35.1 | 37.6 | 35.9 | 37.8 | 44.3 | 49.5 | 38.6 | 39.1 |
| –1 – 0 | 45.5 | 43.0 | 46.7 | 50.0 | 45.7 | 31.7 | 41.4 | 43.2 | 26.8 | 46.2 | 39.4 | 42.8 |
| –2 – –1 | 2.5 | 3.1 | 0.9 | 6.7 | 4.3 | 8.9 | 6.2 | 8.1 | 11.3 | | 9.8 | 6.5 |
| –2 – –3 | | | | 2.9 | 2.1 | 3.0 | 2.3 | 0.9 | 2.1 | 1.1 | 2.3 | 0.7 |
| –3 – –4 | | | | | | | 1.6 | 0.9 | 1.0 | 1.1 | | 1.4 |
| –4 – –5 | | | | | | 2.0 | 0.8 | | 1.0 | | | |
| –5 – –6 | | | | | 1.1 | | | | | | | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 121 | 128 | 107 | 104 | 94 | 101 | 128 | 111 | 97 | 93 | 132 | 138 |

Tabel C.269: Dag til dag ændring i saltholdighed for station Læsø Rende dybde 6.2 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | 2.0 | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | 1.1 | | | | | | | |
| 9 – 10 | | | | | | | | 3.8 | | | | |
| 8 – 9 | | | | 2.4 | | | 1.9 | | | | | |
| 7 – 8 | | | | | 1.1 | | | | | | | 3.3 |
| 6 – 7 | | | | | 1.1 | | | 1.9 | | | | |
| 5 – 6 | | | 1.9 | | 5.7 | | 1.9 | 3.8 | | | | |
| 4 – 5 | 4.0 | 2.0 | | | 2.3 | | 3.8 | 1.9 | | 4.8 | | |
| 3 – 2 | 8.0 | 7.8 | 9.3 | 6.0 | 5.7 | 1.8 | 1.9 | 3.8 | 1.8 | 7.1 | 6.9 | |
| 1 – 2 | 8.0 | 9.8 | 11.1 | 12.0 | 9.1 | 12.5 | 11.3 | 15.1 | 18.2 | 7.1 | | 6.7 |
| 0 – 1 | 28.0 | 25.5 | 22.2 | 22.9 | 21.6 | 26.8 | 24.5 | 18.9 | 29.1 | 33.3 | 44.8 | 36.7 |
| –1 – 0 | 32.0 | 29.4 | 35.2 | 27.7 | 27.3 | 33.9 | 32.1 | 24.5 | 30.9 | 38.1 | 37.9 | 43.3 |
| –2 – –1 | 20.0 | 13.7 | 11.1 | 15.7 | 10.2 | 21.4 | 9.4 | 5.7 | 7.3 | 7.1 | 6.9 | 6.7 |
| –2 – –3 | | 5.9 | 7.4 | 6.0 | 6.8 | 3.6 | 5.7 | 9.4 | 12.7 | 2.4 | 3.4 | |
| –3 – –4 | | 2.0 | 1.9 | 2.4 | 3.4 | | 7.5 | 7.5 | | | | |
| –4 – –5 | | | | 1.2 | 3.4 | | | | | | | |
| –5 – –6 | | | | 2.4 | | | | 1.9 | | | | |
| –6 – –7 | | | | 1.2 | | | | | | | | |
| –7 – –8 | | | | | 1.1 | | | | | | | 3.3 |
| –8 – –9 | | 2.0 | | | | | | | | | | |
| –9 – –10 | | | | | | | | 1.9 | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 25 | 51 | 54 | 83 | 88 | 56 | 53 | 53 | 55 | 42 | 29 | 30 |

Tabel C.270: Dag til dag ændring i saltholdighed for station Læsø Rende dybde 10.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | 2.4 | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | 1.8 | | | |
| 8 – 9 | | | | 1.2 | 1.1 | | | | 1.8 | | | |
| 7 – 8 | | | 1.9 | | | | | 1.9 | | | | |
| 6 – 7 | | 2.0 | 1.9 | 1.2 | 3.4 | | 1.9 | 1.9 | 3.6 | | | 3.3 |
| 5 – 6 | | 2.0 | 1.9 | 6.0 | 2.3 | | 1.9 | 1.9 | 5.5 | | | 3.3 |
| 4 – 5 | | 5.9 | 3.7 | 1.2 | 4.5 | 3.6 | | 3.8 | | 4.8 | | 3.3 |
| 3 – 2 | | | 11.1 | 4.8 | 4.5 | 3.6 | 11.5 | 9.4 | 3.6 | 7.1 | 3.4 | 10.0 |
| 1 – 2 | 16.0 | 13.7 | 7.4 | 9.6 | 6.8 | 14.3 | 11.5 | 9.4 | 12.7 | 16.7 | | 6.7 |
| 0 – 1 | 40.0 | 31.4 | 18.5 | 28.9 | 28.4 | 30.4 | 34.6 | 22.6 | 23.6 | 21.4 | 51.7 | 16.7 |
| –1 – 0 | 24.0 | 21.6 | 25.9 | 27.7 | 30.7 | 28.6 | 19.2 | 26.4 | 25.5 | 23.8 | 37.9 | 36.7 |
| –2 – –1 | 20.0 | 13.7 | 9.3 | 8.4 | 2.3 | 8.9 | 5.8 | 9.4 | 3.6 | 9.5 | 6.9 | 6.7 |
| –2 – –3 | | 5.9 | 7.4 | 1.2 | 3.4 | 5.4 | 3.8 | 1.9 | 5.5 | 4.8 | | |
| –3 – –4 | | 2.0 | 7.4 | 3.6 | 3.4 | 3.6 | 3.8 | | 1.8 | 2.4 | | 6.7 |
| –4 – –5 | | 2.0 | 3.7 | | 1.1 | | 1.9 | 1.9 | 1.8 | 2.4 | | |
| –5 – –6 | | | | 1.2 | 3.4 | | 1.9 | 5.7 | 1.8 | | | 3.3 |
| –6 – –7 | | | | 2.4 | 2.3 | 1.8 | 1.9 | 1.9 | 3.6 | | | |
| –7 – –8 | | | | 1.2 | 1.1 | | | 1.9 | 1.8 | 2.4 | | |
| –8 – –9 | | | | 1.2 | | | | | 1.8 | 2.4 | | 3.3 |
| –9 – –10 | | | | | 1.1 | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 25 | 51 | 54 | 83 | 88 | 56 | 52 | 53 | 55 | 42 | 29 | 30 |

Tabel C.271: Dag til dag ændring i saltholdighed for station Læsø Rende dybde 15.8 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | 2.0 | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | 1.9 | | | | | 1.9 | 3.6 | 2.4 | | 3.3 |
| 6 – 7 | | | 1.9 | | | | | | 1.8 | | | |
| 5 – 6 | | | 1.9 | | | 1.8 | | 1.9 | | | | 3.3 |
| 4 – 5 | | | 1.9 | | 1.1 | | | | | | | |
| 3 – 2 | 3.8 | 2.0 | 1.9 | 2.4 | 1.1 | 3.6 | 1.9 | | 5.5 | | | 3.3 |
| 1 – 2 | 7.7 | 9.8 | 5.6 | 7.2 | 6.8 | 7.1 | | 3.8 | 7.3 | 4.8 | | 16.7 |
| 0 – 1 | 42.3 | 33.3 | 38.9 | 53.0 | 34.1 | 37.5 | 47.2 | 28.3 | 43.6 | 38.1 | 55.2 | 16.7 |
| -1 – 0 | 34.6 | 37.3 | 25.9 | 30.1 | 48.9 | 37.5 | 45.3 | 58.5 | 20.0 | 50.0 | 41.4 | 43.3 |
| -2 – -1 | 7.7 | 9.8 | 13.0 | 2.4 | 5.7 | 8.9 | 5.7 | 1.9 | 7.3 | | 3.4 | 3.3 |
| -2 – -3 | | | 3.7 | 2.4 | | | | 1.9 | 1.8 | 2.4 | | |
| -3 – -4 | | 2.0 | 1.9 | 1.2 | 2.3 | 3.6 | | 1.9 | | | | 3.3 |
| -4 – -5 | 3.8 | 2.0 | | | | | | | 3.6 | | | 3.3 |
| -5 – -6 | | | | 1.2 | | | | | 3.6 | 2.4 | | |
| -6 – -7 | | 2.0 | 1.9 | | | | | | 1.8 | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | 3.3 |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 26 | 51 | 54 | 83 | 88 | 56 | 53 | 53 | 55 | 42 | 29 | 30 |

Tabel C.272: Dag til dag ændring i saltholdighed for station Læsø Rende dybde 21.1 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | 2.0 | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | 3.4 | |
| 7 – 8 | | | 1.9 | | | | | | | | | |
| 6 – 7 | | | 3.7 | | | | | | | | | 3.3 |
| 5 – 6 | | 2.0 | | | | | | | | 2.4 | | |
| 4 – 5 | 4.0 | | | 1.8 | | | | | | | | |
| 3 – 2 | | | | 1.8 | | | | 3.3 | | | | 3.3 |
| 1 – 2 | 4.0 | 5.9 | 3.7 | | | 7.4 | 4.3 | | 7.4 | 2.4 | 3.4 | 6.7 |
| 0 – 1 | 44.0 | 31.4 | 40.7 | 50.0 | 32.2 | 33.3 | 52.2 | 26.7 | 48.1 | 31.0 | 41.4 | 40.0 |
| -1 – 0 | 32.0 | 49.0 | 44.4 | 41.1 | 67.8 | 51.9 | 43.5 | 63.3 | 40.7 | 57.1 | 48.3 | 33.3 |
| -2 – -1 | 8.0 | 5.9 | 1.9 | 1.8 | | 7.4 | | 6.7 | | | 3.4 | 10.0 |
| -2 – -3 | 4.0 | 2.0 | | 3.6 | | | | | 3.7 | 7.1 | | |
| -3 – -4 | | | | | | | | | | | | |
| -4 – -5 | 4.0 | | 1.9 | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | 2.0 | | | | | | | | | | |
| -7 – -8 | | | 1.9 | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | 3.3 |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 25 | 51 | 54 | 56 | 59 | 27 | 23 | 30 | 27 | 42 | 29 | 30 |

Tabel C.273: Dag til dag ændring i saltholdighed for station Ndr. Røse dybde 2.9 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | 0.6 | | | | | | | | 0.5 | | |
| 13 – 14 | | | 0.5 | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | 0.5 |
| 11 – 12 | 0.5 | | | | 0.5 | | | | 0.7 | 0.5 | 0.5 | |
| 10 – 11 | 0.5 | | 0.5 | | | | | | | | | 0.5 |
| 9 – 10 | 0.5 | | 0.5 | | | | | | | | | 1.1 |
| 8 – 9 | 0.5 | 0.6 | 1.0 | 0.6 | | | 0.6 | | | 1.0 | 1.0 | |
| 7 – 8 | 0.5 | 1.8 | 0.5 | | | | | | 0.7 | 2.4 | 1.0 | 3.8 |
| 6 – 7 | 1.0 | 1.8 | 0.5 | | 0.5 | | | 0.8 | 0.7 | 2.4 | 1.0 | 1.1 |
| 5 – 6 | 2.4 | 2.5 | 1.0 | 0.6 | 1.1 | 2.2 | 1.2 | 0.8 | 3.6 | 2.4 | 0.5 | 2.7 |
| 4 – 5 | 3.4 | 3.1 | 3.6 | | 3.2 | 2.2 | 1.8 | 1.6 | | 2.4 | 0.5 | 8.1 |
| 3 – 2 | 5.3 | 5.5 | 3.1 | 6.4 | 2.7 | 5.6 | 3.6 | 3.1 | 3.6 | 5.3 | 4.6 | 4.3 |
| 1 – 2 | 9.7 | 11.0 | 6.7 | 6.9 | 7.0 | 9.5 | 10.7 | 11.7 | 9.4 | 8.3 | 8.7 | 9.2 |
| 0 – 1 | 27.7 | 27.6 | 33.7 | 38.2 | 39.8 | 31.8 | 33.3 | 32.0 | 39.6 | 23.3 | 30.6 | 19.5 |
| –1 – 0 | 22.8 | 23.3 | 28.5 | 31.8 | 36.6 | 27.4 | 38.1 | 34.4 | 25.9 | 27.2 | 34.2 | 24.3 |
| –2 – –1 | 11.7 | 4.3 | 9.3 | 8.7 | 2.7 | 9.5 | 4.8 | 9.4 | 7.2 | 8.7 | 8.2 | 10.3 |
| –2 – –3 | 3.9 | 4.9 | 2.6 | 2.3 | 1.6 | 4.5 | 2.4 | 3.9 | 2.9 | 5.3 | 1.5 | 3.8 |
| –3 – –4 | 2.4 | 1.8 | 0.5 | 0.6 | 1.1 | 2.8 | 2.4 | 0.8 | 4.3 | 2.4 | 1.5 | 1.1 |
| –4 – –5 | 2.9 | 5.5 | 1.0 | 0.6 | 0.5 | 1.1 | | 1.6 | | 1.0 | 0.5 | 2.7 |
| –5 – –6 | 1.0 | 1.2 | 2.6 | 2.3 | 1.1 | 1.7 | 0.6 | | 0.7 | 1.0 | 1.5 | 1.1 |
| –6 – –7 | | | 2.1 | 0.6 | 0.5 | 0.6 | | | | 3.4 | 2.0 | 0.5 |
| –7 – –8 | 1.0 | | | 0.6 | 0.5 | 1.1 | | | | 1.0 | 1.5 | 1.1 |
| –8 – –9 | 1.9 | 3.1 | 0.5 | | | | 0.6 | | | 1.0 | | 0.5 |
| –9 – –10 | | 0.6 | | | 0.5 | | | | 0.7 | | | 1.6 |
| –10 – –11 | | | | | | | | | | 0.5 | | 1.1 |
| –11 – –12 | | | 0.5 | | | | | | | | 0.5 | |
| –12 – –13 | 0.5 | | | | | | | | | | | 0.5 |
| –13 – –14 | | 0.6 | 0.5 | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | 0.5 |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 206 | 163 | 193 | 173 | 186 | 179 | 168 | 128 | 139 | 206 | 196 | 185 |

Tabel C.274: Dag til dag ændring i saltholdighed for station Ndr. Røse dybde 4.4 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | 0.5 | | | | | | | 0.5 | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | 0.6 | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | 0.5 | 0.5 | 0.5 |
| 12 – 13 | | | | | | | | | | 0.5 | 0.5 | 1.1 |
| 11 – 12 | 0.5 | | | | | | | | | | 0.5 | |
| 10 – 11 | | | 0.5 | | 0.5 | | | | | | | 0.5 |
| 9 – 10 | 0.5 | | | | | | | | 1.4 | | 0.5 | 0.5 |
| 8 – 9 | 2.4 | 1.2 | 1.0 | | | | 0.6 | | 0.7 | 1.9 | 0.5 | 1.6 |
| 7 – 8 | 1.0 | 1.2 | 0.5 | | 0.5 | | | 1.6 | 1.4 | 1.9 | 2.1 | 1.6 |
| 6 – 7 | 2.9 | 3.1 | 2.1 | 1.2 | 0.5 | 0.6 | 0.6 | | 1.4 | 1.9 | 0.5 | 2.2 |
| 5 – 6 | 1.9 | 3.7 | 1.0 | 0.6 | 2.7 | 2.4 | 3.2 | 0.8 | 2.9 | 1.9 | | 3.2 |
| 4 – 5 | 1.5 | 3.7 | 2.6 | 2.3 | 2.2 | 4.8 | 1.3 | 2.3 | 2.2 | 3.9 | 3.1 | 6.5 |
| 3 – 2 | 4.9 | 4.3 | 2.1 | 7.5 | 3.8 | 3.6 | 3.2 | 4.7 | 5.8 | 3.4 | 4.6 | 5.9 |
| 1 – 2 | 8.7 | 8.0 | 7.3 | 8.1 | 7.5 | 12.0 | 13.6 | 10.2 | 7.2 | 10.7 | 7.7 | 7.0 |
| 0 – 1 | 26.7 | 28.8 | 34.2 | 29.5 | 37.6 | 27.7 | 29.9 | 30.5 | 33.1 | 22.3 | 29.2 | 18.4 |
| –1 – 0 | 24.3 | 22.7 | 28.0 | 33.5 | 32.8 | 24.1 | 35.1 | 30.5 | 22.3 | 24.8 | 30.3 | 22.7 |
| –2 – –1 | 8.3 | 4.3 | 7.3 | 6.4 | 5.9 | 10.8 | 5.2 | 10.9 | 9.4 | 9.7 | 6.2 | 10.8 |
| –2 – –3 | 5.8 | 5.5 | 3.1 | 3.5 | 1.1 | 4.2 | 1.9 | 5.5 | 4.3 | 4.4 | 3.6 | 4.3 |
| –3 – –4 | 2.9 | 3.1 | 2.1 | 4.0 | | 3.0 | 1.3 | 0.8 | 2.2 | 2.4 | 2.1 | 2.2 |
| –4 – –5 | 1.0 | 3.7 | 2.6 | | 1.6 | 1.8 | 1.9 | 1.6 | 2.9 | 1.0 | 1.5 | 1.6 |
| –5 – –6 | 2.9 | 2.5 | 2.1 | 1.7 | 1.6 | 3.0 | | | 0.7 | 1.9 | 1.5 | 1.6 |
| –6 – –7 | 0.5 | | 1.6 | | 0.5 | 1.2 | 1.3 | | 0.7 | 2.9 | 1.5 | 2.2 |
| –7 – –8 | 0.5 | 1.2 | 0.5 | 1.2 | | 0.6 | | 0.8 | 0.7 | 1.0 | 0.5 | 1.1 |
| –8 – –9 | 1.5 | 1.8 | | | | | 0.6 | | | 0.5 | 1.5 | 1.6 |
| –9 – –10 | 1.0 | 0.6 | 0.5 | | 1.1 | | | | 0.7 | 1.0 | | 0.5 |
| –10 – –11 | | | 0.5 | 0.6 | | | | | | 0.5 | 0.5 | 1.1 |
| –11 – –12 | | | | | | | | | | 0.5 | | |
| –12 – –13 | | | | | | | | | | | | 0.5 |
| –13 – –14 | 0.5 | | | | | | | | | | 0.5 | |
| –14 – –15 | | | | | | | | | | | | 0.5 |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | 0.5 | |
| antal | 206 | 163 | 193 | 173 | 186 | 166 | 154 | 128 | 139 | 206 | 195 | 185 |

Tabel C.275: Dag til dag ændring i saltholdighed for station Ndr. Røse dybde 5.9 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | 0.7 | | | |
| 18 – 19 | | | 0.5 | | | | | | | 0.5 | | 0.5 |
| 17 – 18 | 0.5 | | | | | | | | | | | 0.5 |
| 16 – 17 | | | | | | | | | 1.4 | | 0.5 | |
| 15 – 16 | | 0.6 | | | | | | | | | | |
| 14 – 15 | 0.5 | | | | | | | | | 1.0 | | 0.5 |
| 13 – 14 | | | | 0.6 | | | | | | | 1.0 | |
| 12 – 13 | 0.5 | | | | | | | | 1.4 | 1.0 | | 0.5 |
| 11 – 12 | 1.0 | | | | 0.5 | | | | 0.7 | 1.5 | 0.5 | 1.1 |
| 10 – 11 | 1.5 | | 0.5 | | 1.1 | | | | | 1.0 | 1.5 | 1.1 |
| 9 – 10 | 1.5 | 1.8 | | | | | 0.6 | | 1.4 | | 1.0 | 1.6 |
| 8 – 9 | 1.9 | 2.5 | 2.1 | | 1.1 | 0.6 | | 1.6 | 0.7 | 1.5 | 2.0 | 2.2 |
| 7 – 8 | 0.5 | 2.5 | 1.6 | 1.2 | 1.1 | | 0.6 | 1.6 | 2.2 | 2.4 | 1.5 | 3.8 |
| 6 – 7 | 1.5 | 1.2 | 0.5 | 1.7 | 1.6 | 1.1 | 0.6 | 1.6 | 0.7 | 1.5 | 0.5 | 2.7 |
| 5 – 6 | 1.9 | 4.9 | 1.0 | 1.7 | 2.2 | 2.8 | 2.4 | 1.6 | 2.2 | 3.4 | 2.6 | 2.2 |
| 4 – 5 | 3.9 | 1.8 | 2.1 | 2.9 | 2.2 | 3.4 | 4.2 | 1.6 | 2.2 | 3.9 | 2.6 | 5.9 |
| 3 – 2 | 5.3 | 3.1 | 5.2 | 4.6 | 5.9 | 7.8 | 5.4 | 8.6 | 2.9 | 4.4 | 4.6 | 3.2 |
| 1 – 2 | 7.3 | 8.6 | 8.8 | 11.6 | 5.4 | 9.5 | 12.5 | 10.9 | 5.8 | 5.8 | 6.1 | 5.9 |
| 0 – 1 | 23.3 | 22.7 | 27.5 | 28.9 | 31.2 | 22.3 | 22.6 | 24.2 | 26.6 | 20.4 | 21.4 | 13.5 |
| –1 – 0 | 22.3 | 23.9 | 27.5 | 25.4 | 29.0 | 24.0 | 29.8 | 25.0 | 23.7 | 21.4 | 28.1 | 20.0 |
| –2 – –1 | 8.3 | 5.5 | 8.3 | 6.4 | 8.1 | 12.3 | 8.9 | 7.8 | 7.2 | 9.7 | 6.6 | 9.7 |
| –2 – –3 | 3.4 | 4.9 | 4.7 | 3.5 | 3.2 | 5.6 | 6.0 | 7.8 | 6.5 | 5.8 | 4.6 | 3.8 |
| –3 – –4 | 1.5 | 3.7 | 1.6 | 5.8 | 1.1 | 2.8 | 3.6 | 2.3 | 2.9 | 2.4 | 3.6 | 4.9 |
| –4 – –5 | 4.9 | 3.1 | 2.1 | 0.6 | 1.6 | 2.2 | 0.6 | 1.6 | 2.2 | 3.9 | 1.5 | 3.2 |
| –5 – –6 | 1.0 | 1.8 | 1.0 | 2.3 | 1.6 | 3.9 | 1.2 | 0.8 | 3.6 | 0.5 | 2.6 | 3.2 |
| –6 – –7 | 1.9 | 2.5 | 2.1 | 0.6 | | 1.1 | 0.6 | 0.8 | | 2.4 | 2.0 | 2.7 |
| –7 – –8 | 1.9 | 0.6 | | 1.2 | 0.5 | | 0.6 | 1.6 | 1.4 | 1.5 | 1.0 | 1.1 |
| –8 – –9 | 2.4 | 2.5 | 1.0 | 0.6 | 0.5 | | | | 0.7 | 1.9 | | 2.2 |
| –9 – –10 | | 1.2 | 0.5 | | 1.6 | | | 0.8 | 0.7 | 1.0 | 0.5 | 1.1 |
| –10 – –11 | | 0.6 | 1.0 | | 0.5 | | | | 0.7 | 0.5 | 1.0 | 2.2 |
| –11 – –12 | 0.5 | | | 0.6 | | | | | 1.4 | | 0.5 | |
| –12 – –13 | 0.5 | | | | | 0.6 | | | | 0.5 | 0.5 | 0.5 |
| –13 – –14 | | | 0.5 | | | | | | | | 0.5 | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | 0.5 | | | | | | | | | 0.5 | | |
| –16 – –17 | | | | | | | | | | | 0.5 | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | 0.5 | |
| antal | 206 | 163 | 193 | 173 | 186 | 179 | 168 | 128 | 139 | 206 | 196 | 185 |

Tabel C.276: Dag til dag ændring i saltholdighed for station Ndr. Røse dybde 7.4 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | 0.5 | | | | | | | | | 0.5 | 0.5 | 0.5 |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | 0.6 | | | | | | | | 0.5 | | |
| 17 – 18 | | | | | | | | | 0.7 | | 0.5 | 1.1 |
| 16 – 17 | | | | | 0.6 | | | 0.8 | 0.7 | | | |
| 15 – 16 | 0.5 | 0.6 | | 0.7 | 1.3 | | | | 0.7 | | | 0.5 |
| 14 – 15 | | | 0.5 | 0.7 | | | | | 0.7 | | | 0.5 |
| 13 – 14 | 0.5 | | 1.6 | | 0.6 | | | | | 1.0 | 0.5 | 0.5 |
| 12 – 13 | 0.5 | 0.6 | 1.0 | | | | | | 0.7 | 1.5 | 0.5 | 0.5 |
| 11 – 12 | 1.9 | | | | 1.3 | | | | | 1.5 | 1.0 | 1.1 |
| 10 – 11 | 0.5 | 0.6 | 1.0 | 1.4 | | | 0.6 | 0.8 | 0.7 | | 2.1 | 1.1 |
| 9 – 10 | 2.4 | 3.7 | 1.6 | | | 0.7 | 0.6 | | 2.2 | 1.5 | 1.5 | 0.5 |
| 8 – 9 | 1.9 | 1.8 | 1.0 | 1.4 | | 1.3 | 0.6 | 0.8 | 0.7 | 1.0 | 1.5 | 4.3 |
| 7 – 8 | 0.5 | 1.8 | 0.5 | 0.7 | 1.9 | 1.3 | 1.8 | 0.8 | 1.4 | 1.0 | 1.0 | 2.2 |
| 6 – 7 | 1.0 | 2.5 | 0.5 | 2.8 | 3.2 | 2.0 | 1.8 | 1.6 | 0.7 | 2.9 | 0.5 | 2.7 |
| 5 – 6 | 1.9 | 4.3 | 2.1 | 2.1 | 2.6 | 2.7 | 3.0 | 2.3 | 3.6 | 3.9 | 2.1 | 3.8 |
| 4 – 5 | 4.4 | 4.3 | 3.1 | 2.8 | 3.2 | 1.3 | 7.1 | 3.9 | 5.0 | 3.4 | 6.2 | 3.8 |
| 3 – 2 | 5.8 | 1.2 | 3.1 | 5.6 | 4.5 | 6.0 | 6.0 | 6.2 | 2.2 | 3.4 | 4.6 | 2.2 |
| 1 – 2 | 9.7 | 8.0 | 5.7 | 7.6 | 5.8 | 9.4 | 10.7 | 9.4 | 5.0 | 8.3 | 6.2 | 4.3 |
| 0 – 1 | 17.5 | 19.6 | 26.4 | 27.1 | 21.8 | 19.5 | 14.9 | 21.1 | 22.3 | 20.4 | 18.5 | 11.4 |
| –1 – 0 | 22.3 | 19.6 | 27.5 | 20.8 | 25.0 | 26.2 | 23.2 | 24.2 | 21.6 | 19.9 | 25.1 | 18.9 |
| –2 – –1 | 7.3 | 6.7 | 5.7 | 7.6 | 10.9 | 12.1 | 13.1 | 10.2 | 9.4 | 7.8 | 8.2 | 15.1 |
| –2 – –3 | 3.4 | 6.1 | 3.6 | 5.6 | 6.4 | 7.4 | 4.8 | 7.8 | 3.6 | 3.9 | 1.0 | 4.3 |
| –3 – –4 | 5.3 | 1.8 | 2.6 | 1.4 | 2.6 | 2.7 | 4.8 | 3.9 | 5.0 | 2.9 | 3.1 | 3.2 |
| –4 – –5 | 2.4 | 2.5 | 3.6 | 5.6 | 1.3 | 3.4 | 3.0 | 1.6 | 2.2 | 3.9 | 3.6 | 3.2 |
| –5 – –6 | 1.0 | 3.7 | 1.6 | 1.4 | 1.9 | 0.7 | 2.4 | 2.3 | 3.6 | 1.9 | 1.0 | 2.2 |
| –6 – –7 | 2.4 | 1.2 | 2.1 | | 0.6 | 2.0 | 1.2 | 1.6 | 1.4 | 2.4 | 1.5 | 3.2 |
| –7 – –8 | 1.9 | 3.7 | 1.6 | 1.4 | | | 0.6 | 0.8 | | 2.4 | 3.1 | 1.6 |
| –8 – –9 | 1.9 | 3.1 | 0.5 | 2.1 | | 0.7 | | | 1.4 | 0.5 | 1.0 | 2.2 |
| –9 – –10 | | 1.2 | 0.5 | 0.7 | 1.9 | | | | 2.2 | 1.5 | 1.5 | 1.1 |
| –10 – –11 | | | 0.5 | | 0.6 | | | | 0.7 | 1.0 | 0.5 | 1.1 |
| –11 – –12 | 0.5 | | 0.5 | | 0.6 | | | | | 0.5 | 0.5 | 2.2 |
| –12 – –13 | 0.5 | | | | 0.6 | | | | 0.7 | | 0.5 | 0.5 |
| –13 – –14 | 0.5 | | 0.5 | 0.7 | | | | | | 0.5 | 0.5 | |
| –14 – –15 | 0.5 | 0.6 | 0.5 | | | | | | 0.7 | | | |
| –15 – –16 | | | 0.5 | | | | | | | | | |
| –16 – –17 | | | | | | 0.7 | | | | | 0.5 | |
| –17 – –18 | 0.5 | | | | 0.6 | | | | | | 0.5 | |
| –18 – –19 | | | | | | | | | | 0.5 | 0.5 | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 206 | 163 | 193 | 144 | 156 | 149 | 168 | 128 | 139 | 206 | 195 | 185 |

Tabel C.277: Dag til dag ændring i saltholdighed for station Ndr. Røse dybde 9.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | 0.5 | 0.5 | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | 0.8 | | | | |
| 17 – 18 | | | 0.5 | | 0.5 | | | | | | | 1.1 |
| 16 – 17 | 0.5 | | 0.5 | 0.6 | | | | | | 1.0 | | |
| 15 – 16 | 0.5 | 0.6 | | | | | | | 0.7 | 0.5 | 0.5 | 0.5 |
| 14 – 15 | | 0.6 | | 0.6 | | | | | 1.4 | | | |
| 13 – 14 | 0.5 | | | | 1.1 | | | | 1.4 | 0.5 | 1.0 | |
| 12 – 13 | 1.9 | 1.2 | 0.5 | 0.6 | | | | | | 2.4 | 1.5 | |
| 11 – 12 | 0.5 | 1.8 | 0.5 | 0.6 | 0.5 | 0.6 | | 0.8 | 0.7 | 1.0 | 0.5 | 2.2 |
| 10 – 11 | 1.5 | 0.6 | 0.5 | 1.2 | | 0.6 | 0.6 | | 0.7 | | 1.5 | 1.6 |
| 9 – 10 | 3.4 | 2.5 | 1.6 | 2.3 | 1.6 | | 0.6 | 0.8 | 0.7 | 1.0 | 2.6 | 2.2 |
| 8 – 9 | 1.0 | 1.8 | 1.6 | 3.5 | 1.1 | 2.2 | 0.6 | | 0.7 | 1.5 | 1.0 | 2.2 |
| 7 – 8 | 0.5 | 1.8 | 1.6 | 0.6 | 2.2 | 1.7 | 1.9 | | 2.9 | 1.0 | 0.5 | 4.3 |
| 6 – 7 | 0.5 | 3.1 | 1.6 | 2.9 | 3.2 | 4.5 | 3.1 | 3.1 | 1.4 | 2.9 | 1.0 | 2.2 |
| 5 – 6 | 5.3 | 3.1 | 1.6 | 2.9 | 4.3 | 2.2 | 6.2 | 5.5 | 1.4 | 2.9 | 4.1 | 3.8 |
| 4 – 5 | 3.4 | 6.1 | 2.6 | 0.6 | 4.3 | 4.5 | 6.2 | 7.0 | 3.6 | 4.4 | 6.6 | 2.2 |
| 3 – 2 | 4.4 | 3.1 | 2.6 | 5.2 | 7.0 | 6.7 | 5.6 | 3.1 | 7.9 | 3.9 | 2.0 | 3.2 |
| 1 – 2 | 7.3 | 8.6 | 5.2 | 6.9 | 7.5 | 7.8 | 10.6 | 7.8 | 6.5 | 5.3 | 5.6 | 5.9 |
| 0 – 1 | 16.5 | 16.0 | 32.1 | 24.3 | 19.9 | 13.4 | 12.5 | 16.4 | 20.9 | 23.3 | 19.4 | 13.5 |
| –1 – 0 | 25.2 | 18.4 | 24.4 | 16.8 | 16.1 | 21.2 | 21.9 | 25.0 | 16.5 | 17.5 | 21.9 | 17.3 |
| –2 – –1 | 7.3 | 6.7 | 6.7 | 10.4 | 8.1 | 12.8 | 11.2 | 10.9 | 9.4 | 7.3 | 5.1 | 10.8 |
| –2 – –3 | 3.9 | 5.5 | 1.6 | 2.9 | 4.8 | 5.6 | 6.2 | 7.0 | 7.2 | 5.3 | 4.1 | 7.6 |
| –3 – –4 | 3.9 | 1.2 | 3.1 | 4.0 | 4.3 | 6.1 | 3.8 | 3.9 | 3.6 | 4.4 | 4.1 | 4.3 |
| –4 – –5 | 1.9 | 2.5 | 3.6 | 2.3 | 4.8 | 2.2 | 1.2 | 2.3 | 2.9 | 2.4 | 2.0 | 3.2 |
| –5 – –6 | 2.4 | | 1.0 | 2.9 | 1.6 | 2.2 | 2.5 | | 2.2 | 3.4 | 3.6 | 1.1 |
| –6 – –7 | 1.5 | 1.2 | 1.0 | 2.9 | 1.1 | 0.6 | 1.2 | 2.3 | 1.4 | 1.0 | 2.0 | 1.6 |
| –7 – –8 | 1.0 | 1.8 | 1.0 | 0.6 | 0.5 | 1.1 | 1.9 | 0.8 | 0.7 | 1.9 | 1.5 | 1.1 |
| –8 – –9 | 1.0 | 5.5 | 0.5 | 1.7 | 3.2 | 1.7 | 0.6 | 2.3 | 0.7 | | 0.5 | 2.7 |
| –9 – –10 | 0.5 | 2.5 | 0.5 | 1.2 | 1.1 | 0.6 | 1.2 | | 1.4 | 1.0 | 2.0 | 1.1 |
| –10 – –11 | 0.5 | 2.5 | 1.6 | | 0.5 | 1.1 | | | | 0.5 | 2.0 | 2.2 |
| –11 – –12 | 1.0 | 0.6 | 0.5 | 0.6 | | | | | 0.7 | 1.5 | 1.0 | |
| –12 – –13 | | | | 0.6 | | | | | 1.4 | | | 1.1 |
| –13 – –14 | 0.5 | | | | 0.5 | | | | | 0.5 | | 0.5 |
| –14 – –15 | 0.5 | 0.6 | 0.5 | | | | | | 0.7 | | 0.5 | |
| –15 – –16 | | | | 0.6 | | | | | | | | |
| –16 – –17 | 0.5 | | 0.5 | | | | | | | 0.5 | 1.0 | |
| –17 – –18 | 0.5 | | 0.5 | | | 0.6 | | | | 1.0 | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | 0.5 | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | 0.5 |
| antal | 206 | 163 | 193 | 173 | 186 | 179 | 160 | 128 | 139 | 206 | 196 | 185 |

Tabel C.278: Dag til dag ændring i saltholdighed for station Ndr. Røse dybde 10.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | 0.5 | | | | | | | | | 1.5 | 0.5 | |
| 19 – 20 | | | 0.5 | | | | | | | | 1.0 | 0.5 |
| 18 – 19 | | | | 0.5 | | | | | | 0.5 | | 0.5 |
| 17 – 18 | | 0.6 | | 0.5 | | | | | 0.7 | | | |
| 16 – 17 | | | | | | | 0.7 | | 1.4 | | | |
| 15 – 16 | 1.0 | | 1.0 | 0.5 | 0.5 | 0.6 | | 0.7 | 0.7 | | | |
| 14 – 15 | 1.0 | | 0.5 | | | | | | 0.7 | 1.0 | 0.5 | |
| 13 – 14 | 0.5 | 1.8 | 0.5 | 0.5 | 1.0 | | | 1.4 | | 2.0 | 1.0 | 1.6 |
| 12 – 13 | 1.4 | 1.2 | | 1.1 | 0.5 | | | | | | 1.0 | 1.6 |
| 11 – 12 | 0.5 | 2.5 | 2.1 | 1.6 | | 0.6 | | | | | | 0.5 |
| 10 – 11 | 1.9 | | | | 2.0 | 1.2 | 1.4 | 0.7 | 0.7 | | 1.0 | 2.2 |
| 9 – 10 | 1.4 | 4.3 | 1.0 | 2.7 | 2.0 | 2.3 | 2.2 | 1.4 | 1.4 | 1.5 | 0.5 | 1.6 |
| 8 – 9 | 0.5 | 0.6 | 1.0 | 2.1 | 2.0 | 2.3 | 2.9 | 2.2 | 1.4 | 1.0 | 2.1 | 1.1 |
| 7 – 8 | 0.5 | 1.2 | 0.5 | 1.1 | 1.5 | 2.3 | 2.9 | 0.7 | 1.4 | 2.4 | 2.6 | 3.2 |
| 6 – 7 | 2.4 | 3.1 | 1.6 | 2.7 | 2.5 | 1.7 | 1.4 | 3.6 | 0.7 | 1.0 | 2.6 | 2.2 |
| 5 – 6 | 3.4 | 3.1 | 2.1 | 1.1 | 6.6 | 3.5 | 2.9 | 3.6 | 2.1 | 2.0 | 1.5 | 2.2 |
| 4 – 5 | 4.3 | 1.8 | 2.6 | 2.1 | 2.5 | 2.9 | 5.8 | 1.4 | 2.8 | 3.9 | 5.1 | 3.2 |
| 3 – 2 | 7.2 | 6.1 | 3.6 | 5.3 | 2.5 | 6.9 | 5.1 | 6.5 | 6.2 | 2.9 | 4.1 | 5.4 |
| 1 – 2 | 6.3 | 8.0 | 7.3 | 3.7 | 7.1 | 7.5 | 8.0 | 6.5 | 6.9 | 8.3 | 8.2 | 9.2 |
| 0 – 1 | 19.3 | 15.3 | 24.9 | 22.9 | 16.2 | 13.3 | 11.6 | 19.6 | 20.0 | 23.4 | 15.9 | 12.4 |
| -1 – 0 | 17.9 | 17.8 | 24.9 | 22.3 | 21.8 | 16.8 | 19.6 | 21.0 | 26.9 | 16.1 | 20.5 | 16.2 |
| -2 – -1 | 10.6 | 8.6 | 8.3 | 10.1 | 4.1 | 12.1 | 8.7 | 10.9 | 5.5 | 8.8 | 7.2 | 9.2 |
| -2 – -3 | 2.9 | 4.3 | 2.1 | 3.7 | 8.1 | 6.9 | 8.7 | 6.5 | 8.3 | 5.4 | 4.1 | 5.4 |
| -3 – -4 | 1.9 | 2.5 | 3.6 | 2.1 | 5.6 | 4.6 | 5.8 | 2.9 | 0.7 | 5.9 | 4.1 | 4.9 |
| -4 – -5 | 4.8 | 1.2 | 1.6 | 0.5 | 3.0 | 2.3 | 3.6 | 3.6 | 0.7 | 1.0 | 3.6 | 4.3 |
| -5 – -6 | 2.4 | 3.1 | 2.1 | 2.1 | 1.5 | 2.3 | 2.9 | 2.2 | 1.4 | 4.9 | 2.1 | 1.6 |
| -6 – -7 | 1.0 | 1.2 | 3.1 | 2.7 | 3.0 | 2.3 | 0.7 | 1.4 | 3.4 | 1.0 | 1.5 | 1.1 |
| -7 – -8 | | 1.8 | 0.5 | 1.6 | 2.0 | 4.0 | 2.2 | | 1.4 | 1.0 | 1.5 | 1.1 |
| -8 – -9 | 1.0 | | | 1.6 | 1.0 | | 1.4 | 0.7 | 1.4 | 1.0 | 1.0 | 1.1 |
| -9 – -10 | 1.0 | 3.7 | 1.0 | 0.5 | 1.0 | 1.7 | 1.4 | | | 1.0 | 2.1 | 2.2 |
| -10 – -11 | | 3.1 | 0.5 | 0.5 | 0.5 | | | 0.7 | 0.7 | 1.0 | 1.0 | 1.6 |
| -11 – -12 | 0.5 | 1.2 | 0.5 | 0.5 | | 0.6 | | | 0.7 | 0.5 | 1.0 | 1.1 |
| -12 – -13 | | 0.6 | 0.5 | 1.1 | | 0.6 | | 0.7 | | 0.5 | 1.5 | 1.1 |
| -13 – -14 | | 0.6 | 0.5 | | | | | 0.7 | | | | 1.1 |
| -14 – -15 | 1.9 | | | 0.5 | 1.0 | | | | 0.7 | | | |
| -15 – -16 | | 0.6 | | 0.5 | | | | | 1.4 | | | |
| -16 – -17 | 0.5 | | 0.5 | 1.1 | | | | | | 0.5 | 0.5 | |
| -17 – -18 | | | | | | | | | | 0.5 | | |
| -18 – -19 | 0.5 | | 1.0 | | | 0.6 | | | | | | |
| -19 – -20 | 0.5 | | | | | | | | | | | |
| < -20 | 0.5 | | | | | | | | | | 0.5 | 0.5 |
| antal | 207 | 163 | 193 | 188 | 197 | 173 | 138 | 138 | 145 | 205 | 195 | 185 |

Tabel C.279: Dag til dag ændring i saltholdighed for station Oder dybde 3.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 3 – 2 | | | | | | | | | | | | |
| 1 – 2 | 1.4 | | 4.8 | 1.1 | 3.8 | | 2.7 | 2.5 | 2.1 | 1.1 | | |
| 0 – 1 | 52.8 | 59.1 | 47.6 | 63.6 | 55.7 | 52.8 | 53.2 | 59.5 | 55.3 | 62.5 | 47.1 | 58.3 |
| -1 – 0 | 45.8 | 39.4 | 44.4 | 33.0 | 37.7 | 46.4 | 42.3 | 35.4 | 41.5 | 34.1 | 51.5 | 40.5 |
| -2 – -1 | | 1.5 | 1.6 | | 2.8 | 0.8 | 1.8 | 2.5 | 1.1 | 2.3 | 1.5 | 1.2 |
| -2 – -3 | | | 1.6 | 2.3 | | | | | | | | |
| -3 – -4 | | | | | | | | | | | | |
| -4 – -5 | | | | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 72 | 66 | 63 | 88 | 106 | 125 | 111 | 79 | 94 | 88 | 68 | 84 |

Tabel C.280: Dag til dag ændring i saltholdighed for station Oder dybde 12.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 3 – 2 | | | | | | | | | | | | |
| 1 – 2 | | | 4.9 | | | | | | 2.0 | 0.9 | | |
| 0 – 1 | 53.8 | 52.3 | 51.2 | 57.5 | 57.3 | 60.0 | 49.6 | 61.8 | 53.5 | 53.2 | 52.4 | 51.8 |
| -1 – 0 | 46.2 | 47.7 | 41.5 | 42.5 | 42.7 | 40.0 | 50.4 | 38.2 | 44.6 | 45.9 | 47.6 | 48.2 |
| -2 – -1 | | | 2.4 | | | | | | | | | |
| -2 – -3 | | | | | | | | | | | | |
| -3 – -4 | | | | | | | | | | | | |
| -4 – -5 | | | | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 52 | 44 | 41 | 80 | 103 | 125 | 119 | 76 | 101 | 111 | 84 | 83 |

Tabel C.281: Dag til dag ændring i saltholdighed for station Østerrenden Nord dybde 3.3 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | 1.9 |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | 1.7 | | | 1.7 | | |
| 4 – 5 | | | | | | 1.7 | | 1.7 | | | 1.7 | |
| 3 – 2 | 3.3 | 4.0 | | | 1.7 | 6.9 | | 1.7 | | | 5.2 | |
| 1 – 2 | 11.7 | 10.0 | 8.3 | 3.4 | 6.7 | 12.1 | 6.7 | 5.1 | 10.5 | 10.0 | 6.9 | 7.4 |
| 0 – 1 | 35.0 | 28.0 | 36.7 | 37.9 | 38.3 | 29.3 | 28.3 | 35.6 | 36.8 | 45.0 | 25.9 | 48.1 |
| -1 – 0 | 38.3 | 40.0 | 45.0 | 55.2 | 46.7 | 37.9 | 51.7 | 49.2 | 43.9 | 35.0 | 43.1 | 38.9 |
| -2 – -1 | 11.7 | 14.0 | 8.3 | 3.4 | 3.3 | 8.6 | 10.0 | 6.8 | 8.8 | 6.7 | 13.8 | 3.7 |
| -2 – -3 | | 2.0 | 1.7 | | 1.7 | 1.7 | 1.7 | | | 1.7 | 3.4 | |
| -3 – -4 | | 2.0 | | | 1.7 | 1.7 | | | | | | |
| -4 – -5 | | | | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 60 | 50 | 60 | 58 | 60 | 58 | 60 | 59 | 57 | 60 | 58 | 54 |

Tabel C.282: Dag til dag ændring i saltholdighed for station Østerrenden Nord dybde 5.8 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | 1.7 | | | | 1.8 |
| 6 – 7 | | | | | | 1.7 | | | | | | |
| 5 – 6 | | | | | | 1.7 | 1.7 | 1.7 | | | | |
| 4 – 5 | 1.7 | | | | 1.7 | 3.4 | 3.3 | | 1.8 | 3.3 | | |
| 3 – 2 | 1.7 | 4.0 | 5.0 | 1.7 | 1.7 | 5.2 | | 8.5 | 5.3 | 1.7 | 1.7 | 1.8 |
| 1 – 2 | 18.3 | 12.0 | 5.0 | 3.4 | 5.0 | 12.1 | 8.3 | 3.4 | 14.0 | 15.0 | 13.8 | 14.3 |
| 0 – 1 | 28.3 | 22.0 | 28.3 | 39.7 | 36.7 | 25.9 | 23.3 | 30.5 | 22.8 | 28.3 | 29.3 | 41.1 |
| -1 – 0 | 33.3 | 46.0 | 48.3 | 46.6 | 41.7 | 27.6 | 45.0 | 40.7 | 38.6 | 38.3 | 32.8 | 33.9 |
| -2 – -1 | 15.0 | 12.0 | 11.7 | 5.2 | 10.0 | 12.1 | 13.3 | 10.2 | 15.8 | 10.0 | 17.2 | 7.1 |
| -2 – -3 | | 2.0 | 1.7 | 3.4 | 1.7 | 8.6 | 3.3 | 1.7 | 1.8 | 1.7 | 5.2 | |
| -3 – -4 | 1.7 | 2.0 | | | | | 1.7 | 1.7 | | 1.7 | | |
| -4 – -5 | | | | | 1.7 | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | 1.7 | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 60 | 50 | 60 | 58 | 60 | 58 | 60 | 59 | 57 | 60 | 58 | 56 |

Tabel C.283: Dag til dag ændring i saltholdighed for station Østerrenden Nord dybde 9.8 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | 1.7 | 1.7 | | | | | | |
| 12 – 13 | | | | | | 1.7 | | | | | | |
| 11 – 12 | | | | | 1.7 | | | | | | | |
| 10 – 11 | | | | | | | | 1.7 | | | | |
| 9 – 10 | | | | | 3.3 | | | 1.7 | | | | |
| 8 – 9 | | | | | | 1.7 | | | 1.8 | | | 1.8 |
| 7 – 8 | | | 1.7 | | | | | 1.7 | 1.8 | | 1.7 | |
| 6 – 7 | | | | | 3.3 | | 5.0 | | 3.5 | | | |
| 5 – 6 | | | | 3.4 | 11.7 | 1.7 | 1.7 | | | 1.7 | | |
| 4 – 5 | | 4.0 | 1.7 | 3.4 | 1.7 | 6.9 | 6.7 | 3.4 | 3.5 | | 1.7 | |
| 3 – 2 | 1.7 | 4.0 | 3.3 | 5.2 | 3.3 | 5.2 | 5.0 | 5.1 | 8.8 | 8.3 | 10.3 | 3.6 |
| 1 – 2 | 18.3 | 10.0 | 15.0 | 10.3 | 10.0 | 12.1 | 8.3 | 10.2 | 5.3 | 15.0 | 8.6 | 10.7 |
| 0 – 1 | 35.0 | 24.0 | 25.0 | 27.6 | 15.0 | 15.5 | 11.7 | 13.6 | 21.1 | 21.7 | 15.5 | 39.3 |
| –1 – 0 | 31.7 | 38.0 | 31.7 | 32.8 | 18.3 | 25.9 | 28.3 | 37.3 | 28.1 | 30.0 | 37.9 | 41.1 |
| –2 – –1 | 11.7 | 14.0 | 15.0 | 12.1 | 6.7 | 6.9 | 21.7 | 16.9 | 10.5 | 16.7 | 8.6 | 1.8 |
| –2 – –3 | 1.7 | 4.0 | 1.7 | 3.4 | 5.0 | 3.4 | 3.3 | 5.1 | 3.5 | 6.7 | 8.6 | |
| –3 – –4 | | | 1.7 | | 3.3 | 3.4 | 6.7 | 1.7 | 5.3 | | 3.4 | 1.8 |
| –4 – –5 | | 2.0 | 3.3 | | 1.7 | 3.4 | | 1.7 | 1.8 | | | |
| –5 – –6 | | | | | 3.3 | 3.4 | | | 5.3 | | | |
| –6 – –7 | | | | | | | | | | | 3.4 | |
| –7 – –8 | | | | 1.7 | 3.3 | 3.4 | | | | | | |
| –8 – –9 | | | | | 5.0 | | 1.7 | | | | | |
| –9 – –10 | | | | | 1.7 | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | 1.7 | | | | | | |
| –12 – –13 | | | | | | 1.7 | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 60 | 50 | 60 | 58 | 60 | 58 | 60 | 59 | 57 | 60 | 58 | 56 |

Tabel C.284: Dag til dag ændring i saltholdighed for station Østerrenden Nord dybde 14.9 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | 1.7 | 1.7 | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | 1.7 | | | | | | | |
| 9 – 10 | | | | | 3.3 | 1.7 | | 1.7 | | | | |
| 8 – 9 | | | | | | | 3.3 | | | | | |
| 7 – 8 | | | 3.3 | 1.7 | | | 1.7 | | | | | 1.8 |
| 6 – 7 | 1.7 | 4.0 | | 1.7 | | | 1.7 | | | | 1.8 | 1.8 |
| 5 – 6 | 3.3 | | | 1.7 | 1.7 | | 1.7 | 3.4 | 11.1 | 3.3 | 3.6 | 3.6 |
| 4 – 5 | | | 1.7 | 5.2 | 1.7 | 1.7 | 5.0 | 3.4 | 3.7 | 6.7 | 12.5 | 1.8 |
| 3 – 2 | 6.7 | 12.0 | 8.3 | 6.9 | 6.7 | 8.6 | 6.7 | 8.6 | 7.4 | 10.0 | 3.6 | 1.8 |
| 1 – 2 | 8.3 | 6.0 | 8.3 | 13.8 | 8.3 | 5.2 | 6.7 | 8.6 | 13.0 | 11.7 | 12.5 | 10.7 |
| 0 – 1 | 30.0 | 34.0 | 20.0 | 24.1 | 31.7 | 27.6 | 23.3 | 27.6 | 14.8 | 15.0 | 8.9 | 30.4 |
| -1 – 0 | 33.3 | 20.0 | 31.7 | 20.7 | 20.0 | 22.4 | 20.0 | 20.7 | 11.1 | 30.0 | 21.4 | 28.6 |
| -2 – -1 | 6.7 | 14.0 | 13.3 | 8.6 | 11.7 | 12.1 | 10.0 | 10.3 | 16.7 | 6.7 | 10.7 | 12.5 |
| -2 – -3 | 6.7 | 2.0 | 10.0 | 5.2 | 3.3 | 13.8 | 6.7 | 10.3 | 9.3 | 8.3 | 12.5 | 1.8 |
| -3 – -4 | 1.7 | 2.0 | | 3.4 | 1.7 | 3.4 | 1.7 | | 7.4 | 5.0 | 3.6 | 3.6 |
| -4 – -5 | | 6.0 | | 1.7 | 3.3 | | 5.0 | 3.4 | 1.9 | 1.7 | 3.6 | |
| -5 – -6 | | | | | | 3.4 | 3.3 | 1.7 | 1.9 | 1.7 | 3.6 | |
| -6 – -7 | 1.7 | | | | | | | | | | 1.8 | 1.8 |
| -7 – -8 | | | 1.7 | 1.7 | | | 1.7 | | 1.9 | | | |
| -8 – -9 | | | 1.7 | | 1.7 | | | | | | | |
| -9 – -10 | | | | | | | 1.7 | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | 1.7 | 1.7 | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 60 | 50 | 60 | 58 | 60 | 58 | 60 | 58 | 54 | 60 | 56 | 56 |

Tabel C.285: Dag til dag ændring i saltholdighed for station Romsø Tue Fyr dybde 7.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | 2.5 | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | 1.9 | | | | |
| 5 – 6 | | | | | | 3.0 | 2.5 | | 3.9 | | | |
| 4 – 5 | | | | | 2.9 | 3.0 | 2.5 | 1.9 | 3.9 | | | |
| 3 – 2 | 3.4 | 3.7 | 3.6 | 3.6 | 8.8 | 6.1 | 2.5 | 11.1 | 3.9 | 2.6 | | |
| 1 – 2 | 17.2 | 14.8 | | 21.4 | 17.6 | 6.1 | 7.5 | 13.0 | 19.6 | 5.3 | 18.8 | 4.2 |
| 0 – 1 | 37.9 | 44.4 | 39.3 | 25.0 | 20.6 | 33.3 | 32.5 | 29.6 | 21.6 | 44.7 | 31.2 | 41.7 |
| –1 – 0 | 34.5 | 18.5 | 35.7 | 28.6 | 26.5 | 30.3 | 22.5 | 25.9 | 21.6 | 36.8 | 37.5 | 50.0 |
| –2 – –1 | 6.9 | 18.5 | 17.9 | 10.7 | 14.7 | 9.1 | 5.0 | 9.3 | 11.8 | 7.9 | 12.5 | |
| –2 – –3 | | | | 7.1 | 2.9 | | 12.5 | 3.7 | 5.9 | 2.6 | | 4.2 |
| –3 – –4 | | | 3.6 | 3.6 | 2.9 | 6.1 | 5.0 | 1.9 | 5.9 | | | |
| –4 – –5 | | | | | 2.9 | | 5.0 | | | | | |
| –5 – –6 | | | | | | | | 1.9 | 2.0 | | | |
| –6 – –7 | | | | | | 3.0 | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 29 | 27 | 28 | 28 | 34 | 33 | 40 | 54 | 51 | 38 | 16 | 24 |

Tabel C.286: Dag til dag ændring i saltholdighed for station Romsø Tue Fyr dybde 10.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | 2.5 | | | | | |
| 8 – 9 | | | | | | 3.0 | | | | | | |
| 7 – 8 | | | | | | 3.0 | | | | | | |
| 6 – 7 | | | | 3.6 | 8.8 | | 2.5 | | | | 5.9 | |
| 5 – 6 | | | | | | | 5.0 | 1.9 | 2.0 | | | |
| 4 – 5 | 3.4 | | | 7.1 | | 3.0 | 2.5 | 3.8 | 2.0 | | | |
| 3 – 2 | 6.9 | 3.7 | 3.6 | 7.1 | 2.9 | 9.1 | 5.0 | 5.7 | 13.7 | | 5.9 | |
| 1 – 2 | 13.8 | 11.1 | | 7.1 | 14.7 | 12.1 | 5.0 | 15.1 | 7.8 | 5.3 | 11.8 | 4.2 |
| 0 – 1 | 31.0 | 44.4 | 39.3 | 21.4 | 20.6 | 15.2 | 12.5 | 24.5 | 15.7 | 44.7 | 47.1 | 50.0 |
| –1 – 0 | 24.1 | 29.6 | 39.3 | 21.4 | 23.5 | 24.2 | 32.5 | 28.3 | 31.4 | 36.8 | 5.9 | 37.5 |
| –2 – –1 | 17.2 | 11.1 | 14.3 | 14.3 | 14.7 | 18.2 | 12.5 | 5.7 | 17.6 | 13.2 | 11.8 | 8.3 |
| –2 – –3 | 3.4 | | | 3.6 | 2.9 | 6.1 | 7.5 | 9.4 | 3.9 | | 5.9 | |
| –3 – –4 | | | 3.6 | 10.7 | 2.9 | 3.0 | | 3.8 | 3.9 | | 5.9 | |
| –4 – –5 | | | | 3.6 | 2.9 | | 5.0 | | | | | |
| –5 – –6 | | | | | 5.9 | | 5.0 | | 2.0 | | | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | 1.9 | | | | |
| –8 – –9 | | | | | | 3.0 | | | | | | |
| –9 – –10 | | | | | | | 2.5 | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 29 | 27 | 28 | 28 | 34 | 33 | 40 | 53 | 51 | 38 | 17 | 24 |

Tabel C.287: Dag til dag ændring i saltholdighed for station Romsø Tue Fyr dybde 12.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|-----|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | 1.9 | | | | |
| 6 – 7 | | | | 3.6 | | | 2.5 | | | | | |
| 5 – 6 | | | | | 5.9 | 3.0 | | 7.5 | | | | |
| 4 – 5 | | | 3.6 | 3.6 | 2.9 | 12.1 | 2.5 | 1.9 | 3.9 | | | |
| 3 – 2 | | | | 3.6 | 11.8 | 6.1 | 7.5 | 7.5 | 5.9 | 5.3 | 5.9 | |
| 1 – 2 | 50.0 | | | 25.0 | 17.6 | 12.1 | 5.0 | 13.2 | 11.8 | 7.9 | 11.8 | 6.7 |
| 0 – 1 | 25.0 | 42.9 | 10.7 | 17.6 | 27.3 | 20.0 | 17.0 | 27.5 | 50.0 | 35.3 | 40.0 | |
| –1 – 0 | 25.0 | 39.3 | 21.4 | 14.7 | 18.2 | 30.0 | 22.6 | 23.5 | 21.1 | 23.5 | 53.3 | |
| –2 – –1 | | 10.7 | 14.3 | 5.9 | 9.1 | 20.0 | 15.1 | 15.7 | 10.5 | 17.6 | | |
| –2 – –3 | | | 3.6 | 10.7 | 5.9 | 6.1 | 5.0 | 7.5 | 9.8 | | | |
| –3 – –4 | | | | 3.6 | 2.9 | 3.0 | | 1.9 | | 2.6 | | |
| –4 – –5 | | | | | 8.8 | | | | | 2.6 | 5.9 | |
| –5 – –6 | | | | 3.6 | 5.9 | | 5.0 | 1.9 | 2.0 | | | |
| –6 – –7 | | | | | | | 2.5 | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | 3.0 | | 1.9 | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 0 | 4 | 28 | 28 | 34 | 33 | 40 | 53 | 51 | 38 | 17 | 15 |

Tabel C.288: Dag til dag ændring i saltholdighed for station Romsø Tue Fyr dybde 14.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | 1.9 | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | 2.6 | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | 2.9 | | | | | | | |
| 5 – 6 | | | | 3.6 | | 3.0 | 2.5 | 1.9 | 2.0 | | | |
| 4 – 5 | | | | 3.6 | 5.7 | 3.0 | 2.5 | 1.9 | 2.0 | | | |
| 3 – 2 | 3.4 | 7.4 | 3.6 | 10.7 | 14.3 | 9.1 | 2.5 | 5.6 | 3.9 | 5.3 | 5.9 | 4.2 |
| 1 – 2 | 24.1 | 18.5 | | 10.7 | 14.3 | 21.2 | 7.5 | 16.7 | 11.8 | 5.3 | 11.8 | 12.5 |
| 0 – 1 | 31.0 | 29.6 | 39.3 | 17.9 | 28.6 | 21.2 | 22.5 | 27.8 | 31.4 | 47.4 | 41.2 | 41.7 |
| –1 – 0 | 17.2 | 25.9 | 46.4 | 25.0 | 14.3 | 27.3 | 32.5 | 24.1 | 25.5 | 28.9 | 11.8 | 33.3 |
| –2 – –1 | 17.2 | 14.8 | 3.6 | 17.9 | 8.6 | 3.0 | 15.0 | 11.1 | 9.8 | 2.6 | 17.6 | 8.3 |
| –2 – –3 | 6.9 | 3.7 | 7.1 | 3.6 | 2.9 | 6.1 | 10.0 | 3.7 | 3.9 | 5.3 | 5.9 | |
| –3 – –4 | | | | 3.6 | | 6.1 | | 1.9 | 2.0 | 2.6 | | |
| –4 – –5 | | | | | 2.9 | | 2.5 | 1.9 | 5.9 | | | |
| –5 – –6 | | | | 3.6 | | | 2.5 | | 2.0 | | 5.9 | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | 2.9 | | | 1.9 | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | 2.9 | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 29 | 27 | 28 | 28 | 35 | 33 | 40 | 54 | 51 | 38 | 17 | 24 |

Tabel C.289: Dag til dag ændring i saltholdighed for station Romsø Tue Fyr dybde 16.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | 1.9 | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 4 – 5 | 3.4 | | | 3.6 | 5.7 | | | | | 2.6 | | 4.2 |
| 3 – 2 | 6.9 | | | 3.6 | 5.7 | 6.1 | 2.5 | 9.4 | 5.9 | 2.6 | 5.9 | |
| 1 – 2 | 13.8 | 22.2 | 10.7 | 17.9 | 20.0 | 9.1 | 5.0 | 18.9 | 17.6 | 7.9 | 11.8 | 8.3 |
| 0 – 1 | 13.8 | 40.7 | 28.6 | 21.4 | 22.9 | 33.3 | 40.0 | 30.2 | 25.5 | 39.5 | 35.3 | 33.3 |
| –1 – 0 | 41.4 | 22.2 | 42.9 | 25.0 | 28.6 | 45.5 | 32.5 | 18.9 | 31.4 | 34.2 | 29.4 | 45.8 |
| –2 – –1 | 20.7 | 7.4 | 10.7 | 21.4 | 8.6 | 3.0 | 12.5 | 7.5 | 7.8 | 7.9 | 5.9 | 8.3 |
| –2 – –3 | | 7.4 | 7.1 | 3.6 | 5.7 | 3.0 | 2.5 | 9.4 | 7.8 | | 5.9 | |
| –3 – –4 | | | | | | | 2.5 | 1.9 | 3.9 | 2.6 | | |
| –4 – –5 | | | | 3.6 | 2.9 | | 2.5 | | | | | |
| –5 – –6 | | | | | | | | 1.9 | | 2.6 | 5.9 | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 29 | 27 | 28 | 28 | 35 | 33 | 40 | 53 | 51 | 38 | 17 | 24 |

Tabel C.290: Dag til dag ændring i saltholdighed for station Romsø Tue Fyr dybde 19.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | 3.7 | | | | | | | | | | |
| 5 – 6 | | | | | | | | | 2.0 | | 5.9 | |
| 4 – 5 | | | | 7.1 | | | | 1.9 | 2.0 | 2.6 | | |
| 3 – 2 | 10.3 | | | 7.1 | 2.9 | 6.1 | 2.5 | 7.4 | 7.8 | 2.6 | 11.8 | 4.2 |
| 1 – 2 | 6.9 | 11.1 | 7.1 | 10.7 | 14.3 | 3.0 | | 9.3 | 15.7 | 13.2 | 11.8 | 8.3 |
| 0 – 1 | 27.6 | 44.4 | 25.0 | 10.7 | 34.3 | 39.4 | 40.0 | 35.2 | 13.7 | 26.3 | 23.5 | 41.7 |
| –1 – 0 | 31.0 | 25.9 | 46.4 | 39.3 | 37.1 | 45.5 | 45.0 | 31.5 | 35.3 | 42.1 | 17.6 | 33.3 |
| –2 – –1 | 20.7 | 11.1 | 14.3 | 14.3 | 11.4 | 6.1 | 5.0 | 9.3 | 15.7 | 5.3 | 11.8 | 8.3 |
| –2 – –3 | | 3.7 | 7.1 | 10.7 | | | 2.5 | 3.7 | 3.9 | 2.6 | | 4.2 |
| –3 – –4 | 3.4 | | | | | | 5.0 | 1.9 | 2.0 | 5.3 | | |
| –4 – –5 | | | | | | | | | | | 5.9 | |
| –5 – –6 | | | | | | | | | 2.0 | | 5.9 | |
| –6 – –7 | | | | | | | | | | | 5.9 | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 29 | 27 | 28 | 28 | 35 | 33 | 40 | 54 | 51 | 38 | 17 | 24 |

Tabel C.291: Dag til dag ændring i saltholdighed for station Vesterrenden dybde 6.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | 0.9 | | | | |
| 8 – 9 | | | | | | | 0.8 | | | 1.1 | | |
| 7 – 8 | | | | | | | | 0.9 | 0.7 | | | |
| 6 – 7 | | | 0.7 | 0.7 | | | | | | 0.6 | | |
| 5 – 6 | | | 0.7 | | 2.1 | | | 0.9 | 0.7 | | 0.6 | |
| 4 – 5 | 1.7 | 0.9 | 2.1 | 1.5 | | 0.6 | 3.3 | | 2.0 | 0.6 | 1.2 | 1.4 |
| 3 – 2 | 1.7 | 5.5 | 5.5 | 3.6 | 6.9 | 3.2 | 4.2 | 7.3 | 7.8 | 4.5 | 4.2 | 7.0 |
| 1 – 2 | 9.4 | 11.8 | 12.4 | 6.6 | 9.7 | 10.3 | 12.5 | 11.8 | 9.2 | 7.9 | 12.7 | 12.6 |
| 0 – 1 | 38.5 | 31.8 | 29.7 | 28.5 | 27.8 | 39.1 | 28.3 | 30.9 | 27.5 | 31.6 | 30.3 | 30.8 |
| –1 – 0 | 36.8 | 35.5 | 27.6 | 40.1 | 35.4 | 34.0 | 22.5 | 21.8 | 30.7 | 35.0 | 35.8 | 32.2 |
| –2 – –1 | 5.1 | 10.9 | 12.4 | 13.9 | 13.2 | 10.3 | 18.3 | 14.5 | 14.4 | 14.7 | 10.3 | 11.2 |
| –2 – –3 | 4.3 | 2.7 | 3.4 | 2.9 | 3.5 | 1.3 | 6.7 | 9.1 | 5.2 | 2.8 | 2.4 | 2.8 |
| –3 – –4 | 2.6 | 0.9 | 5.5 | 0.7 | 1.4 | 1.3 | 1.7 | 0.9 | 0.7 | | 1.8 | 2.1 |
| –4 – –5 | | | | 0.7 | | | 0.8 | | 1.3 | | 0.6 | |
| –5 – –6 | | | | 0.7 | | | | | | 0.6 | | |
| –6 – –7 | | | | | | | 0.8 | | | | | |
| –7 – –8 | | | | | | | | 0.9 | | | | |
| –8 – –9 | | | | | | | | | | 0.6 | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 117 | 110 | 145 | 137 | 144 | 156 | 120 | 110 | 153 | 177 | 165 | 143 |

Tabel C.292: Dag til dag ændring i saltholdighed for station Vesterrenden dybde 9.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | 0.8 | | | |
| 10 – 11 | | | | | | | | | | 0.7 | | |
| 9 – 10 | | | | | | | | 1.1 | | | | |
| 8 – 9 | | | 0.9 | 0.9 | | | | | | | | 0.7 |
| 7 – 8 | 1.4 | | | | 2.7 | | | | | 0.7 | 0.7 | |
| 6 – 7 | 2.1 | 0.8 | | | 0.9 | 0.8 | | 3.3 | 0.8 | | 0.7 | |
| 5 – 6 | | 1.6 | 2.6 | 0.9 | 1.8 | 2.3 | 4.9 | 3.3 | | | 0.7 | |
| 4 – 5 | 0.7 | | 3.5 | 1.8 | 1.8 | 2.3 | 4.9 | 2.2 | 1.6 | 4.8 | 2.9 | 3.4 |
| 3 – 2 | 2.7 | 6.3 | 6.1 | 6.2 | 8.9 | 3.1 | 7.4 | 6.6 | 6.3 | 6.1 | 5.1 | 4.8 |
| 1 – 2 | 10.3 | 8.7 | 9.6 | 10.7 | 17.9 | 14.0 | 9.0 | 9.9 | 11.1 | 10.2 | 15.3 | 10.3 |
| 0 – 1 | 25.3 | 32.3 | 26.1 | 25.0 | 16.1 | 32.6 | 22.1 | 20.9 | 25.4 | 29.3 | 25.5 | 32.4 |
| –1 – 0 | 37.0 | 30.7 | 28.7 | 32.1 | 27.7 | 23.3 | 20.5 | 22.0 | 29.4 | 27.9 | 24.1 | 31.7 |
| –2 – –1 | 11.6 | 12.6 | 9.6 | 12.5 | 8.0 | 11.6 | 17.2 | 12.1 | 14.3 | 12.9 | 12.4 | 8.3 |
| –2 – –3 | 4.8 | 5.5 | 7.0 | 6.2 | 5.4 | 5.4 | 3.3 | 9.9 | 7.1 | 4.8 | 8.8 | 5.5 |
| –3 – –4 | 2.7 | 1.6 | 3.5 | 1.8 | 1.8 | 1.6 | 5.7 | 3.3 | 1.6 | 1.4 | 1.5 | 2.8 |
| –4 – –5 | 1.4 | | 0.9 | 0.9 | 3.6 | 2.3 | 2.5 | 4.4 | | | 1.5 | |
| –5 – –6 | | | 0.9 | 0.9 | 2.7 | 0.8 | 0.8 | | 0.8 | | 0.7 | |
| –6 – –7 | | | | | 0.9 | | 0.8 | | 0.8 | | | |
| –7 – –8 | | | 0.9 | | | | 0.8 | 1.1 | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | 0.7 | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | 0.7 | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 146 | 127 | 115 | 112 | 112 | 129 | 122 | 91 | 126 | 147 | 137 | 145 |

Tabel C.293: Dag til dag ændring i saltholdighed for station Vesterrenden dybde 11.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | 0.9 | | | |
| 11 – 12 | | | | | | | | | | 0.7 | | |
| 10 – 11 | | | | | | | | 1.0 | | | | |
| 9 – 10 | 0.7 | | | 0.9 | | 0.8 | | | | | 0.7 | |
| 8 – 9 | 0.7 | | | 0.9 | | 0.8 | | | 0.9 | 1.5 | | |
| 7 – 8 | | | 0.9 | 0.9 | | 0.8 | | 1.0 | 0.9 | | | |
| 6 – 7 | 1.4 | | 1.7 | 2.7 | 4.3 | | 1.6 | 3.0 | | | 1.5 | 0.7 |
| 5 – 6 | 1.4 | 0.8 | 0.9 | 0.9 | 3.5 | 4.0 | 1.6 | 2.0 | 1.7 | 0.7 | 1.5 | 2.8 |
| 4 – 5 | 2.1 | 1.6 | 2.6 | 2.7 | 4.3 | 3.2 | 4.0 | 2.0 | 4.3 | 3.7 | 1.5 | 1.4 |
| 3 – 2 | 3.4 | 4.7 | 4.3 | 6.2 | 4.3 | 8.8 | 8.0 | 10.1 | 5.2 | 5.1 | 6.6 | 4.3 |
| 1 – 2 | 5.5 | 14.2 | 12.2 | 8.9 | 13.0 | 14.4 | 15.2 | 12.1 | 13.0 | 11.0 | 12.4 | 11.3 |
| 0 – 1 | 32.9 | 24.4 | 28.7 | 22.3 | 17.4 | 18.4 | 21.6 | 12.1 | 20.9 | 22.1 | 25.5 | 25.5 |
| –1 – 0 | 31.5 | 33.9 | 21.7 | 29.5 | 27.0 | 23.2 | 20.0 | 21.2 | 20.0 | 31.6 | 25.5 | 33.3 |
| –2 – –1 | 10.3 | 15.0 | 15.7 | 8.0 | 12.2 | 12.8 | 11.2 | 13.1 | 15.7 | 14.7 | 13.9 | 10.6 |
| –2 – –3 | 6.2 | 3.1 | 5.2 | 8.0 | 5.2 | 4.8 | 7.2 | 10.1 | 7.0 | 5.1 | 5.8 | 6.4 |
| –3 – –4 | 3.4 | 2.4 | 3.5 | 0.9 | 2.6 | 0.8 | 6.4 | 7.1 | 4.3 | 1.5 | 1.5 | 3.5 |
| –4 – –5 | | | 0.9 | 2.7 | 3.5 | 0.8 | 0.8 | 4.0 | 2.6 | | 2.2 | |
| –5 – –6 | | | 0.9 | 2.7 | 1.7 | 4.0 | 0.8 | | 0.9 | 0.7 | 0.7 | |
| –6 – –7 | 0.7 | | 0.9 | 0.9 | 0.9 | 1.6 | | | 1.7 | | 0.7 | |
| –7 – –8 | | | | | | | | 1.0 | | | | |
| –8 – –9 | | | | | | 0.8 | 1.6 | | | | 0.7 | |
| –9 – –10 | | | | 0.9 | | | | | | | 0.7 | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 146 | 127 | 115 | 112 | 115 | 125 | 125 | 99 | 115 | 136 | 137 | 141 |

Tabel C.294: Dag til dag ændring i saltholdighed for station Vesterrenden dybde 13.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | 0.7 | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | 1.1 | | | | | 0.8 | | | |
| 9 – 10 | 0.9 | | | | | | | | | | | |
| 8 – 9 | | | | 2.2 | | 0.8 | | | 0.8 | 1.4 | | |
| 7 – 8 | | | 1.1 | | 0.9 | | | 0.9 | 0.8 | 0.7 | 0.7 | |
| 6 – 7 | | | | | 1.7 | 0.8 | 0.8 | | 0.8 | 0.7 | 2.2 | 1.5 |
| 5 – 6 | 2.6 | 1.0 | 2.3 | 3.2 | 4.3 | 2.3 | 2.4 | 1.9 | 4.8 | 1.4 | | 2.3 |
| 4 – 5 | 1.7 | 3.0 | 4.6 | 4.3 | 0.9 | 3.9 | 5.6 | 9.3 | 4.8 | 3.4 | 5.1 | 1.5 |
| 3 – 2 | 5.1 | 5.9 | 9.2 | 4.3 | 7.8 | 9.3 | 6.4 | 9.3 | 4.8 | 4.8 | 5.1 | 6.2 |
| 1 – 2 | 4.3 | 9.9 | 11.5 | 12.9 | 12.2 | 12.4 | 16.8 | 10.2 | 9.5 | 14.3 | 11.7 | 9.2 |
| 0 – 1 | 35.0 | 23.8 | 14.9 | 20.4 | 22.6 | 18.6 | 17.6 | 13.9 | 17.5 | 17.7 | 27.0 | 21.5 |
| –1 – 0 | 29.1 | 37.6 | 32.2 | 28.0 | 25.2 | 23.3 | 21.6 | 25.9 | 24.6 | 29.9 | 24.8 | 37.7 |
| –2 – –1 | 11.1 | 12.9 | 12.6 | 9.7 | 6.1 | 15.5 | 16.8 | 12.0 | 13.5 | 12.9 | 10.9 | 10.8 |
| –2 – –3 | 6.8 | 2.0 | 6.9 | 6.5 | 10.4 | 6.2 | 6.4 | 3.7 | 8.7 | 4.1 | 3.6 | 5.4 |
| –3 – –4 | 1.7 | 2.0 | 1.1 | 3.2 | 3.5 | 2.3 | 1.6 | 3.7 | 0.8 | 2.7 | 3.6 | 3.1 |
| –4 – –5 | | 1.0 | 1.1 | 1.1 | 1.7 | 1.6 | 0.8 | 7.4 | 4.0 | 2.7 | 2.9 | |
| –5 – –6 | | 1.0 | 1.1 | | 0.9 | 2.3 | 1.6 | 0.9 | 1.6 | 0.7 | 0.7 | |
| –6 – –7 | 0.9 | | | | 1.7 | 0.8 | 0.8 | | 0.8 | 0.7 | 1.5 | 0.8 |
| –7 – –8 | 0.9 | | 1.1 | 1.1 | | | | 0.9 | | 1.4 | | |
| –8 – –9 | | | | 1.1 | | | 0.8 | | 1.6 | | | |
| –9 – –10 | | | | 1.1 | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 117 | 101 | 87 | 93 | 115 | 129 | 125 | 108 | 126 | 147 | 137 | 130 |

Tabel C.295: Dag til dag ændring i saltholdighed for station Vesterrenden dybde 15.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | 0.7 | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | 0.9 | | | | | | | | |
| 8 – 9 | | | | 1.8 | | | | | 0.8 | 0.7 | | |
| 7 – 8 | | | 0.9 | 2.7 | | 0.8 | | | 1.6 | | | |
| 6 – 7 | 1.4 | 0.8 | 1.7 | 1.8 | 0.9 | 0.8 | 0.8 | | 4.7 | 1.4 | 2.2 | |
| 5 – 6 | 3.4 | 2.4 | 0.9 | 1.8 | 1.9 | | 1.6 | 3.7 | 2.4 | 1.4 | 0.7 | 2.1 |
| 4 – 5 | 1.4 | 4.7 | 0.9 | 4.5 | 2.8 | 2.4 | 4.8 | 2.8 | 3.1 | 6.8 | 2.9 | 3.4 |
| 3 – 2 | 2.7 | 3.1 | 7.8 | 4.5 | 5.6 | 4.0 | 5.6 | 6.5 | 6.3 | 6.1 | 8.0 | 6.2 |
| 1 – 2 | 9.6 | 10.2 | 12.2 | 11.6 | 18.5 | 12.0 | 13.6 | 19.6 | 9.4 | 7.5 | 13.1 | 12.4 |
| 0 – 1 | 30.8 | 21.3 | 25.2 | 20.5 | 26.9 | 31.2 | 26.4 | 15.0 | 22.0 | 17.0 | 21.2 | 21.4 |
| –1 – 0 | 28.8 | 36.2 | 27.8 | 23.2 | 21.3 | 26.4 | 21.6 | 19.6 | 18.9 | 27.9 | 27.0 | 31.7 |
| –2 – –1 | 8.9 | 14.2 | 11.3 | 12.5 | 13.0 | 17.6 | 10.4 | 20.6 | 11.0 | 19.7 | 13.9 | 14.5 |
| –2 – –3 | 8.2 | 1.6 | 7.0 | 7.1 | 2.8 | 4.0 | 7.2 | 3.7 | 9.4 | 4.1 | 3.6 | 5.5 |
| –3 – –4 | 2.7 | 3.9 | 2.6 | 1.8 | 1.9 | | 4.8 | 3.7 | 3.1 | 1.4 | 2.9 | 2.1 |
| –4 – –5 | 0.7 | 0.8 | 0.9 | 1.8 | 1.9 | | 0.8 | 1.9 | 3.1 | 1.4 | 2.9 | |
| –5 – –6 | 0.7 | 0.8 | | 1.8 | 0.9 | | 0.8 | 1.9 | 0.8 | 2.0 | 0.7 | |
| –6 – –7 | 0.7 | | | | 0.9 | 0.8 | 0.8 | | 0.8 | 0.7 | 0.7 | 0.7 |
| –7 – –8 | | | 0.9 | 0.9 | 0.9 | | 0.8 | 0.9 | 0.8 | 0.7 | | |
| –8 – –9 | | | | | | | | | 0.8 | | | |
| –9 – –10 | | | | | | | | | 0.8 | | | |
| –10 – –11 | | | | 0.9 | | | | | | 0.7 | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 146 | 127 | 115 | 112 | 108 | 125 | 125 | 107 | 127 | 147 | 137 | 145 |

Tabel C.296: Dag til dag ændring i saltholdighed for station Vesterrenden dybde 18.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | 0.7 | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | 0.9 | | | | | | 0.6 | | |
| 8 – 9 | | | | 1.8 | | | 0.7 | | | | | |
| 7 – 8 | | 0.8 | | 2.7 | | | | 0.7 | 0.6 | | 0.6 | |
| 6 – 7 | 0.9 | 0.8 | 1.7 | 0.9 | | | | 0.7 | 1.3 | 1.1 | 1.3 | 0.9 |
| 5 – 6 | 1.7 | 0.8 | 0.9 | 1.8 | 1.7 | 0.6 | | | 3.2 | 2.8 | 1.3 | 1.7 |
| 4 – 5 | 1.7 | 2.5 | 6.1 | 2.7 | 2.6 | 1.3 | 3.5 | 3.0 | | 4.0 | 3.8 | 2.6 |
| 3 – 2 | 6.0 | 4.2 | 5.2 | 7.2 | 6.0 | 2.6 | 4.2 | 3.0 | 7.7 | 6.2 | 4.5 | 4.3 |
| 1 – 2 | 8.5 | 14.3 | 12.2 | 10.8 | 9.5 | 9.6 | 7.6 | 10.4 | 11.5 | 8.5 | 14.0 | 11.3 |
| 0 – 1 | 27.4 | 23.5 | 24.3 | 22.5 | 34.5 | 36.5 | 28.5 | 27.6 | 20.5 | 22.6 | 27.4 | 33.0 |
| –1 – 0 | 28.2 | 28.6 | 23.5 | 24.3 | 29.3 | 39.7 | 34.0 | 33.6 | 30.1 | 30.5 | 20.4 | 25.2 |
| –2 – –1 | 12.0 | 15.1 | 8.7 | 12.6 | 11.2 | 7.1 | 10.4 | 11.9 | 9.0 | 9.6 | 15.3 | 11.3 |
| –2 – –3 | 7.7 | 2.5 | 9.6 | 6.3 | 3.4 | 1.3 | 7.6 | 4.5 | 7.1 | 6.8 | 5.7 | 6.1 |
| –3 – –4 | 5.1 | 4.2 | 1.7 | 0.9 | | 0.6 | 1.4 | 0.7 | 5.1 | 2.3 | 1.9 | 2.6 |
| –4 – –5 | 0.9 | 1.7 | 2.6 | 1.8 | 1.7 | | 0.7 | 0.7 | 1.3 | 2.3 | 2.5 | |
| –5 – –6 | | 0.8 | 2.6 | | | | | 1.5 | 1.9 | 2.3 | 0.6 | |
| –6 – –7 | | | 0.9 | | | | | 0.7 | | 0.6 | | 0.9 |
| –7 – –8 | | | | 0.9 | | 0.6 | 1.4 | | 0.6 | | 0.6 | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | 0.9 | | | | | | | | |
| –10 – –11 | | | | 0.9 | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 117 | 119 | 115 | 111 | 116 | 156 | 144 | 134 | 156 | 177 | 157 | 115 |

Tabel C.297: Dag til dag ændring i saltholdighed for station Østerrenden dybde 7.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|-----|-----|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | 2.2 | | | | 1.9 | |
| 4 – 5 | | 6.7 | | | | | | 1.9 | | 3.4 | 1.9 | |
| 3 – 2 | 1.7 | 6.7 | | | | | 6.7 | 3.8 | 9.3 | 1.7 | 5.6 | 2.0 |
| 1 – 2 | 18.6 | | | | | 11.4 | 8.9 | 7.5 | 13.0 | 8.6 | 13.0 | 15.7 |
| 0 – 1 | 27.1 | 33.3 | | | 50.0 | 29.5 | 33.3 | 41.5 | 25.9 | 34.5 | 31.5 | 39.2 |
| -1 – 0 | 35.6 | 26.7 | | | 50.0 | 43.2 | 31.1 | 30.2 | 42.6 | 25.9 | 27.8 | 21.6 |
| -2 – -1 | 8.5 | 26.7 | | | | 13.6 | 13.3 | 7.5 | 7.4 | 25.9 | 11.1 | 21.6 |
| -2 – -3 | 6.8 | | | | | 2.3 | | 5.7 | 1.9 | | 7.4 | |
| -3 – -4 | 1.7 | | | | | | 2.2 | 1.9 | | | | |
| -4 – -5 | | | | | | | | | | | | |
| -5 – -6 | | | | | | | | | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | 2.2 | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 59 | 15 | 0 | 0 | 6 | 44 | 45 | 53 | 54 | 58 | 54 | 51 |

Tabel C.298: Dag til dag ændring i saltholdighed for station Østerrenden dybde 10.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | 2.1 | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | 3.3 | 6.9 | | | | | | | | |
| 10 – 11 | | | 3.3 | | | | | | | | | |
| 9 – 10 | | | | | | 2.3 | | | | | | |
| 8 – 9 | | | 3.3 | | | | | | | | | |
| 7 – 8 | | | 3.3 | | | | | | | | | |
| 6 – 7 | | | | | | 6.8 | 2.1 | 3.8 | | | | |
| 5 – 6 | | | | | 10.0 | | | 3.8 | | | 3.7 | |
| 4 – 5 | 1.7 | 2.5 | 3.3 | | 6.7 | | 6.4 | 3.8 | 11.1 | | 1.9 | 1.9 |
| 3 – 2 | 3.4 | 5.0 | | 3.4 | | 9.1 | | | 7.4 | 3.4 | 5.6 | |
| 1 – 2 | 16.9 | 12.5 | 6.7 | 13.8 | 16.7 | 4.5 | 6.4 | 9.4 | 9.3 | 12.1 | 3.7 | 20.4 |
| 0 – 1 | 22.0 | 30.0 | 10.0 | 10.3 | 20.0 | 20.5 | 23.4 | 26.4 | 27.8 | 29.3 | 31.5 | 31.5 |
| -1 – 0 | 39.0 | 32.5 | 33.3 | 17.2 | 23.3 | 27.3 | 36.2 | 26.4 | 24.1 | 31.0 | 31.5 | 31.5 |
| -2 – -1 | 8.5 | 17.5 | 16.7 | 17.2 | 13.3 | 15.9 | 8.5 | 11.3 | 11.1 | 24.1 | 18.5 | 13.0 |
| -2 – -3 | 5.1 | | 3.3 | 20.7 | 6.7 | 9.1 | 4.3 | 15.1 | 3.7 | | 1.9 | |
| -3 – -4 | | | 10.0 | 6.9 | | 2.3 | 4.3 | | 1.9 | | 1.9 | 1.9 |
| -4 – -5 | 3.4 | | | 3.4 | 3.3 | | 2.1 | | 1.9 | | | |
| -5 – -6 | | | | | | 2.3 | | | 1.9 | | | |
| -6 – -7 | | | | | | | 2.1 | | | | | |
| -7 – -8 | | | | | | | 2.1 | | | | | |
| -8 – -9 | | | 3.3 | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 59 | 40 | 30 | 29 | 30 | 44 | 47 | 53 | 54 | 58 | 54 | 54 |

Tabel C.299: Dag til dag ændring i saltholdighed for station Østerrenden dybde 12.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | 3.4 | | | | | | | | |
| 15 – 16 | | | | | | | 2.1 | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | 3.3 | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | 1.9 | | | | |
| 10 – 11 | | | | | | 2.3 | | | | | | |
| 9 – 10 | | | | 3.4 | | | | | | | | |
| 8 – 9 | | | 6.7 | | 3.3 | | 2.1 | 1.9 | 1.9 | | 1.9 | |
| 7 – 8 | | | | | | 4.5 | | 1.9 | | | | |
| 6 – 7 | | | 3.3 | | | 4.5 | 2.1 | 1.9 | | | | |
| 5 – 6 | | | 3.3 | | 10.0 | | 2.1 | | 3.7 | | 1.9 | 1.9 |
| 4 – 5 | 3.4 | 2.5 | 3.3 | | 3.3 | 4.5 | 2.1 | 1.9 | 5.6 | 1.7 | 3.7 | |
| 3 – 2 | 1.7 | 5.0 | 6.7 | 10.3 | 6.7 | 9.1 | 2.1 | 3.8 | 11.1 | 1.7 | 1.9 | 1.9 |
| 1 – 2 | 22.0 | 12.5 | 3.3 | 3.4 | 6.7 | 6.8 | 4.3 | 13.2 | 5.6 | 12.1 | 11.1 | 14.8 |
| 0 – 1 | 15.3 | 25.0 | 10.0 | 10.3 | 20.0 | 18.2 | 25.5 | 13.2 | 20.4 | 25.9 | 31.5 | 31.5 |
| -1 – 0 | 39.0 | 37.5 | 26.7 | 17.2 | 16.7 | 20.5 | 27.7 | 26.4 | 29.6 | 36.2 | 24.1 | 33.3 |
| -2 – -1 | 11.9 | 17.5 | 13.3 | 17.2 | 23.3 | 11.4 | 10.6 | 9.4 | 7.4 | 22.4 | 13.0 | 14.8 |
| -2 – -3 | 3.4 | | 3.3 | 13.8 | 3.3 | 13.6 | 6.4 | 15.1 | 9.3 | | 9.3 | |
| -3 – -4 | 1.7 | | 3.3 | 6.9 | | 2.3 | 4.3 | 7.5 | 1.9 | | 1.9 | 1.9 |
| -4 – -5 | 1.7 | | 10.0 | 10.3 | 6.7 | 2.3 | | | | | | |
| -5 – -6 | | | | 3.4 | | | 2.1 | 1.9 | 1.9 | | | |
| -6 – -7 | | | | | | | 2.1 | | 1.9 | | | |
| -7 – -8 | | | | | | | 2.1 | | | | | |
| -8 – -9 | | | 3.3 | | | | | | | | | |
| -9 – -10 | | | | | | | 2.1 | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 59 | 40 | 30 | 29 | 30 | 44 | 47 | 53 | 54 | 58 | 54 | 54 |

Tabel C.300: Dag til dag ændring i saltholdighed for station Østerrenden dybde 14.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | 2.1 | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | 2.2 | | | |
| 11 – 12 | | | 3.3 | 3.4 | | | | 2.0 | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | 3.3 | 4.5 | | | | | | |
| 8 – 9 | | | | | | 2.3 | 4.3 | 2.0 | | | 1.9 | |
| 7 – 8 | | | 3.3 | | 3.3 | 2.3 | | 2.0 | 2.2 | | | |
| 6 – 7 | | | 6.7 | | | 2.3 | | 3.9 | 2.2 | | 1.9 | |
| 5 – 6 | 1.7 | | 3.3 | | | 2.3 | | 2.0 | | | 3.7 | 1.9 |
| 4 – 5 | 6.8 | 5.0 | 3.3 | | 3.3 | 4.5 | | | 8.7 | | | |
| 3 – 2 | 5.1 | 10.0 | | 13.8 | 10.0 | 2.3 | 2.1 | | 6.5 | 4.3 | 1.9 | 3.7 |
| 1 – 2 | 10.2 | 7.5 | 10.0 | 3.4 | 10.0 | 15.9 | 6.4 | 7.8 | 13.0 | 17.0 | 7.4 | 13.0 |
| 0 – 1 | 11.9 | 25.0 | 23.3 | 13.8 | 16.7 | 18.2 | 27.7 | 11.8 | 23.9 | 23.4 | 29.6 | 29.6 |
| -1 – 0 | 40.7 | 27.5 | 23.3 | 20.7 | 20.0 | 15.9 | 29.8 | 21.6 | 17.4 | 31.9 | 27.8 | 38.9 |
| -2 – -1 | 11.9 | 20.0 | 6.7 | 24.1 | 20.0 | 9.1 | 6.4 | 23.5 | 8.7 | 23.4 | 11.1 | 11.1 |
| -2 – -3 | 6.8 | 2.5 | 3.3 | 6.9 | 10.0 | 9.1 | 6.4 | 15.7 | 6.5 | | 11.1 | |
| -3 – -4 | 3.4 | 2.5 | 3.3 | 6.9 | | 2.3 | 4.3 | 2.0 | 4.3 | | 3.7 | |
| -4 – -5 | 1.7 | | 3.3 | | | | 4.3 | 3.9 | | | | 1.9 |
| -5 – -6 | | | 3.3 | 3.4 | | 4.5 | 2.1 | 2.0 | | | | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | 3.4 | 3.3 | 4.5 | | | | | | |
| -8 – -9 | | | | | | | 2.1 | | 2.2 | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | 3.3 | | | | 2.1 | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | 2.2 | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 59 | 40 | 30 | 29 | 30 | 44 | 47 | 51 | 46 | 47 | 54 | 54 |

Tabel C.301: Dag til dag ændring i saltholdighed for station Østerrenden dybde 16.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | 3.3 | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | 2.3 | | | | | | |
| 11 – 12 | | | 3.3 | | | 2.3 | | | | | | |
| 10 – 11 | | | | | | | | | 1.9 | | | |
| 9 – 10 | | | | | | | | 3.8 | | | | |
| 8 – 9 | | | | 3.4 | | 2.3 | | 1.9 | | | 3.7 | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | 1.7 | | 3.3 | | 3.3 | 4.5 | 2.1 | 3.8 | 1.9 | | | |
| 5 – 6 | 3.4 | 5.0 | | 3.4 | | 4.5 | 2.1 | | 1.9 | | 5.6 | 1.9 |
| 4 – 5 | 3.4 | 7.5 | 6.7 | 3.4 | | | | | 5.6 | 1.7 | 5.6 | 3.7 |
| 3 – 2 | 8.5 | 7.5 | 6.7 | 10.3 | 6.7 | 2.3 | 2.1 | 7.5 | 1.9 | 5.2 | 1.9 | 1.9 |
| 1 – 2 | 8.5 | | 6.7 | 6.9 | 6.7 | 9.1 | 6.4 | 7.5 | 18.5 | 13.8 | 16.7 | 18.5 |
| 0 – 1 | 18.6 | 27.5 | 23.3 | 17.2 | 23.3 | 27.3 | 25.5 | 13.2 | 16.7 | 25.9 | 16.7 | 22.2 |
| -1 – 0 | 22.0 | 25.0 | 26.7 | 24.1 | 30.0 | 11.4 | 27.7 | 22.6 | 31.5 | 22.4 | 7.4 | 35.2 |
| -2 – -1 | 18.6 | 15.0 | 16.7 | 6.9 | 13.3 | 13.6 | 14.9 | 9.4 | 7.4 | 29.3 | 16.7 | 13.0 |
| -2 – -3 | 8.5 | 5.0 | 3.3 | 13.8 | 6.7 | | 6.4 | 13.2 | 5.6 | 1.7 | 16.7 | 1.9 |
| -3 – -4 | 3.4 | 7.5 | | | 3.3 | 6.8 | 8.5 | 13.2 | | | 7.4 | 1.9 |
| -4 – -5 | 3.4 | | | 3.4 | | 6.8 | | 1.9 | 3.7 | | | |
| -5 – -6 | | | 3.3 | | | 2.3 | 2.1 | 1.9 | | | 1.9 | |
| -6 – -7 | | | | | | 4.5 | | | | | | |
| -7 – -8 | | | | 3.4 | 3.3 | | 2.1 | | 1.9 | | | |
| -8 – -9 | | | | | | | | | 1.9 | | | |
| -9 – -10 | | | | 3.4 | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 59 | 40 | 30 | 29 | 30 | 44 | 47 | 53 | 54 | 58 | 54 | 54 |

Tabel C.302: Dag til dag ændring i saltholdighed for station Østerrenden dybde 19.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | 2.3 | | | | | | |
| 10 – 11 | | | | | | | | | | | 1.9 | |
| 9 – 10 | | | | | | | | | | 1.7 | | |
| 8 – 9 | | | | | | | | 1.9 | | | 3.7 | 1.9 |
| 7 – 8 | | 2.5 | | | 3.3 | | | | 1.9 | | | |
| 6 – 7 | 1.7 | | | | 3.3 | | | | 3.8 | | 1.9 | |
| 5 – 6 | 1.7 | 2.5 | 3.3 | | | 2.3 | 2.1 | | | 1.7 | 3.7 | |
| 4 – 5 | 6.8 | 2.5 | 3.3 | | | | | 3.8 | 3.8 | | | 1.9 |
| 3 – 2 | 10.2 | 5.0 | 10.0 | 13.8 | | 6.8 | 2.1 | 5.7 | 7.5 | | 11.1 | 9.3 |
| 1 – 2 | 3.4 | 10.0 | 10.0 | 13.8 | 3.3 | 6.8 | 14.9 | 15.1 | 9.4 | 13.8 | 7.4 | 14.8 |
| 0 – 1 | 13.6 | 27.5 | 30.0 | 24.1 | 30.0 | 31.8 | 27.7 | 17.0 | 26.4 | 27.6 | 20.4 | 18.5 |
| -1 – 0 | 30.5 | 22.5 | 26.7 | 13.8 | 36.7 | 34.1 | 23.4 | 28.3 | 24.5 | 27.6 | 11.1 | 25.9 |
| -2 – -1 | 13.6 | 17.5 | 13.3 | 17.2 | 16.7 | 6.8 | 14.9 | 7.5 | 11.3 | 22.4 | 13.0 | 18.5 |
| -2 – -3 | 8.5 | 2.5 | 3.3 | 17.2 | 3.3 | 2.3 | 10.6 | 11.3 | 5.7 | 5.2 | 14.8 | 3.7 |
| -3 – -4 | 10.2 | 7.5 | | | 3.3 | 2.3 | 2.1 | 5.7 | | | 5.6 | 5.6 |
| -4 – -5 | | | | | | | | 3.8 | 1.9 | | | |
| -5 – -6 | | | | | | 2.3 | 2.1 | | | | 1.9 | |
| -6 – -7 | | | | | | | | | | | | |
| -7 – -8 | | | | | | | | | 1.9 | | 1.9 | |
| -8 – -9 | | | | | | 2.3 | | | | | 1.9 | |
| -9 – -10 | | | | | | | | | 1.9 | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 59 | 40 | 30 | 29 | 30 | 44 | 47 | 53 | 53 | 58 | 54 | 54 |

Tabel C.303: Dag til dag ændring i saltholdighed for station Langelandsbælt dybde 7.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | 2.6 | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | 2.4 | 2.6 | | | | | |
| 4 – 5 | | | | | 5.7 | 2.4 | | 4.0 | | | | |
| 3 – 2 | | 3.7 | | | 5.7 | 7.3 | 2.6 | 4.0 | 9.6 | 3.6 | 7.1 | 10.0 |
| 1 – 2 | 10.0 | 11.1 | 14.3 | 7.1 | 14.3 | 9.8 | 15.8 | 14.0 | 15.4 | 7.1 | 7.1 | 10.0 |
| 0 – 1 | 70.0 | 44.4 | 28.6 | 46.4 | 20.0 | 24.4 | 10.5 | 38.0 | 28.8 | 25.0 | 42.9 | 20.0 |
| –1 – 0 | 5.0 | 37.0 | 38.1 | 35.7 | 40.0 | 29.3 | 39.5 | 28.0 | 30.8 | 39.3 | 21.4 | 20.0 |
| –2 – –1 | 10.0 | 3.7 | 9.5 | 3.6 | 8.6 | 14.6 | 15.8 | 4.0 | 7.7 | 25.0 | 21.4 | 40.0 |
| –2 – –3 | | | | 7.1 | 2.9 | 4.9 | 5.3 | 6.0 | 3.8 | | | |
| –3 – –4 | | | | | | 2.4 | 2.6 | | 1.9 | | | |
| –4 – –5 | 5.0 | | 4.8 | | 2.9 | | | 2.0 | | | | |
| –5 – –6 | | | 4.8 | | | | | | 1.9 | | | |
| –6 – –7 | | | | | | 2.4 | 2.6 | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 20 | 27 | 21 | 28 | 35 | 41 | 38 | 50 | 52 | 28 | 14 | 10 |

Tabel C.304: Dag til dag ændring i saltholdighed for station Langelandsbælt dybde 10.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | 3.8 | | | | | |
| 8 – 9 | | | | | | | | 2.0 | | | | |
| 7 – 8 | | | | | | 2.4 | | | | | | |
| 6 – 7 | | | | | | | | 4.0 | | | | |
| 5 – 6 | | | | | | | | | 1.9 | | 7.1 | |
| 4 – 5 | | | | | 5.7 | 7.3 | | | 1.9 | | | |
| 3 – 2 | | 7.4 | | | 11.4 | 4.9 | 3.8 | 10.0 | 1.9 | 3.6 | | |
| 1 – 2 | 15.0 | 7.4 | 19.0 | 14.3 | 8.6 | 19.5 | 15.4 | 12.0 | 28.8 | 17.9 | 7.1 | 20.0 |
| 0 – 1 | 55.0 | 40.7 | 23.8 | 32.1 | 31.4 | 26.8 | 3.8 | 28.0 | 17.3 | 35.7 | 35.7 | 20.0 |
| –1 – 0 | 20.0 | 37.0 | 38.1 | 35.7 | 20.0 | 9.8 | 30.8 | 26.0 | 28.8 | 21.4 | 14.3 | 10.0 |
| –2 – –1 | | 7.4 | 9.5 | 10.7 | 8.6 | 12.2 | 15.4 | 8.0 | 11.5 | 17.9 | 21.4 | 50.0 |
| –2 – –3 | 5.0 | | | 7.1 | 8.6 | 4.9 | 11.5 | 2.0 | 1.9 | 3.6 | 14.3 | |
| –3 – –4 | | | | | 2.9 | 7.3 | 3.8 | | 1.9 | | | |
| –4 – –5 | 5.0 | | 4.8 | | 2.9 | 4.9 | 7.7 | 4.0 | 1.9 | | | |
| –5 – –6 | | | 4.8 | | | | 3.8 | 2.0 | 1.9 | | | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | 2.0 | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 20 | 27 | 21 | 28 | 35 | 41 | 26 | 50 | 52 | 28 | 14 | 10 |

Tabel C.305: Dag til dag ændring i saltholdighed for station Langelandsbælt dybde 12.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | 2.6 | | | | 7.1 | |
| 7 – 8 | | | | | | 2.4 | | | | | | |
| 6 – 7 | | | | | | | | 6.4 | | | | |
| 5 – 6 | | | | | 5.7 | 2.4 | | 6.4 | 3.8 | | | |
| 4 – 5 | | | | | 5.7 | 4.9 | 5.3 | 4.3 | | | | |
| 3 – 2 | | 3.8 | | 7.1 | 11.4 | 9.8 | 2.6 | | 7.7 | 3.6 | | |
| 1 – 2 | 20.0 | 15.4 | 10.0 | | 11.4 | 14.6 | 10.5 | 8.5 | 9.6 | 7.1 | 7.1 | 20.0 |
| 0 – 1 | 40.0 | 34.6 | 40.0 | 42.9 | 22.9 | 26.8 | 13.2 | 23.4 | 30.8 | 50.0 | 35.7 | 10.0 |
| -1 – 0 | 30.0 | 34.6 | 30.0 | 25.0 | 11.4 | 14.6 | 28.9 | 29.8 | 21.2 | 17.9 | 28.6 | 20.0 |
| -2 – -1 | | 11.5 | | 17.9 | 5.7 | 9.8 | 10.5 | 8.5 | 15.4 | 17.9 | 7.1 | 50.0 |
| -2 – -3 | 5.0 | | | 7.1 | 14.3 | 9.8 | 10.5 | | 7.7 | 3.6 | 7.1 | |
| -3 – -4 | | | | | 5.7 | 2.4 | 10.5 | 6.4 | | | | |
| -4 – -5 | 5.0 | | 10.0 | | 2.9 | 2.4 | 2.6 | | 1.9 | | | |
| -5 – -6 | | | | | | | | 2.1 | 1.9 | | 7.1 | |
| -6 – -7 | | | 10.0 | | | | 2.6 | | | | | |
| -7 – -8 | | | | | | | | 2.1 | | | | |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | 2.9 | | | 2.1 | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 20 | 26 | 10 | 28 | 35 | 41 | 38 | 47 | 52 | 28 | 14 | 10 |

Tabel C.306: Dag til dag ændring i saltholdighed for station Langelandsbælt dybde 14.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | 2.9 | | | | | | 7.1 | |
| 9 – 10 | | | | | | | | 2.0 | | | | |
| 8 – 9 | | | | | | 2.4 | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | 5.7 | 2.4 | | | 1.9 | | | |
| 5 – 6 | | | | | | 4.9 | | 4.0 | 1.9 | | | |
| 4 – 5 | | 3.7 | | 3.6 | 5.7 | 4.9 | 2.6 | 8.0 | 5.8 | | | |
| 3 – 2 | | | 4.8 | 3.6 | | 12.2 | 2.6 | | 1.9 | 3.6 | | 10.0 |
| 1 – 2 | 30.0 | 11.1 | 9.5 | 7.1 | 25.7 | 14.6 | 13.2 | 14.0 | 11.5 | 7.1 | 7.1 | 10.0 |
| 0 – 1 | 30.0 | 40.7 | 38.1 | 35.7 | 17.1 | 22.0 | 28.9 | 28.0 | 26.9 | 50.0 | 21.4 | 20.0 |
| -1 – 0 | 25.0 | 33.3 | 19.0 | 25.0 | 11.4 | 12.2 | 21.1 | 20.0 | 28.8 | 14.3 | 42.9 | 30.0 |
| -2 – -1 | 5.0 | 7.4 | 19.0 | 17.9 | 11.4 | 4.9 | 10.5 | 6.0 | 9.6 | 21.4 | 7.1 | 30.0 |
| -2 – -3 | 5.0 | | | 7.1 | | 4.9 | 10.5 | 8.0 | 3.8 | 3.6 | 7.1 | |
| -3 – -4 | | 3.7 | | | 5.7 | 9.8 | | 2.0 | 5.8 | | | |
| -4 – -5 | 5.0 | | 4.8 | | 5.7 | 2.4 | 2.6 | 2.0 | | | | |
| -5 – -6 | | | 4.8 | | 2.9 | | 5.3 | | | | | |
| -6 – -7 | | | | | 2.9 | 2.4 | 2.6 | 2.0 | | | | |
| -7 – -8 | | | | | | | | | | | | |
| -8 – -9 | | | | | | | | 4.0 | | | 7.1 | |
| -9 – -10 | | | | | 2.9 | | | | 1.9 | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 20 | 27 | 21 | 28 | 35 | 41 | 38 | 50 | 52 | 28 | 14 | 10 |

Tabel C.307: Dag til dag ændring i saltholdighed for station Langelandsbælt dybde 16.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | 1.9 | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | 3.6 | 5.7 | 2.4 | | 2.0 | | | 7.1 | |
| 5 – 6 | | | | 3.6 | 2.9 | 2.4 | 2.6 | 4.0 | 7.7 | | | |
| 4 – 5 | | 3.7 | | 3.6 | 2.9 | 4.9 | | 2.0 | 3.8 | | | |
| 3 – 2 | | | 4.8 | 3.6 | 5.7 | 9.8 | 5.3 | 10.0 | 1.9 | 3.6 | 14.3 | |
| 1 – 2 | 25.0 | 18.5 | 14.3 | 10.7 | 14.3 | 14.6 | 10.5 | 16.0 | 13.5 | 3.6 | | 10.0 |
| 0 – 1 | 40.0 | 37.0 | 28.6 | 25.0 | 22.9 | 22.0 | 26.3 | 18.0 | 25.0 | 50.0 | 21.4 | 20.0 |
| –1 – 0 | 25.0 | 29.6 | 23.8 | 14.3 | 20.0 | 22.0 | 13.2 | 20.0 | 19.2 | 21.4 | 21.4 | 50.0 |
| –2 – –1 | | 7.4 | 19.0 | 17.9 | 8.6 | 9.8 | 26.3 | 12.0 | 5.8 | 17.9 | 21.4 | 20.0 |
| –2 – –3 | 5.0 | | | 10.7 | 2.9 | 9.8 | 7.9 | 6.0 | 13.5 | | | |
| –3 – –4 | 5.0 | 3.7 | | 7.1 | 5.7 | | 2.6 | 4.0 | 3.8 | | | |
| –4 – –5 | | | 4.8 | | 5.7 | | 2.6 | 2.0 | | 3.6 | | |
| –5 – –6 | | | 4.8 | | 2.9 | | | | | | 7.1 | |
| –6 – –7 | | | | | | | 2.6 | 2.0 | 1.9 | | | |
| –7 – –8 | | | | | | 2.4 | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | 2.0 | | | 7.1 | |
| –10 – –11 | | | | | | | | | 1.9 | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 20 | 27 | 21 | 28 | 35 | 41 | 38 | 50 | 52 | 28 | 14 | 10 |

Tabel C.308: Dag til dag ændring i saltholdighed for station Langelandsbælt dybde 19.6 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | 1.9 | | | |
| 7 – 8 | | | | | | | | 3.7 | | | | |
| 6 – 7 | | | | | | | | 3.7 | | | | |
| 5 – 6 | | | | 3.6 | | 2.4 | | | 3.8 | | 7.1 | |
| 4 – 5 | | | 4.8 | 3.6 | 8.6 | | | 3.7 | 1.9 | | | |
| 3 – 2 | 14.3 | 4.8 | | | | 7.3 | | | 7.7 | 3.6 | 14.3 | |
| 1 – 2 | 7.1 | 9.5 | 28.6 | 22.9 | 7.3 | 10.8 | 22.2 | 17.3 | 10.7 | 28.6 | 10.0 | |
| 0 – 1 | 28.6 | 28.6 | 14.3 | 31.4 | 34.1 | 29.7 | 22.2 | 19.2 | 46.4 | 14.3 | 20.0 | |
| –1 – 0 | 35.7 | 19.0 | 17.9 | 17.1 | 31.7 | 35.1 | 14.8 | 21.2 | 28.6 | 7.1 | 50.0 | |
| –2 – –1 | 14.3 | 14.3 | 21.4 | 8.6 | 17.1 | 13.5 | 11.1 | 13.5 | 7.1 | | | 20.0 |
| –2 – –3 | | 9.5 | 7.1 | 2.9 | | 5.4 | 3.7 | 7.7 | | | | |
| –3 – –4 | | 4.8 | | 8.6 | | | 7.4 | 1.9 | | 7.1 | | |
| –4 – –5 | | 4.8 | 3.6 | | | | 3.7 | | | 14.3 | | |
| –5 – –6 | | | | | | | | | | | | |
| –6 – –7 | | | | | | | 2.7 | | 1.9 | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | 2.7 | 3.7 | | | | |
| –9 – –10 | | | | | | | | | 1.9 | 3.6 | 7.1 | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 0 | 14 | 21 | 28 | 35 | 41 | 37 | 27 | 52 | 28 | 14 | 10 |

Tabel C.309: Dag til dag ændring i saltholdighed for station Saltholm North dybde 3.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | 3.8 | | | | | | | | | | 12.5 | 3.3 |
| 10 – 11 | | 7.1 | | | | | | | | 4.5 | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | 3.4 | | | | | | | | |
| 5 – 6 | 3.8 | | 6.7 | | | | 2.9 | 1.7 | 3.4 | | 12.5 | |
| 4 – 5 | | | | | 5.9 | 5.3 | 5.7 | 1.7 | | | | |
| 3 – 2 | 3.8 | | | | | 5.3 | 5.7 | 1.7 | | | | 6.7 |
| 1 – 2 | | | 3.3 | 6.9 | 5.9 | 10.5 | 5.7 | 18.3 | 6.9 | | | 10.0 |
| 0 – 1 | 34.6 | 21.4 | 43.3 | 34.5 | 35.3 | 21.1 | 28.6 | 20.0 | 24.1 | 40.9 | 25.0 | 20.0 |
| –1 – 0 | 50.0 | 50.0 | 36.7 | 41.4 | 41.2 | 26.3 | 25.7 | 35.0 | 51.7 | 40.9 | 25.0 | 26.7 |
| –2 – –1 | 3.8 | 7.1 | 3.3 | 6.9 | 11.8 | 15.8 | 17.1 | 15.0 | 6.9 | 4.5 | | 20.0 |
| –2 – –3 | | 7.1 | | 3.4 | | 5.3 | 8.6 | 3.3 | 3.4 | 4.5 | 12.5 | 3.3 |
| –3 – –4 | | | 3.3 | 3.4 | | 5.3 | | 3.3 | 3.4 | | | 3.3 |
| –4 – –5 | | | 3.3 | | | 5.3 | | | | 4.5 | | 3.3 |
| –5 – –6 | | 7.1 | | | | | | | | | | |
| –6 – –7 | | | | | | | | | | | 12.5 | |
| –7 – –8 | | | | | | | | | | | | 3.3 |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 26 | 14 | 30 | 29 | 17 | 19 | 35 | 60 | 29 | 22 | 8 | 30 |

Tabel C.310: Dag til dag ændring i saltholdighed for station Saltholm North dybde 5.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | 3.8 | | | | | | | | | | 12.5 | 3.3 |
| 10 – 11 | | 7.1 | | | | | | | | 4.5 | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | 3.4 | | | | | | | | |
| 6 – 7 | | | 3.3 | | | 5.3 | | 1.7 | 3.4 | | | |
| 5 – 6 | 7.7 | | | | | | 2.9 | 1.7 | | | 12.5 | |
| 4 – 5 | | | | | | | 2.9 | 1.7 | | | | |
| 3 – 2 | | | 6.7 | | 5.9 | | 8.6 | 6.7 | | 4.5 | | 6.7 |
| 1 – 2 | | | | 6.9 | 5.9 | 10.5 | 11.4 | 11.7 | 6.9 | | | 10.0 |
| 0 – 1 | 38.5 | 28.6 | 50.0 | 31.0 | 41.2 | 31.6 | 22.9 | 18.3 | 24.1 | 40.9 | 37.5 | 20.0 |
| –1 – 0 | 38.5 | 35.7 | 30.0 | 41.4 | 35.3 | 21.1 | 28.6 | 35.0 | 48.3 | 36.4 | | 30.0 |
| –2 – –1 | 7.7 | 21.4 | 3.3 | 10.3 | 5.9 | 10.5 | 11.4 | 13.3 | 3.4 | 4.5 | 12.5 | 13.3 |
| –2 – –3 | 3.8 | | | 6.9 | 5.9 | 21.1 | 8.6 | 5.0 | 10.3 | 4.5 | 12.5 | 6.7 |
| –3 – –4 | | | 6.7 | | | | 2.9 | 5.0 | 3.4 | | | 3.3 |
| –4 – –5 | | | | | | | | | | 4.5 | | 3.3 |
| –5 – –6 | | 7.1 | | | | | | | | | 12.5 | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | 3.3 |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 26 | 14 | 30 | 29 | 17 | 19 | 35 | 60 | 29 | 22 | 8 | 30 |

Tabel C.311: Dag til dag ændring i saltholdighed for station Saltholm North dybde 7.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | 3.8 | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | 12.5 | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | 3.4 | | | | | | 4.5 | | |
| 8 – 9 | | | 3.3 | | | | | | | | | 3.3 |
| 7 – 8 | | 7.1 | | | | | | | | | | 3.3 |
| 6 – 7 | | | | | | | | | 6.9 | | | 3.3 |
| 5 – 6 | 3.8 | | | | 11.8 | | 5.7 | 3.3 | | | | 3.3 |
| 4 – 5 | | | 6.7 | | | 5.3 | 5.7 | 8.3 | | | 12.5 | 3.3 |
| 3 – 2 | 3.8 | 7.1 | | | 5.9 | 5.3 | 5.7 | 8.3 | 3.4 | | 12.5 | 6.7 |
| 1 – 2 | 3.8 | | | | 5.9 | 21.1 | 8.6 | 6.7 | 3.4 | 4.5 | 12.5 | |
| 0 – 1 | 34.6 | 21.4 | 36.7 | 27.6 | 17.6 | 5.3 | 20.0 | 16.7 | 24.1 | 36.4 | | 23.3 |
| –1 – 0 | 38.5 | 42.9 | 33.3 | 55.2 | 41.2 | 31.6 | 37.1 | 28.3 | 34.5 | 40.9 | | 20.0 |
| –2 – –1 | | 7.1 | 13.3 | 10.3 | 11.8 | 21.1 | 5.7 | 13.3 | 6.9 | 13.6 | 12.5 | 6.7 |
| –2 – –3 | 11.5 | 7.1 | | | 5.9 | | 5.7 | 6.7 | 13.8 | | 12.5 | 6.7 |
| –3 – –4 | | | 6.7 | 3.4 | | 10.5 | 2.9 | 5.0 | 6.9 | | 12.5 | |
| –4 – –5 | | | | | | | 2.9 | 3.3 | | | | 10.0 |
| –5 – –6 | | 7.1 | | | | | | | | | 12.5 | 6.7 |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | 3.3 |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 26 | 14 | 30 | 29 | 17 | 19 | 35 | 60 | 29 | 22 | 8 | 30 |

Tabel C.312: Dag til dag ændring i saltholdighed for station Saltholm North dybde 9.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | 3.8 | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | 7.1 | | | | | | | | 4.5 | | |
| 10 – 11 | | | | | | | | | | | | 3.3 |
| 9 – 10 | | | | | | | | 1.7 | | | | 6.7 |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | 1.7 | | 4.5 | 12.5 | |
| 6 – 7 | | | | 3.4 | 5.9 | | | | 3.4 | 4.5 | | |
| 5 – 6 | 3.8 | | 10.0 | 3.4 | | | 2.9 | 3.3 | | | | |
| 4 – 5 | | | 6.7 | | 11.8 | | | 5.0 | 10.3 | | 12.5 | 10.0 |
| 3 – 2 | 3.8 | | 10.0 | 6.9 | 5.9 | 10.5 | 11.4 | 5.0 | 3.4 | | | 3.3 |
| 1 – 2 | 3.8 | | 3.3 | 6.9 | 5.9 | 10.5 | 22.9 | 6.7 | 6.9 | 4.5 | 25.0 | 6.7 |
| 0 – 1 | 19.2 | 21.4 | 13.3 | 24.1 | 23.5 | 21.1 | 14.3 | 20.0 | 20.7 | 22.7 | | 10.0 |
| -1 – 0 | 50.0 | 35.7 | 30.0 | 37.9 | 17.6 | 36.8 | 22.9 | 20.0 | 24.1 | 36.4 | | 13.3 |
| -2 – -1 | 11.5 | 28.6 | 6.7 | 6.9 | 23.5 | 10.5 | 20.0 | 20.0 | 13.8 | 9.1 | 25.0 | 10.0 |
| -2 – -3 | | | 6.7 | 6.9 | 5.9 | 5.3 | 2.9 | 5.0 | | 4.5 | | 16.7 |
| -3 – -4 | | | 6.7 | 3.4 | | 5.3 | | 8.3 | 6.9 | | | |
| -4 – -5 | 3.8 | 7.1 | 3.3 | | | | 2.9 | 3.3 | 3.4 | 4.5 | | 3.3 |
| -5 – -6 | | | 3.3 | | | | | | | 4.5 | | 10.0 |
| -6 – -7 | | | | | | | | | 3.4 | | 25.0 | |
| -7 – -8 | | | | | | | | | 3.4 | | | 6.7 |
| -8 – -9 | | | | | | | | | | | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 26 | 14 | 30 | 29 | 17 | 19 | 35 | 60 | 29 | 22 | 8 | 30 |

Tabel C.313: Dag til dag ændring i saltholdighed for station Saltholm North dybde 11.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | 4.5 | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | 3.8 | | | 3.4 | | | | | | | | 3.3 |
| 10 – 11 | | | | | | | | | 3.4 | | | |
| 9 – 10 | | | 3.3 | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | 3.3 |
| 7 – 8 | | | | | 11.8 | 5.3 | | | | | | |
| 6 – 7 | | 7.1 | | 3.4 | | | | 1.7 | | 9.1 | | 6.7 |
| 5 – 6 | | 7.1 | 3.3 | 3.4 | 11.8 | 5.3 | | | 3.4 | | | 3.3 |
| 4 – 5 | 3.8 | | 3.3 | 6.9 | | | 5.7 | 3.3 | 10.3 | 4.5 | 12.5 | 6.7 |
| 3 – 2 | 3.8 | 7.1 | 10.0 | | 11.8 | | 14.3 | 8.3 | | 4.5 | 12.5 | 10.0 |
| 1 – 2 | 11.5 | | 16.7 | 13.8 | 5.9 | 5.3 | 11.4 | 11.7 | 10.3 | | | 6.7 |
| 0 – 1 | 19.2 | 7.1 | 13.3 | 10.3 | 17.6 | 15.8 | 17.1 | 30.0 | 20.7 | 9.1 | 12.5 | 3.3 |
| –1 – 0 | 38.5 | 42.9 | 16.7 | 34.5 | | 42.1 | 34.3 | 16.7 | 13.8 | 36.4 | 25.0 | 13.3 |
| –2 – –1 | 11.5 | 21.4 | 10.0 | 6.9 | 17.6 | 5.3 | 8.6 | 15.0 | 13.8 | 9.1 | 12.5 | 20.0 |
| –2 – –3 | 3.8 | 7.1 | 10.0 | | 11.8 | 5.3 | 2.9 | 5.0 | 10.3 | 9.1 | 12.5 | 3.3 |
| –3 – –4 | | | 10.0 | 13.8 | 11.8 | 10.5 | 2.9 | 5.0 | 6.9 | | 12.5 | 3.3 |
| –4 – –5 | 3.8 | | | | | | 2.9 | 1.7 | 6.9 | 4.5 | | 6.7 |
| –5 – –6 | | | 3.3 | | | | | | | 4.5 | | 3.3 |
| –6 – –7 | | | | 3.4 | | | | | | 4.5 | | |
| –7 – –8 | | | | | | 5.3 | | 1.7 | | | | |
| –8 – –9 | | | | | | | | | | | | 3.3 |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | 3.3 |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 26 | 14 | 30 | 29 | 17 | 19 | 35 | 60 | 29 | 22 | 8 | 30 |

Tabel C.314: Dag til dag ændring i saltholdighed for station Saltholm North dybde 13.5 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | 3.4 | | | | | | | | |
| 14 – 15 | | | | | | | | | | 4.5 | | |
| 13 – 14 | | 7.1 | | 3.4 | | | | | 3.4 | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | 3.3 | | 11.8 | | | | | 4.5 | | |
| 9 – 10 | | | | | | | | | | | | 3.3 |
| 8 – 9 | | | | 3.4 | | | | 1.7 | | | | 3.3 |
| 7 – 8 | | | | | | 10.5 | | | | | | |
| 6 – 7 | | | | 3.4 | 5.9 | 5.3 | 2.9 | | 3.4 | 4.5 | | |
| 5 – 6 | | | 3.3 | | | | 2.9 | 1.7 | 3.4 | 4.5 | 12.5 | 3.3 |
| 4 – 5 | 7.7 | | 3.3 | | | 5.3 | 2.9 | 6.7 | 6.9 | | 25.0 | 6.7 |
| 3 – 2 | | | | 6.9 | | 5.3 | 11.4 | 5.0 | 3.4 | 4.5 | | 16.7 |
| 1 – 2 | 7.7 | | 10.0 | 3.4 | 29.4 | | 8.6 | 13.3 | | 9.1 | 12.5 | 3.3 |
| 0 – 1 | 30.8 | 28.6 | 30.0 | 6.9 | | 10.5 | 17.1 | 20.0 | 17.2 | 4.5 | | 16.7 |
| –1 – 0 | 38.5 | 35.7 | 16.7 | 37.9 | 17.6 | 10.5 | 31.4 | 25.0 | 31.0 | 13.6 | | 10.0 |
| –2 – –1 | 7.7 | 28.6 | 23.3 | 13.8 | 11.8 | 15.8 | 11.4 | 10.0 | 3.4 | 22.7 | 12.5 | 3.3 |
| –2 – –3 | 7.7 | | | 3.4 | 11.8 | 10.5 | 2.9 | 10.0 | 10.3 | 9.1 | 25.0 | 13.3 |
| –3 – –4 | | | 3.3 | 3.4 | 5.9 | 5.3 | 2.9 | 3.3 | 13.8 | 4.5 | 12.5 | 10.0 |
| –4 – –5 | | | | | | 5.3 | | 1.7 | | | | 3.3 |
| –5 – –6 | | | 3.3 | 6.9 | | | 2.9 | 1.7 | | 4.5 | | |
| –6 – –7 | | | 3.3 | | | | 2.9 | | 3.4 | 4.5 | | |
| –7 – –8 | | | | | 5.9 | 15.8 | | | | | | 3.3 |
| –8 – –9 | | | | | | | | | | | | 3.3 |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | 4.5 | | |
| –12 – –13 | | | | 3.4 | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 26 | 14 | 30 | 29 | 17 | 19 | 35 | 60 | 29 | 22 | 8 | 30 |

Tabel C.315: Dag til dag ændring i saltholdighed for station Saltholm North dybde 14.2 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | 3.4 | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | 7.1 | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | 3.4 | | | | | | | | |
| 11 – 12 | | | 3.3 | | | | | | | | | |
| 10 – 11 | | | | | 11.8 | | | | 3.4 | 4.5 | | |
| 9 – 10 | | | | | | | | | | 4.5 | | 3.3 |
| 8 – 9 | | | | 3.4 | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | 3.3 |
| 6 – 7 | | | | | | 12.5 | 20.0 | 3.3 | 3.4 | | | |
| 5 – 6 | | | 3.3 | 3.4 | 5.9 | | | 3.3 | 3.4 | | 25.0 | 3.3 |
| 4 – 5 | 3.8 | | 3.3 | 3.4 | | 12.5 | | 6.7 | 6.9 | 4.5 | 12.5 | 6.7 |
| 3 – 2 | 3.8 | | 3.3 | 6.9 | 5.9 | | | 6.7 | 3.4 | 13.6 | | 16.7 |
| 1 – 2 | 7.7 | | 13.3 | | 17.6 | | | 10.0 | | 9.1 | | 6.7 |
| 0 – 1 | 34.6 | 28.6 | 16.7 | 10.3 | 11.8 | | | 16.7 | 20.7 | 9.1 | 12.5 | 10.0 |
| -1 – 0 | 34.6 | 42.9 | 26.7 | 34.5 | 23.5 | 25.0 | 20.0 | 16.7 | 24.1 | 13.6 | | 13.3 |
| -2 – -1 | 11.5 | 21.4 | 13.3 | 10.3 | 5.9 | 25.0 | 20.0 | 16.7 | 13.8 | 9.1 | | 10.0 |
| -2 – -3 | 3.8 | | 6.7 | 10.3 | | | 20.0 | 13.3 | 3.4 | 13.6 | 25.0 | 6.7 |
| -3 – -4 | | | 3.3 | | | | | 3.3 | 6.9 | 4.5 | 25.0 | 10.0 |
| -4 – -5 | | | 3.3 | 3.4 | 11.8 | | 20.0 | 3.3 | 6.9 | 4.5 | | 3.3 |
| -5 – -6 | | | 3.3 | 3.4 | | | | | 3.4 | | | |
| -6 – -7 | | | | | | 12.5 | | | | 4.5 | | |
| -7 – -8 | | | | | 5.9 | 12.5 | | | | | | 6.7 |
| -8 – -9 | | | | | | | | | | 4.5 | | |
| -9 – -10 | | | | | | | | | | | | |
| -10 – -11 | | | | | | | | | | | | |
| -11 – -12 | | | | 3.4 | | | | | | | | |
| -12 – -13 | | | | | | | | | | | | |
| -13 – -14 | | | | | | | | | | | | |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | |
| -18 – -19 | | | | | | | | | | | | |
| -19 – -20 | | | | | | | | | | | | |
| < -20 | | | | | | | | | | | | |
| antal | 26 | 14 | 30 | 29 | 17 | 8 | 5 | 30 | 29 | 22 | 8 | 30 |

Tabel C.316: Dag til dag ændring i saltholdighed for station Svinbådan dybde 2.7 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|-----|-----|-----|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | 2.6 | | | | | | | | | | | |
| 13 – 14 | 2.6 | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | 1.8 | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | 3.4 | | 3.6 | |
| 8 – 9 | 2.6 | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | 4.5 | | |
| 6 – 7 | | | | | | | 3.3 | | 6.9 | | 1.8 | 1.7 |
| 5 – 6 | 2.6 | | | | 3.3 | | | 3.3 | | | 3.6 | 5.0 |
| 4 – 5 | | | | | | 3.4 | | 3.3 | 6.9 | 2.3 | 3.6 | 3.3 |
| 3 – 2 | 2.6 | | | | 6.7 | 3.4 | 6.7 | 6.7 | 3.4 | 6.8 | 5.4 | 8.3 |
| 1 – 2 | 5.3 | | | | 10.0 | 13.8 | 10.0 | 6.7 | 6.9 | 4.5 | 14.3 | 15.0 |
| 0 – 1 | 13.2 | | | | 23.3 | 31.0 | 23.3 | 23.3 | 20.7 | 27.3 | 17.9 | 18.3 |
| –1 – 0 | 23.7 | | | | 40.0 | 34.5 | 40.0 | 23.3 | 17.2 | 29.5 | 25.0 | 16.7 |
| –2 – –1 | 21.1 | | | | 6.7 | 6.9 | 6.7 | 26.7 | 13.8 | 9.1 | 10.7 | 10.0 |
| –2 – –3 | 10.5 | | | | 6.7 | | 3.3 | 3.3 | 6.9 | 2.3 | 3.6 | 5.0 |
| –3 – –4 | 2.6 | | | | 3.3 | 3.4 | 3.3 | 3.3 | 6.9 | 4.5 | 1.8 | 3.3 |
| –4 – –5 | 2.6 | | | | | 3.4 | 3.3 | | 3.4 | 6.8 | 1.8 | 5.0 |
| –5 – –6 | 2.6 | | | | | | | | 3.4 | | | |
| –6 – –7 | 5.3 | | | | | | | | | | 1.8 | 3.3 |
| –7 – –8 | | | | | | | | | | 2.3 | 1.8 | 1.7 |
| –8 – –9 | | | | | | | | | | | | 1.7 |
| –9 – –10 | | | | | | | | | | | | 1.7 |
| –10 – –11 | | | | | | | | | | | 1.8 | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 38 | 0 | 0 | 0 | 30 | 29 | 30 | 30 | 29 | 44 | 56 | 60 |

Tabel C.317: Dag til dag ændring i saltholdighed for station Svinbådan dybde 6.0 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|-----|-----|-----|-----|-------|-----|-----|-----|-----|-----|-----|-----|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | | | | | | | | |
| 7 – 8 | | | | | | | | | | | | |
| 6 – 7 | | | | | | | | | | | | |
| 5 – 6 | | | | | | | | | | | | |
| 4 – 5 | | | | | | | | | | | | |
| 3 – 2 | | | | | | | | | | | | |
| 1 – 2 | | | | | 100.0 | | | | | | | |
| 0 – 1 | | | | | | | | | | | | |
| –1 – 0 | | | | | | | | | | | | |
| –2 – –1 | | | | | | | | | | | | |
| –2 – –3 | | | | | | | | | | | | |
| –3 – –4 | | | | | | | | | | | | |
| –4 – –5 | | | | | | | | | | | | |
| –5 – –6 | | | | | | | | | | | | |
| –6 – –7 | | | | | | | | | | | | |
| –7 – –8 | | | | | | | | | | | | |
| –8 – –9 | | | | | | | | | | | | |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Tabel C.318: Dag til dag ændring i saltholdighed for station Svinbådan dybde 7.7 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|-----|-----|-----|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | 2.3 | | |
| 13 – 14 | | | | | | | | | | | 1.8 | |
| 12 – 13 | | | | | | | | | | 2.3 | | |
| 11 – 12 | | | | | | | | | | | | 1.7 |
| 10 – 11 | | | | | | | | | | 2.3 | | |
| 9 – 10 | | | | | | | | | 3.4 | | 3.6 | 1.7 |
| 8 – 9 | | | | | 3.3 | | | | | | 1.8 | |
| 7 – 8 | 5.3 | | | | | | | 3.3 | 6.9 | | | |
| 6 – 7 | 7.9 | | | | 3.3 | | | 6.7 | | 2.3 | 3.6 | |
| 5 – 6 | 5.3 | | | | 3.3 | | 10.0 | | 10.3 | | 1.8 | 3.3 |
| 4 – 5 | 5.3 | | | | 6.7 | 6.9 | 3.3 | 6.7 | | | 3.6 | 6.7 |
| 3 – 2 | | | | | 3.3 | | 3.3 | | 3.4 | | 10.7 | 8.3 |
| 1 – 2 | 13.2 | | | | 3.3 | 6.9 | 13.3 | 6.7 | 17.2 | 6.8 | 5.4 | 6.7 |
| 0 – 1 | 13.2 | | | | 23.3 | 31.0 | 20.0 | 23.3 | 10.3 | 29.5 | 23.2 | 15.0 |
| –1 – 0 | 10.5 | | | | 30.0 | 41.4 | 23.3 | 23.3 | 6.9 | 29.5 | 7.1 | 18.3 |
| –2 – –1 | 13.2 | | | | 6.7 | 6.9 | 10.0 | 13.3 | 6.9 | 9.1 | 12.5 | 18.3 |
| –2 – –3 | 10.5 | | | | 6.7 | 3.4 | 13.3 | | 17.2 | 4.5 | 10.7 | 1.7 |
| –3 – –4 | 5.3 | | | | | 3.4 | 3.3 | 10.0 | 6.9 | 4.5 | 1.8 | 8.3 |
| –4 – –5 | 2.6 | | | | 3.3 | | | | 3.4 | | 3.6 | 3.3 |
| –5 – –6 | 2.6 | | | | | | | 3.3 | | | 3.6 | |
| –6 – –7 | 2.6 | | | | 3.3 | | | | | 2.3 | 3.6 | 3.3 |
| –7 – –8 | | | | | | | | 3.3 | 3.4 | | 1.8 | |
| –8 – –9 | | | | | 3.3 | | | | 3.4 | 2.3 | | 1.7 |
| –9 – –10 | 2.6 | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | | 1.7 |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | | | 2.3 | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 38 | 0 | 0 | 0 | 30 | 29 | 30 | 30 | 29 | 44 | 56 | 60 |

Tabel C.319: Dag til dag ændring i saltholdighed for station Svinbådan dybde 12.9 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|-----|-----|-----|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | 3.4 | | | | | | |
| 15 – 16 | | | | | | | | | | 2.4 | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | | | | | 3.3 | | | | | 2.4 | | |
| 12 – 13 | | | | | | | | | 5.9 | | | 1.7 |
| 11 – 12 | | | | | 3.3 | | | 3.3 | | | 1.8 | |
| 10 – 11 | | | | | | 3.4 | | 3.3 | | | | |
| 9 – 10 | | | | | | | | | | | | |
| 8 – 9 | | | | | 3.3 | | | 3.3 | | | | 1.7 |
| 7 – 8 | | | | | | | | | | | | 1.7 |
| 6 – 7 | | | | | | | | | | 2.4 | | 1.7 |
| 5 – 6 | 2.6 | | | | | | 3.3 | 3.3 | 5.9 | | 1.8 | 1.7 |
| 4 – 5 | 10.5 | | | | 6.7 | 6.9 | 3.3 | 3.3 | | 2.4 | 3.6 | 8.3 |
| 3 – 2 | 2.6 | | | | 6.7 | | 10.0 | 10.0 | 11.8 | 2.4 | 3.6 | 3.3 |
| 1 – 2 | 7.9 | | | | 3.3 | 10.3 | 13.3 | 10.0 | 5.9 | 11.9 | 12.5 | 11.7 |
| 0 – 1 | 18.4 | | | | 33.3 | 27.6 | 20.0 | 10.0 | 17.6 | 31.0 | 37.5 | 16.7 |
| –1 – 0 | 28.9 | | | | 16.7 | 10.3 | 30.0 | 6.7 | 17.6 | 14.3 | 17.9 | 20.0 |
| –2 – –1 | 13.2 | | | | 3.3 | 10.3 | 13.3 | 20.0 | 11.8 | 16.7 | 7.1 | 8.3 |
| –2 – –3 | 13.2 | | | | | 3.4 | | 3.3 | 5.9 | 7.1 | 3.6 | 5.0 |
| –3 – –4 | | | | | | 6.9 | 6.7 | 10.0 | 5.9 | 2.4 | 3.6 | 6.7 |
| –4 – –5 | | | | | 3.3 | 6.9 | | 6.7 | | | 1.8 | 3.3 |
| –5 – –6 | | | | | 3.3 | | | | 5.9 | | 1.8 | 3.3 |
| –6 – –7 | | | | | | | | 3.3 | | | | 1.7 |
| –7 – –8 | 2.6 | | | | | 3.4 | | | | | | |
| –8 – –9 | | | | | 6.7 | | | | | | 1.8 | |
| –9 – –10 | | | | | | 6.9 | | | 5.9 | | 1.8 | 3.3 |
| –10 – –11 | | | | | 3.3 | | | | | | | |
| –11 – –12 | | | | | | | | | | 2.4 | | |
| –12 – –13 | | | | | | | | | | | | |
| –13 – –14 | | | | | | | | 3.3 | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | 2.4 | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | 3.3 | | | | | | | |
| antal | 38 | 0 | 0 | 0 | 30 | 29 | 30 | 30 | 17 | 42 | 56 | 60 |

Tabel C.320: Dag til dag ændring i saltholdighed for station Valgrundet dybde 2.7 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | | |
| 15 – 16 | | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | |
| 13 – 14 | 2.2 | | | | | | | | | | | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | | | | 1.8 | |
| 9 – 10 | | | | | | | | | | | | 1.7 |
| 8 – 9 | 2.2 | | 3.7 | | 3.6 | | | | | | | |
| 7 – 8 | | 3.7 | | | | | | 3.3 | | 4.1 | | 1.7 |
| 6 – 7 | 2.2 | 3.7 | 3.7 | | | | | | | | 3.6 | 3.3 |
| 5 – 6 | 4.4 | | 3.7 | | 3.6 | | | 6.7 | | | | 1.7 |
| 4 – 5 | | | 3.7 | | | | | | | 2.0 | 3.6 | 3.3 |
| 3 – 2 | 8.9 | 3.7 | 3.7 | | 3.6 | 13.8 | | 3.3 | 13.6 | 4.1 | 1.8 | 6.7 |
| 1 – 2 | 6.7 | | 11.1 | | | 3.4 | 3.3 | 10.0 | | 4.1 | 10.9 | 10.0 |
| 0 – 1 | 28.9 | 33.3 | 18.5 | 34.5 | 39.3 | 37.9 | 36.7 | 16.7 | 36.4 | 28.6 | 32.7 | 21.7 |
| –1 – 0 | 28.9 | 44.4 | 25.9 | 65.5 | 42.9 | 24.1 | 56.7 | 36.7 | 22.7 | 28.6 | 34.5 | 13.3 |
| –2 – –1 | 6.7 | | 11.1 | | 3.6 | 6.9 | 3.3 | 6.7 | 13.6 | 14.3 | | 18.3 |
| –2 – –3 | 2.2 | 3.7 | 7.4 | | | 3.4 | | 6.7 | | 10.2 | 3.6 | 5.0 |
| –3 – –4 | | | | | | 6.9 | | 10.0 | 9.1 | | 1.8 | |
| –4 – –5 | | | | | 3.6 | 3.4 | | | 4.5 | 2.0 | 1.8 | 3.3 |
| –5 – –6 | | 3.7 | | | | | | | | | 1.8 | 1.7 |
| –6 – –7 | 4.4 | | 3.7 | | | | | | | | | 1.7 |
| –7 – –8 | | 3.7 | | | | | | | | 2.0 | | 3.3 |
| –8 – –9 | 2.2 | | | | | | | | | | | 1.7 |
| –9 – –10 | | | | | | | | | | | | |
| –10 – –11 | | | | | | | | | | | 1.8 | 1.7 |
| –11 – –12 | | | | | | | | | | | | |
| –12 – –13 | | | 3.7 | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | | |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 45 | 27 | 27 | 29 | 28 | 29 | 30 | 30 | 22 | 49 | 55 | 60 |

Tabel C.321: Dag til dag ændring i saltholdighed for station Valgrundet dybde 4.7 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | | 1.8 | |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | | | | | | |
| 16 – 17 | | | | | | | | | | | 1.8 | |
| 15 – 16 | 2.2 | | | | | | | | | | | |
| 14 – 15 | | | | | | | | | | | | 1.7 |
| 13 – 14 | | | | | 3.6 | | | | | | 1.8 | |
| 12 – 13 | | | | | | | | | | | | |
| 11 – 12 | | | 3.7 | | | | | | | | | |
| 10 – 11 | | 3.7 | | | | | | | | | | 1.7 |
| 9 – 10 | 6.7 | | | | 3.6 | | | | | 4.1 | | |
| 8 – 9 | | 3.7 | 3.7 | | 3.6 | | | 6.7 | | | 1.8 | |
| 7 – 8 | | | | | | | | | | 2.0 | | |
| 6 – 7 | | | | | | 3.4 | | 3.3 | | 2.0 | | 5.0 |
| 5 – 6 | 2.2 | | 7.4 | | | | | | 4.5 | | 3.6 | 3.3 |
| 4 – 5 | | | 3.7 | | | 3.4 | | | | 2.0 | 3.6 | 1.7 |
| 3 – 2 | 4.4 | | 3.7 | | | 6.9 | | 6.7 | 4.5 | | 1.8 | 1.7 |
| 1 – 2 | 11.1 | | 3.7 | | | 6.9 | 6.7 | 3.3 | 13.6 | 4.1 | 9.1 | 11.7 |
| 0 – 1 | 22.2 | 33.3 | 22.2 | 41.4 | 35.7 | 13.8 | 36.7 | 16.7 | 22.7 | 20.4 | 23.6 | 18.3 |
| –1 – 0 | 31.1 | 48.1 | 25.9 | 58.6 | 42.9 | 34.5 | 53.3 | 30.0 | 22.7 | 36.7 | 36.4 | 13.3 |
| –2 – –1 | 8.9 | | 11.1 | | | 13.8 | 3.3 | 10.0 | 9.1 | 10.2 | 1.8 | 21.7 |
| –2 – –3 | 4.4 | | | | 7.1 | 6.9 | | 13.3 | 4.5 | 6.1 | 3.6 | 3.3 |
| –3 – –4 | | 3.7 | | | | 3.4 | | | 13.6 | 6.1 | 1.8 | 1.7 |
| –4 – –5 | | | 3.7 | | 3.6 | 6.9 | | 6.7 | | 4.1 | | 3.3 |
| –5 – –6 | | 3.7 | | | | | | 3.3 | 4.5 | | 1.8 | 3.3 |
| –6 – –7 | 2.2 | | 3.7 | | | | | | | | | |
| –7 – –8 | 2.2 | 3.7 | 3.7 | | | | | | | 2.0 | | 3.3 |
| –8 – –9 | | | | | | | | | | | | 1.7 |
| –9 – –10 | | | | | | | | | | | 1.8 | |
| –10 – –11 | 2.2 | | | | | | | | | | 1.8 | |
| –11 – –12 | | | | | | | | | | | | 1.7 |
| –12 – –13 | | | 3.7 | | | | | | | | | |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | 1.8 | 1.7 |
| –15 – –16 | | | | | | | | | | | | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | | |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 45 | 27 | 27 | 29 | 28 | 29 | 30 | 30 | 22 | 49 | 55 | 60 |

Tabel C.322: Dag til dag ændring i saltholdighed for station Valgrundet dybde 6.8 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | | | | | | | | | | 4.1 | 3.6 | 1.7 |
| 19 – 20 | 2.2 | | | | | | | | | | | 1.7 |
| 18 – 19 | | | | | 3.6 | | | 3.3 | | | | |
| 17 – 18 | | | | | | | | | | | 1.8 | |
| 16 – 17 | | 3.7 | | | | | | | | 2.0 | 3.6 | |
| 15 – 16 | 2.2 | | | | | | | | | | | 1.7 |
| 14 – 15 | 2.2 | | 3.7 | | | | | | | | | |
| 13 – 14 | | | | | | | | | | | | 1.7 |
| 12 – 13 | | | 3.7 | | | | | | | | | 1.7 |
| 11 – 12 | | | 3.7 | | | | | 3.3 | | 2.0 | | |
| 10 – 11 | | | 3.7 | | | | 3.3 | | | | 3.6 | |
| 9 – 10 | | 7.4 | 3.7 | | 3.6 | | | | | 2.0 | | |
| 8 – 9 | | | | | | | | | | | | 1.7 |
| 7 – 8 | | | | | 3.6 | | | 3.3 | | | 1.8 | 1.7 |
| 6 – 7 | | | | | | 3.4 | | 3.3 | | | | |
| 5 – 6 | 4.4 | | | | | 3.4 | | 3.3 | 4.5 | | 3.6 | |
| 4 – 5 | 4.4 | | 3.7 | | 3.6 | 3.4 | 6.7 | | 4.5 | | | 1.7 |
| 3 – 2 | 2.2 | | | | | | | 6.7 | 4.5 | 8.2 | 1.8 | 3.3 |
| 1 – 2 | | | | 3.4 | | 13.8 | | 3.3 | 22.7 | | 5.5 | 5.0 |
| 0 – 1 | 22.2 | 29.6 | 18.5 | 37.9 | 28.6 | 20.7 | 40.0 | 13.3 | 9.1 | 22.4 | 20.0 | 13.3 |
| –1 – 0 | 42.2 | 44.4 | 22.2 | 55.2 | 46.4 | 13.8 | 46.7 | 16.7 | 22.7 | 18.4 | 32.7 | 13.3 |
| –2 – –1 | 4.4 | | 14.8 | 3.4 | 3.6 | 13.8 | | 6.7 | 9.1 | 14.3 | 1.8 | 18.3 |
| –2 – –3 | 4.4 | 3.7 | | | | 10.3 | | 13.3 | 4.5 | 4.1 | 5.5 | 10.0 |
| –3 – –4 | | 3.7 | | | | 3.4 | 3.3 | 3.3 | 13.6 | 6.1 | | 3.3 |
| –4 – –5 | | | | | 3.6 | 10.3 | | 6.7 | | 4.1 | 1.8 | 3.3 |
| –5 – –6 | | | 3.7 | | 3.6 | 3.4 | | | | 2.0 | | 3.3 |
| –6 – –7 | 2.2 | | 7.4 | | | | | 3.3 | | | | 5.0 |
| –7 – –8 | | | 3.7 | | | | | 3.3 | | | 1.8 | |
| –8 – –9 | 2.2 | | | | | | | 3.3 | | | 1.8 | 1.7 |
| –9 – –10 | | 3.7 | | | | | | 3.3 | 4.5 | 6.1 | 1.8 | 1.7 |
| –10 – –11 | 4.4 | | | | | | | | | | 1.8 | |
| –11 – –12 | | 3.7 | 3.7 | | | | | | | | | |
| –12 – –13 | | | 3.7 | | | | | | | | 1.8 | 3.3 |
| –13 – –14 | | | | | | | | | | | | |
| –14 – –15 | | | | | | | | | | | 1.8 | |
| –15 – –16 | | | | | | | | | | 2.0 | 1.8 | |
| –16 – –17 | | | | | | | | | | | | |
| –17 – –18 | | | | | | | | | | 2.0 | | |
| –18 – –19 | | | | | | | | | | | | 1.7 |
| –19 – –20 | | | | | | | | | | | | |
| < –20 | | | | | | | | | | | | |
| antal | 45 | 27 | 27 | 29 | 28 | 29 | 30 | 30 | 22 | 49 | 55 | 60 |

Tabel C.323: Dag til dag ændring i saltholdighed for station Valgrundet dybde 8.8 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| > 20 | 6.7 | | | | | | | 3.3 | | | 8.7 | 6.7 |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | |
| 17 – 18 | | | | | | | 3.3 | | | | | |
| 16 – 17 | | 3.7 | 3.7 | | 3.6 | | | | | | | |
| 15 – 16 | 3.3 | | | | | | | | 4.5 | | | |
| 14 – 15 | | | | | | | | | 4.5 | | 4.3 | 3.3 |
| 13 – 14 | | | | | | | | | | | | |
| 12 – 13 | | | 7.4 | | 3.6 | | | 3.3 | | 4.2 | | |
| 11 – 12 | | | | | | | | | | | | |
| 10 – 11 | | | | | | | | 3.3 | | | 8.7 | 3.3 |
| 9 – 10 | | 3.7 | | | 7.1 | | | | 4.5 | | | 3.3 |
| 8 – 9 | 3.3 | 3.7 | 3.7 | | | | 6.7 | 6.7 | | | | |
| 7 – 8 | | | | | 3.6 | | | | 4.5 | | | |
| 6 – 7 | 3.3 | | | | | 3.4 | 3.3 | 3.3 | | | 4.3 | |
| 5 – 6 | | | | | | 3.4 | | | | 8.3 | | |
| 4 – 5 | | | | | | 3.4 | | | | | | |
| 3 – 2 | 6.7 | 3.7 | | | | 3.4 | | 3.3 | | | 4.3 | |
| 1 – 2 | 3.3 | 3.7 | 3.7 | 3.4 | 3.6 | 6.9 | 3.3 | | 4.5 | 4.2 | | 6.7 |
| 0 – 1 | 13.3 | 18.5 | 14.8 | 41.4 | 14.3 | 20.7 | 36.7 | 13.3 | 13.6 | 16.7 | 8.7 | 10.0 |
| -1 – 0 | 43.3 | 48.1 | 37.0 | 51.7 | 32.1 | 17.2 | 33.3 | 16.7 | 13.6 | 41.7 | 30.4 | 16.7 |
| -2 – -1 | | 3.7 | 3.7 | 3.4 | 3.6 | 10.3 | 3.3 | 10.0 | 9.1 | 4.2 | | 6.7 |
| -2 – -3 | 3.3 | | 3.7 | | 10.7 | 13.8 | | 6.7 | | | 4.3 | 6.7 |
| -3 – -4 | 3.3 | 3.7 | | | | 6.9 | | 6.7 | 13.6 | | | 6.7 |
| -4 – -5 | | | 11.1 | | 10.7 | 3.4 | | 6.7 | 4.5 | 8.3 | | 6.7 |
| -5 – -6 | | 3.7 | | | | 3.4 | 3.3 | 3.3 | | 12.5 | | |
| -6 – -7 | | | | | | | 3.3 | | 4.5 | | | |
| -7 – -8 | 3.3 | | 3.7 | | 3.6 | | 3.3 | 6.7 | | | | 3.3 |
| -8 – -9 | | | | | | | | | 4.5 | | 4.3 | |
| -9 – -10 | | | | | | | | 3.3 | 9.1 | | 4.3 | 10.0 |
| -10 – -11 | | | 3.7 | | 3.6 | 3.4 | | | | | 8.7 | |
| -11 – -12 | | | | | | | | | 4.5 | | | |
| -12 – -13 | | 3.7 | | | | | | | | | 4.3 | 3.3 |
| -13 – -14 | | | | | | | | 3.3 | | | | 3.3 |
| -14 – -15 | | | | | | | | | | | | |
| -15 – -16 | | | 3.7 | | | | | | | | | |
| -16 – -17 | | | | | | | | | | | | |
| -17 – -18 | | | | | | | | | | | | 3.3 |
| -18 – -19 | 3.3 | | | | | | | | | | | |
| -19 – -20 | 3.3 | | | | | | | | | | 4.3 | |
| < -20 | | | | | | | | | | | | |
| antal | 30 | 27 | 27 | 29 | 28 | 29 | 30 | 30 | 22 | 24 | 23 | 30 |

Tabel C.324: Dag til dag ændring i saltholdighed for station Valgrundet dybde 10.9 m.

| Salt | jan | feb | mar | apr | maj | jun | jul | aug | sep | oct | nov | dec |
|-----------|------|------|------|------|-----|------|------|-------|-----|------|------|------|
| > 20 | 4.5 | 7.4 | 3.7 | | | | | | | 6.2 | 3.6 | 3.3 |
| 19 – 20 | | | | | | | | | | | | |
| 18 – 19 | | | | | | | | | | | | 1.7 |
| 17 – 18 | 2.3 | | | | | | 13.8 | | | | 1.8 | |
| 16 – 17 | | | | | | 3.7 | | | | | | |
| 15 – 16 | 2.3 | | 3.7 | | | 3.7 | | | | | | |
| 14 – 15 | | | | | | 3.7 | 3.4 | | | | | 1.7 |
| 13 – 14 | | | | | | | | | | | | 1.7 |
| 12 – 13 | | | | | | | | | | | | 1.7 |
| 11 – 12 | | | 3.7 | | | 3.7 | | | | | | 3.3 |
| 10 – 11 | | | | | | | | | | 2.1 | | |
| 9 – 10 | | 3.7 | | | | | | | | | 1.8 | 1.7 |
| 8 – 9 | 2.3 | | | | | | | | | | 9.1 | |
| 7 – 8 | 4.5 | | | | | | | | | | | |
| 6 – 7 | 2.3 | | | | | | | | | 2.1 | 1.8 | |
| 5 – 6 | | | | | | 3.7 | | | | 4.2 | | |
| 4 – 5 | 2.3 | 3.7 | | | | | 3.4 | | | 6.2 | | |
| 3 – 2 | 2.3 | | | | | 7.4 | | | | 4.2 | 9.1 | 3.3 |
| 1 – 2 | | | 7.4 | | | | 3.4 | | | 4.2 | 1.8 | 6.7 |
| 0 – 1 | 11.4 | 22.2 | 18.5 | 42.1 | | 7.4 | 27.6 | | | 8.3 | 12.7 | 11.7 |
| –1 – 0 | 27.3 | 40.7 | 29.6 | 52.6 | | 22.2 | 24.1 | | | 22.9 | 20.0 | 18.3 |
| –2 – –1 | 9.1 | 3.7 | 3.7 | | | 7.4 | 6.9 | 100.0 | | 12.5 | 9.1 | 6.7 |
| –2 – –3 | 9.1 | 7.4 | 7.4 | | | 7.4 | | | | 10.4 | 7.3 | 5.0 |
| –3 – –4 | 4.5 | | 3.7 | | | 3.7 | 3.4 | | | 2.1 | 5.5 | 10.0 |
| –4 – –5 | 2.3 | | | | | 7.4 | | | | 2.1 | 3.6 | 3.3 |
| –5 – –6 | 2.3 | | 7.4 | | | | | | | 2.1 | 1.8 | 1.7 |
| –6 – –7 | 2.3 | 3.7 | 3.7 | | | | | | | 2.1 | 1.8 | 1.7 |
| –7 – –8 | | | | | | | | | | 2.1 | 1.8 | 1.7 |
| –8 – –9 | 2.3 | | | | | | | | | 4.2 | | |
| –9 – –10 | | | | | | | | | | | | 1.7 |
| –10 – –11 | | | | 5.3 | | | | | | | 3.6 | 5.0 |
| –11 – –12 | 2.3 | | | | | 7.4 | | | | | | 3.3 |
| –12 – –13 | | | | | | 3.7 | | | | | | |
| –13 – –14 | | 3.7 | | | | 3.7 | 3.4 | | | | | 1.7 |
| –14 – –15 | | | | | | 3.7 | | | | | 1.8 | 1.7 |
| –15 – –16 | | | 3.7 | | | | 3.4 | | | | | 1.7 |
| –16 – –17 | | | 3.7 | | | | 6.9 | | | | | |
| –17 – –18 | | | | | | | | | | | | |
| –18 – –19 | | | | | | | | | | | 1.8 | |
| –19 – –20 | 2.3 | | | | | | | | | 2.1 | | |
| < –20 | 2.3 | 3.7 | | | | | | | | | | |
| antal | 44 | 27 | 27 | 19 | 0 | 27 | 29 | 1 | 0 | 48 | 55 | 60 |